



SAFETY PRODUCTS

In Stock Delivered Today



CODE COMPLIANT SAFETY GEAR





This page is intentionally left blank.



Index

Barricades	26	Mechanic Gloves	7	Retractable Lifelines	31-33
Barrier Cones	27	Nitrile Gloves	6		
Barrier Tape	27	Non-Slip Black Dot Gloves	6	Safety Glasses	14-16
Channelizer Drums	26	Short-Cuff Dipped Rubber Gloves	7	Cover Goggles	15
Pennant Flags	27	Thermal Gloves	6	Face Protectors	15
Type I, II, and III Barricades	26	Welding Gloves	6	Lens Cleaning Kits	15
		Work Gloves	7	Welding Goggles	15
		Workers' Gloves	7		
Bodywear	18	Guards	8	Spill Response	39
Back Support Belts	18	Foot Guards	8	Laminate Pads	39
Coverall Suits	18	Shin Guards	8	Oil Spill Kits	39
Custom Logos	20	Harness Kits	34	Store Location	42
Dust Masks	12	Head Protection	13	Thermal Headwear	17
Particulate Dust Masks	12	Ear Plugs	13	Cap Liners	17
Particulate Respirators	12	Face Shields and Headgear	13	Cooling Bandanas	17
Silica Kits	12	Hard Hats	13	Knit Caps	17
				Sweatbands, Drybrow	17
Fall Protection	35	Hazard Markers	25	Traffic Control	29
Beam Anchors	35	Truck Banners (Wide Load)	25	Hazard Lights	30
Beam Clamps and Trolleys	35	Utility Markers, Buried	25	Road Flares	29
Cable Grabs	35	Warning Flags	25	Road Signs	29
Carabiners	36			Safety Triangles	29
Chain Assemblies	36	High-Visibility Gear	19	Signal Lights, Bar	30
Cross Arm and Anchor Straps	37	Safety Jackets	19	Signal Lights, Rotating	30
Horizontal Lifelines	37	Safety Pants	19	Snow Pole Markers	29
Lanyards	36	Safety Vests	19		
Reusable Anchors	35			Two-Way Radios	38
Roofing Kits	37	New Products	41	Ventilators	40
		Rain Gear	4	Axial Fans	40
Fencing	28	Muck Boots	5	Carpet Dryers	40
Barrier Fencing	28	Ponchos	4	Ventilation Blowers	40
Debris Netting	28	Rain Coats	4	Ventilator Accessories	40
Privacy Screens	28	Rain Suits	4		
		Slush Boots	4		
Fire Safety	22	Rebar Guards	21		
Fire Extinguishers	22	Impalement Protection Caps	21		
Flammable Liquid Storage	22	Scratch Protection Caps	21		
		Respirators	9		
First Aid	23	Respirator Accessories	9		
Bloodborne Pathogen Kits	23	Respirator Filters	10		
Eyewash Stations	23	Gas and Vapor Cartridges	11		
First Aid Kits	23	Particulate Filters	10		
Vehicle First Aid Kits	23	Respirator Filter Accessories	10		
Gloves	6				
Blue Tuffcoat Gloves	6				
Drivers Gloves	6				
Jersey Gloves	7				
Latex Gloves	6				
Leather Palm Gloves	6				

Rain Gear



8050-SA

Rain Coats



7040CD

100% waterproof industrial raingear made and sized for the American Industry.

Ponchos



PE5080



7010-VP

BSYE-(SIZE)
Rubber over-the-shoe slush boots. Sizes 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17 and 18.

Yellow. Sold by the pair.

HYGRADE



Slush Boots

Item	Size
SLUSH BOOT	8 RUBBER
SLUSH BOOT	9 RUBBER
SLUSH BOOT	10 RUBBER
SLUSH BOOT	11 RUBBER
SLUSH BOOT	12 RUBBER
SLUSH BOOT	13 RUBBER
SLUSH BOOT	14 RUBBER
SLUSH BOOT	15 RUBBER
SLUSH BOOT	16 RUBBER

We recommend ordering a size three times larger than your usual boot/shoe size.

Rain Suits

Item	Model #	Description
RAIN SUIT	8050SA	PVC LARGE 3PC XHD
RAIN SUIT	8050SA	PVC X-LGE 3PC XHD
RAIN SUIT	8050SA	PVC XX-LG 3PC XHD
RAIN SUIT	8050SA	PVC XXX-LG 3PC XHD
RAIN SUIT	8050SA	PVC XXXX-LG 3PC XHD
RAIN SUIT	6900	PVC MEDIUM
RAIN SUIT	6900	PVC LARGE
RAIN SUIT	6900	PVC X-LARGE
RAIN SUIT	6900	PVC XX-LARGE
RAIN SUIT	6900	PVC XXX-LARGE
RAIN SUIT	6900	PVC XXXX-LARGE
RAIN COAT	7040CD	MED 49' CORD COLLAR
RAIN COAT	7040CD	LARGE 49' CORD COLLAR
RAIN COAT	7040CD	X-LGE 49' CORD COLLAR
RAIN COAT	7040CD	XX-LG 49' CORD COLLAR
RAIN COAT	7040CD	XXX-L 49' CORD COLLAR
PONCHO	PE5080	EMER. POLY 50"x80"
PONCHO	7010-VP	VINYL 50"x80"

Rain Gear

CONSTRUCTION SAFETY

Muck Boots

True to their name, these boots are designed to withstand the toughest conditions while keeping your feet perfectly clean and dry. Made of high quality rubber, each pair is 100% waterproof and designed for comfort so that they can be worn all day, every day.

Available in sizes 8-13.



CHH-0000A



CHS-0000A



MCXF-0000



CHM-0000A



Gloves

Drivers Gloves



Leather drivers gloves available in sizes M-2XL

Goatskin Leather Drivers Gloves

Seattle Glove #8364

Economy grain goatskin leather gloves are very soft and liquid resistant. Flexible keystone construction thumb. Color-coded cotton hem for easy size identification.



Insulated Workers' Gloves

Seattle Glove #9-6464

Premium-grain pigskin leather lined with 100-gram Thinsulate® for warmth. Sewn with kevlar.

Thermal Gloves



Insulated Drivers Gloves

Galeton Palomino #21701

Grain Pigskin palm gloves are good for wet work. Won't stiffen after drying. Features safety cuff for easy on and easy off. Lined with thermal insulation for warmth.

Leather Palm Gloves



Split Leather Palm with Canvas Back

Seattle Glove #1160

Split Leather Palm with Canvas Back Work Gloves feature a leather palm with a knuckle strap for durability and protection. Durable split cowhide leather palm and fingertips with canvas back make these gloves great for general construction jobs and household chores.

Non-Slip Black Dot Gloves



PVC Dotted String Knit Glove

Seattle Glove #S-16D

Standard string knit gloves with PVC dots on both sides are ideal for light duty tasks. Dots on both sides extend the life of the glove and provide better grip. Elastic knit wrist helps keep dirt and debris out of the glove.

Blue Tuffcoat Gloves



Cotton Knit Conforming Glove with Rubber on One Side

Seattle Glove #400

Coated glove; heavyweight knit is extremely durable and is ergonomically molded to the contours of the hand. Dipped rubber palm offers excellent cut and slip resistance. Applications: general industrial work, agricultural, construction, material handling.

Welding Gloves



Leather Welding Gloves

Seattle Glove #7210

Regular pearl shoulder leather, fully lined, self-hemmed leather cuff welding gloves.

Latex Gloves



Powdered Latex Exam Gloves

Seattle Glove #V700-XL

4 mil ambidextrous latex gloves with beaded cuff. Used for laboratories, production, inspection, cleaning, and light-duty applications. 100 per box.

Nitrile Gloves



Powder-Free Nitrile Gloves

Seattle Glove #V900PF-XL

4 Mil ambidextrous nitrile gloves with wing thumbs. Textured surface with prominent texture on fingertips for better grip. Made of FDA-compliant materials. Used for automotive, plumbing, manufacturing, security, law enforcement, and transportation. 100 per box.

Short-Cuff Dipped Rubber Gloves



Black PVC Glove with Interlock Lining

Seattle Glove #8810

Used for refining, degreasing, plating, petrochemical industries, cleaning, and maintenance. Interlock lining dries quickly and sheds little lint.

Workers' Gloves



Split Leather Palm Work Glove

Seattle Glove #1250

Used in industries such as construction, agriculture, iron and steel work, mining, transportation, electrical contractors, and woodworking.

Mechanic Gloves



High-Vis Mechanic Gloves

Seattle Glove #9-HVGM20

High-visibility, waterproof mechanic gloves with foam padding.

Jersey Gloves



100% Cotton Premium Brown Jersey Gloves

Seattle Glove J2109

Premium 100% cotton gloves Are great for general-duty and light abrasion application.

Work Gloves

PVC-Coated Rubber Gloves

Seattle Glove #D-8830

Black PVC glove with interlock lining. Used for refining, degreasing, plating, petrochemical industries, cleaning, and maintenance.

Item	Size
D8830-10	10"
D8830-14	14"
D8830-18	18"



Foot Guards



Protect Toes, Feet, Insteps, Shins, and Knees Comfortably!

Whatever your industry, whatever the hazards to your workers' knees, shins, insteps, feet or toes, Ellwood Safety has the protection you need.



Foot Guards with Rubber Toe

Foot guards fit any shoe (no rights or lefts), with 5" (average) and 5-1/2" (large) widths. They are light enough to be worn comfortably all day.

16-ga. Carbon Steel (.059"), 3-1/8 lb./pair

Aluminum Alloy Shin-Instep Guards

Shin guard with knee guard attached with web, sponge rubber hinge. Knee guard 5-3/4" high, 6-1/4" wide, .081" thick; full guard 18-1/2" high.

Aluminum Alloy Shin Guard (.081"), 1-1/2 lb./pair

Ellwood 401-5 Foot/Shin Guards w/ Side Shield

Maximum resistance to impact and penetration. Built of aircraft quality aluminum alloy. 12" high, 5" wide at top, 3" wide at bottom. Padded top and bottom to absorb shock and provide comfort is attached at top and bottom with 5/8" web straps. Moisture will not cause deterioration. Aluminum shield added to each side of No. 400 guard.



Plastic Knee/Shin Guards

Combines the shin guard above attached to a knee guard with web, sponge rubber hinge. Knee guards 5-1/2" high, 6-1/2" wide, 140" thick; full guard 18" high.

Polypropolene Plastic
2-1/2 lb./pair



Metatarsal Guards

Ellwood Safety's Metatarsal Guard is designed to be worn with most lace types of Safety Toe Shoes to provide comfortable low cost metatarsal protection.

9 oz./pair

Respirators

5500 Series Low Maintenance Half Mask

The North 5500 Series incorporates the comfortable and efficient design of the popular 7700 Series half mask with the low cost and convenience of a disposable. All parts are replaceable, extending the useful life of the respirator.

Features:

- Made of an extremely soft non-allergenic elastomer for comfort and fit.
- Contoured sealing flange eliminates discomfort caused by pressure points on facial nerves.
- Design of nose area provides excellent comfort and fit.
- Low dead air space improves worker comfort by limiting re-breathing of exhaled air.
- Direct cartridge to facepiece seal minimizes replacement parts and simplifies maintenance.
- Three overlapping sizes comfortably fit most users.
- North 5500 Series Half Masks are compatible with all North cartridges, filters and accessories



550030M

Part #	Description	Packaging
550030S	5500 Series Half Mask (Small)	1 per package
550030M	5500 Series Half Mask (Medium)	1 per package
550030L	5500 Series Half Mask (Large)	1 per package
77BAG	Carrybag for Half Mask	1 per package

5400 Series Low Maintenance Full Facepiece

The North 5400 Series provides the comfort and protection you would expect from North at an unbeatable price. No other full facepiece in its price range offers such quality, engineering and attention to detail. Weighing only 14 oz., the 5400's lightweight design offers a level of comfort that ensures greater worker acceptance. Plus, its facepiece seal is made from a soft, pliable elastomer material with high chemical resistance to assure excellent comfort, fit and performance.

Features:

- Each facepiece comes with three peel-away windows, six respirator wipes and a storage bag.
- Oral nasal cup reduces fogging and lessens dead air space to improve worker comfort by limiting re-breathing of exhaled air.
- Chin cup helps to position the facepiece properly.
- Hard-coated polycarbonate lens offers an over 200° field of vision, provides excellent optics, is scratch resistant and meets ANSI standards for impact and penetration resistance.
- Two overlapping sizes, small and medium large, will comfortably fit most users.
- With many of the same components of the 7600 Series facepiece, replacement part inventory will be reduced.
- North 5400 Series Full Facepieces are compatible with all North cartridges and filters.

Part #	Description	Packaging
54001	5400 Series Full Facepiece (Medium/Large)	1 per package
54001S	5400 Series Full Facepiece (Small)	1 per package



54001 Full Face Piece with 7581P100 Cartridges

Accessories for 5400 Series Full Facepiece



Part #	Description	Packaging
80836A	Peel-Away Windows (3 Windows per assembly)	5 per package
80944	Anti-fog Wipes	10 per package
76BAG	Carrybag for Full Facepiece	1 per package



Respirator Filters



Particulate Filters

Air Purifying Respirators with filters provide respiratory protection against aerosols by removing dusts, mists, fumes, fibers and other particles. Filters do not remove gases or vapors, or correct for oxygen deficiency.

End of service life for filters is normally determined by the increase in breathing resistance sensed by the user. When it becomes difficult to breathe comfortably, the filters should be replaced. R95 filters are limited to a maximum of 8 hours use when used in atmospheres containing oil.



7580P100



75FFP100



7506N95



7506N99



7506R95



7531N95



7531N99



7531R95

Not all filters in stock. Please allow 3-5 days for special orders.

In Stock Now

Part #	Description
7580P100	P100 Particulate Filter – (99.97% Minimum Filter Efficiency)
7531N95	N95 Non-Oil Particulate Filter Assembly (95% Minimum Filter Efficiency) Includes 7506N95 Filter N750027 Seal Check/Filter Cover and N750015 Filter Holder
7531N99	N99 Non-Oil Particulate Filter Assembly (99% Minimum Filter Efficiency) Includes 7506N99 Filter N750027 Seal Check/Filter Cover and N750015 Filter Holder
7531R95	R95 Particulate Filter Assembly (95% Minimum Filter Efficiency) Includes 7506R95 Filter N750027 Seal Check/Filter Cover and N750015 Filter Holder

Available by Special Order

Part #	Description
75FFP100	P100 Particulate Filter (Pancake) - (99.7% Minimum Filter Efficiency)
7506N95	N95 Non-Oil Particulate Filter (95% Minimum Filter Efficiency)
7509N99	N99 Non-Oil Particulate Filter (99% Minimum Filter Efficiency)
7506R95	R95 Particulate Filter (95% Minimum Filter Efficiency)

Accessories



N750015



N750027



N750029



N750035

Part #	Description
N750015	Filter Holder for 7506N95 7506N99 and 7506R95 filters. Requires N750027 Seal Check/Filter Cover.
N750027	Seal Check/Filter Cover for 7506N95 7506N99 and 7506R95 filters. Attaches to Gas and Vapor cartridges. For filter use only use N750015 Filter Holders.
N750029	Shower Cap for 7580P100 Filter. Protects filter during abatement using water orduring decontamination.
N750035	Adapter for assembly of a 75FFP100 Pancake Filter to a gas and vapor cartridge. (Except for Defender Multi-Purpose Cartridge)

Gas & Vapor Cartridges and Combo Gas/Vapor Cartridges with P100 Filters

North offers an extensive line of gas and vapor cartridges and particulate filters to satisfy numerous industrial applications. All North cartridges and filters are approved with all North air-purifying half masks and full facepiece respirators. One line of cartridges and filters will simplify your inventory. Air-Purifying Respirators with cartridges provide respiratory protection against gases and vapors by using sorbents to purify the inhaled air. Cartridges without filters do not remove dusts, fibers and other particles. North has developed the ezGuide™ software program designed to help the user develop change schedules for North gas and vapor cartridges. ezGuide will also determine the appropriate types of respiratory and hand protection required.



75SC



75SCP100



N75001



7581P100



N75002



7582P100



N75003



7583P100



N75004



7584P100



N750052



75852P100

In Stock Now

Part #	Color Code	Description
75SC	Olive Defender™	Multi-Purpose Cartridge for Organic Vapors Chlorine Hydrogen Chloride Sulfur Dioxide Hydrogen Sulfide (Escape) Hydrogen Fluoride Chlorine Dioxide Ammonia Methyamine and Formaldehyde
7581P100	Black/Magenta	Above with P100 Particulate Filter (99.97% Minimum Filter Efficiency)
N75002	White	Chlorine Hydrogen Chloride Sulfur Dioxide Hydrogen Fluoride Chlorine Dioxide Formaldehyde Cartridge

Available by Special Order


Part #	Color Code	Description
75SCP100	Olive/Magenta	Above with P100 Particulate Filter (99.97% Minimum Filter Efficiency)
N75001	Black	Organic Vapor Cartridge
7582P100	White/Magenta	Above with P100 Particulate filter (99.97% Minimum Filter Efficiency)
N75003	Yellow	Organic Vapor Chlorine Hydrogen Chloride Sulfur Dioxide Hydrogen Fluoride Chlorine Dioxide Cartridge
7583P100	Yellow/Magenta	Above with P100 Particulate Filter (99.97% Minimum Filter Efficiency)
N75004	Green	Ammonia Methylamine Cartridge
7584P100	Green/Magenta	Above with P100 Particulate Filter (99.97% Minimum Filter Efficiency)
N750052	Olive	Mercury Vapor Chlorine Cartridge with End-of-Service-Life indicator (ESLI for mercury vapor)
75852P100	Olive/Magenta	Above with P100 Particulate Filter (99.97% Minimum Filter Efficiency)



3M Air Purifying Respirators with filters provide respiratory protection against aerosols by removing dusts, mists, fumes, fibers, and other particles.

Dust Masks

Particulate Respirators




Particulate Respirator N95 8200

This economical disposable N95 particulate respirator is designed to help provide reliable worker respiratory protection against certain non-oil based particles.



Particulate Welding Respirator N95 8515

This economical N95 disposable particulate welding respirator helps provide respiratory protection for applications where metal fumes may be present. It features 3MTM Cool Flow™ Valve, braided headband and adjustable M-noseclip for added comfort.



Particulate Respirator N95 8210

3M™ Particulate Respirator 8210, N95 is a disposable particulate respirator that is designed to help provide reliable respiratory protection of at least 95 percent filtration efficiency against certain non-oil based particles. This respirator is designed for use for particles such as those from grinding, sanding, sweeping, sawing, bagging, or other dusty operations.



Particulate Respirator N95 8210v

This disposable N95 particulate respirator featuring 3M™ Cool Flow™ Valve helps provide comfortable, reliable worker respiratory protection against certain non-oil based particles. Ideally suited for hot/dusty work settings or long periods of wear.

Silica Kit



Gerson Silica & Concrete Dust Kit #9257

Respirator kit for silica and concrete dust. Medium-sized respirator with 4 pancake filters.

Head Protection

Face Shield, Head Gear, and Adaptor

Face Shield

Polycarbonate Cylinder Face Shield with holes.

HGB / Head Gear Black

Pyramex HGB Features:

- Universal pegs will accommodate a wide variety of faceshields
- Ratchet style adjustment for easy fit
- Pivoting action allows user to lift faceshield while wearing



Clear Face Shield



HGB



Complete



HHAA

HHAA / Hard Hat Aluminum Adaptor

Aluminum Constructed from durable nylon with protective plastic coated tension spring. HHAA is dielectric constructed. Universal sizing fits on the brim of most hard hats and accommodates a variety of faceshields.



HP14
Yellow Cap Style



HP14
Hi Viz Pink Cap Style



HP14
White Cap Style

Hard Hats - HP14 Cap Style

- Shell constructed from High Density Polyethylene materials.
- Low profile design.
- Rain troughs on sides and back of helmet channel moisture away.
- Universal accessory slots fit cap mounted ear muffs and chin straps.
- Soft brow pad is replaceable and washable.
- Snap Lock suspension features “tuck away” adjustment for all day, hassle free wear.
- Ratchet suspension is easy to adjust – allows the wearer to modify the fit while wearing.
- Meets ANSI Z89.1-2003 standards, Type 1 – Class C, G and E.
- Replacement suspensions and headbands available.



HP14
Red Cap Style



HP14
Green Cap Style

Hard Hats - Full Brim

- Made of strong yet light ABS material
- Ratchet suspension with replaceable soft brow pad
- Suspensions and headbands also available
- Meets ANSI Z89.1 standards, type 1, Class C, G, and E



19504
Red Full Brim Style



19501
White Full Brim Style



HP54118
Matte Copper Full Brim



HP14
Blue Cap Style



HP14
Orange Cap Style



HP54119
Matte Camo Full Brim



HP54116S
Shiny White Full Brim



HP54117S
Shiny Black Full Brim

Ear Plugs - Corded and Uncorded

- Foam plugs expand to fit ear canal, maximizing hearing protection
- One size fits most
- Lightweight, soft, and comfortable
- Non-toxic and non-irritating
- Disposable plugs come in sealed pouches of either cellophane or degradable paper to keep them clean until use
- Available with or without cord
- More convenient to use, visible for safety checks



DP 1001



DP 1000



Safety Glasses

Safety Glasses - Integra

- Single lens and adjustable temples ensure reliable performance
- Replacement lens extends the life of each pair
- Select frames available with ratchet adjustment temples
- Lenses are coated for superior scratch resistance
- Lenses provide 99% protection against harmful UV rays
- Exceeds ANSI Z87.1-2003 High Impact requirements
- Exceeds CSA Z94.3 standards / CE EN166 Certified

Safety Glasses - Ztek

- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays
- 100% polycarbonate lenses
- Scratch-resistant lenses
- Economical wrap-around single lens provides full panoramic view
- Soft non-slip rubber temple tips provide non-binding fit
- Integrated nose piece



Safety Glasses - PMXtreme

- Commonly used in outdoor applications, anti-fog.
- Includes black lanyard cord with rubber tips for extra security while wearing.
- Ventilated, straight-back flexible temples provide cool, pressure free fit.
- Rubber temple tips keep eyewear secure for the active worker.
- Built in rubber nose piece provides all day comfort.
- 9.0 base curve polycarbonate lens provides maximum vision protection.
- Meets ANSI Z87.1-2003 High Impact Requirements

Safety Glasses - Sitecore

- Built-in rubber nosepiece
- Flexible, ventilated, ratcheting temples
- Temples adjust to three different lengths
- H2MAX creates a high-performing, superior anti-fog coating that is durable enough to withstand repeated cleaning without losing adhesion
- H2MAX ensures maximum clarity in the most extreme temperature and humidity conditions, and it also adds a layer to the lens that is abrasion, chemical, and UV-resistant
- All models available with black or grey frame



SB410S
Clear Lens



SB420S
Gray Lens



S2510S
Clear Lens



S2520S
Gray Lens



S2560S
Infinity Blue Lens



S2575S
Gray Polycarbonate Lens
with Blue Mirror Coating



SB6310STP
Clear Anti-Fog Lens



SB6320STP
Gray Anti-Fog Lens



SCM6310STP
Clear Anti-Fog Lens



SB6380SP
Mirror Anti-Fog Lens



SBG10110DTM
Clear Anti-Fog Lens



SBG10120DTM
Gray Anti-Fog Lens



SBG101130D
Amber Lens



SBG101180D
Mirror Lens



Safety Glasses - Zone II

- Straight back, rubber coated temple tips
- Soft nose pad and temples provide a comfortable fit
- Built-in nose pads
- Scratch resistant polycarbonate lens provides 99% UVA/B/C protection
- Exceeds ANSI Z87.1 High Impact Requirements; *CE EN166 Certified; *AS/NZS 1337



SB3310E
Clear Lens



SB3345E
Orange Mirror Lens



SB3365E
Ice Blue Lens



SBW3375E
Blue Mirror Lens



SS3365E
Blue Mirror Lens



LCT100
Individually-Wrapped, 100Ct.



LCS10
8oz. Cleaning Solution, 600 Wipes

Lens Cleaning Kits

LCT100 Lens Cleaning Towelettes and LCS10 Lens Cleaning Station

- For plastic, polycarbonate, and glass lenses
- Safe and effective with all types of lens coatings
- Idea for glasses, goggles, face shields and computer screens
- Anti-fog, anti-static formula

Flexible/Rigid-Frame Welding Goggles

NORTH
Safety Products



MODEL VG-200-H5
Flexible frame 2" x 4-1/2"
lift-front cover goggle with
hooded vents.



MODEL VG-H5
Adjustable fit rigid frame,
50mm cup goggle with
baffled vents.

Full Face Protection



EGG504TSHIELD
Scratch-resistant, anti-fog lenses fit over prescription glasses and protect against dust and chemical splash, as well as UVA/B/C. Detachable shield provides full face protection.

EGG504TSHIELD-RS
Scratch-resistant, anti-fog lenses fit over prescription glasses and protect against dust and chemical splash, as well as UVA/B/C. Detachable shield provides full face protection. Green tint.
NOT FOR WELDING USE

Cover Goggles - EXTRALITE® "Softies"



MODEL VG-10
Clear safety goggles



MODEL VG-11
Green-tinted goggles
NOT FOR WELDING USE



Uvex Livewire

Uvex Livewire delivers the fit performance and protection required in extreme environments protecting workers against intense wind sun dirt dust and debris as well as high heat and humidity. Uvex Livewire features Uvextreme Plus anti-fog lens coating for superior long-lasting fog-free vision that lasts up to 10X longer and provides 2X better scratch-resistance than competitive anti-fog coated products with a simple temple-to-headband exchange system that makes switching between temples or headband quick and easy.

Features:

Unique ratcheting temples adjust lens angle by up to 15 degrees for customized fit. Padded temples provide ideal tension and flex for optimal comfort and fit. Precision-design foam subframe fits contours around the eyes to maximize fit and comfort. Upper and side channels in the frame for optimal venting and enhanced anti-fog performance. Uvextreme Plus lens coating for 10X longer anti-fog performance and 2X greater scratch resistance. Adjustable cloth headband included. Clear Lens is ideal for most indoor work applications.



S2600XP
Clear Lens w/ Matte Black Frame



S2601XP
Espresso Lens w/ Matte Black Frame



S2604XP
Tinted Lens w/ Matte Black Frame



S2607XP
Green Lens w/ Matte Black Frame



S2608XP
Dark Green Lens w/ Matte Black Frame



S2620XP
Clear Lens w/ Silver Frame

Uvex Instinct

Uvex Instinct provides high-performance protection with a sleek design and lightweight frame, featuring a variety of adjustability features for a comfortable, customized fit. Uvex Instinct is equipped with a dual, 7-base wraparound lens for uncompromised peripheral vision, with a fully integrated, cushioned brow guard to comfortably diffuse and deflect impact energy.

Uvex Instinct Features:

Features ratcheting temples, a flexible nose piece and padded temple tips for a comfortable, tension free fit. Available with Uvextreme Plus anti-fog coating for superior fog-free vision that lasts up to 10X longer and provides 2X better scratch-resistance than competitive anti-fog coated products, or Supra-Dura advanced anti-scratch coating that lasts 5X longer than any other anti-scratch coating available. Certified to ANSI Z87.1-2010, CSA Z94.3 and the U.S. Military ballistic impact resistance requirements for eyewear (MIL-PRF-31013, CLAUSE 3.5.1.1).



S2820XP
Clear Uvextreme Plus Lens



S2821XP
Gray Uvextreme Plus Lens



S2824
SCT-Reflect 50 Mirror Lens



S2825XP
SCT-Gray Uvextreme Plus Lens

Uvex Hypershock

Uvex Hypershock eyewear delivers the ultimate combination of high-performance protection and aggressive sport inspired styling. The full frame design offers high impact protection, with streamlined padded temples and a molded nose piece for a secure, comfortable fit.

Offered in three frame colors and a wide variety of lens tints, Uvex Hypershock is available with Uvextreme Plus anti-fog lens coating for superior, long-lasting fog free vision that lasts up to 10X longer and provides 2X better scratch resistance than competitive anti-fog coated products.

Uvex Hypershock Features:

Ideal for indoor and outdoor applications in construction, oil, gas & chemical, utilities, landscaping and manufacturing. 100% dielectric. Can be worn in environments where accidental exposure to electrical charge is possible. Meets the ANSI Z87.1-2010 standard.



S2940XP
Clear Lens w/ Matte Black Frame



S2941XP
Gray Lens w/ Matte Black Frame



S2945
Blue Mirror Lens w/ Matte Black Frame



S2970XP
Clear Lens w/ Clear Frame



Thermal Headwear

Drybrow® Sweatbands

Keeps your head cool and prevents sweat from running into your eyes.



AA-100 #22008

- Deluxe, full-size (8-5/8" long).
- Packaged 25/bag
- Individually sleeved for increased shelf life

AA-101 #22009

- Packaged 100/bag (not individually sleeved)

AA-103 #22011

- Packaged 25/bag (not individually sleeved)



DB-801 #22013

- Full-size (8-5/8" long)
- Packaged 100/bag (not individually sleeved)

DB-803 #22017

- Packaged 25/bag (not individually sleeved)



AA-102 #22010

- Deluxe clip-on, full-size (8-5/8" long)
- Fits on a hard hat, welding helmet or sandblast hood



Cooling Bandanas

Pyramex cooling bandanas can be tied around the neck or head for hours of heat stress relief. Made of PVA material, simply soak the bandanas in water to activate. Each one is reusable and machine washable. Universal sizing, sold in packs of 12.



CPD12PKBLU
Cooling Bandana, Blue



CPD12PKBLU
Cooling Bandana, Lime




CPD12PKBLU
Cooling Bandana, Digital Camo



CPD12PKBLU
Cooling Bandana, Stars and Stripes

Thermal Cap Liners

TEMPERATURE RANGE CODING



45° to 32°F or 8° to 0°C

32° to 0°F or 0° to -20°C

0° to -20°F or -20° to -28°C



Looper #55900

- Lightweight protection
- 100% cotton
- Flame retardant shell
- Soft napped interior
- Three loop straps with adjustable velcro closure
- Regular nape



Super Q #60300

- Green quilted nylon shell
- Soft fleece lining
- Non-durable flame retardant
- Three loop straps with adjustable velcro enclosure
- Long nape


IMPORTANT

All models are flame retardant treated unless otherwise noted. Flame retardant treated models meet the Federal NFPA701 Standard Flame resistance is the fabric's ability to self extinguish when exposed to flame or thermal ignition sources. Flame resistance is meaningful only when applied to the specific test method used to measure the characteristic.



#BL111

- Protects head, face, and neck
- Hinged cap allows for different types of wear
- Mesh face mask increases airflow and prevents fogging



Miniarctic #72100

- 100% cotton twill shell
- Non-durable flame retardant
- Heavy sherpa lining
- Three loop straps with adjustable velcro enclosure
- Extra long nape



High-Vis Knit Caps

100% polyester high-vis caps. Non-rated caps do not meet ANSI standards. Features one 1/2" silver reflective stripe around cap. One size fits most.



RH110



RH120

Bodywear

Back Support

BBS100

Pyramex back support belts are lightweight yet durable. Built for general use, this belt helps relieve stress from long periods of standing and/or lifting heavy weights. Features plastic support stays and breakaway suspenders. 2 overlap-style adjustable panels and contoured shape for good fit and flexibility. Available in sizes M-2XL.



Coveralls



SunTech



SunGard FR

SunTech Protective Coverall

Made of spunbonded polypropylene laminated to a microporous film, SunTech coveralls provide a superior combination of strength, barrier protection, and breathability. Designed to protect against a wide range of hazards such as airborne dusts, paint sprays, asbestos, and non-hazardous liquids.

SunGard FR Flame-Retardant Coverall

Ordinary coveralls protect from common hazards such as liquids, chemicals, and particulates. However, high heat sources such as flames and electrical arcs can cause them to melt onto the wearer's clothing, worsening what could be already-severe burns. SunGard FR coveralls are made with a specially-treated flame-retardant fabric designed for use over thermally-protective clothing, preserving that clothing's insulation capacity while still protecting from non-thermal hazards such as paint, grease, oil and dirt, asbestos, and particulates.

SunGard FR passes NFPA 701, 1989, and 1996 methods, and have been thoroughly tested to ensure it will not contribute to burn injuries in the event of exposure to high heat. Each suit is made of hydroentangled wood pulp and polyester fabric which has been treated with a phosphate-based flame retardant. This wood pulp chars upon exposure to heat, thus drawing away any molten fabric.



"America's Choice" for Limited Wear Protective Apparel

40 Industrial Pkwy
Carson City, NV 89706
(775) 241-9494

High-Visibility Gear

Class II Safety Vests

WHARTON #1100

- Meets ANSI/ISEA 107-2015 Class II Standard
- Safety Orange or Lime mesh fabric with contrasting trim
- Zip front closures
- 2" silver reflective tapes
- Front chest pocket
- Sizes available: S/M, L/XL, 2X/3X, 4X/5X



Class III Safety Vests



MGB #NWLGF-KZGDK

- Meets ANSI Class III Standard
- Zip front closures
- Silver reflective tape with orange contrast
- 6 pockets
- Available in size M-5XL



1104

1103

WHARTON #1103/1104

- Meets ANSI/ISEA 107-2015 Class II Standard
- Safety Orange or Lime mesh fabric with contrasting trim
- Zip front closures
- 2" silver reflective tapes
- Front chest pocket
- Sizes available: S/M, L/XL, 2X/3X, 4X/5X

Class III Jacket

LIME/BLACK TWO TONE ANSI/ ISEA Class 3 Waterproof Bomber Jacket with Removable Liner

Petra Roc #LBBJ-C3

- Meets ANSI 107-2010 Class 3 Standard with 2" wide reflective stripes
- Fluorescent Poly Oxford with 300D PU coating & waterproof seams.
- Two tone design
- Removable Fleece Lining & Insulated Collar
- Heavy duty zipper front closure
- Rib knit stretch waist band & cuffs
- Removable hood tucks into the collar with draw string
- Sizes: S-5XL



Hi-Vis Safety Pants

Class E Mesh Safety Pants

Petra Roc #LMPO-CE

Class E Two-Tone Mesh Safety Pants - Yellow/Lime. Applies to retro-reflective equipped pants or shorts, designed to be worn in combination with either Class 2 or Class 3 tops. When worn in this manner, the ensemble is rated as Performance Class 3.

- Breathable polyester mesh for maximum cool comfort
- 2" two tone tape for optimum visibility
- 2 side access pockets
- 1 back pocket
- Drawstring waist

Custom Logos

Custom Logo Imprints for Safety Vests, Hard Hats, and Jackets.
Please contact us for a quote.

- Custom logo design
- Screen printing
- Vinyl transfer (color, reflective silver or black)
- Pad Prints
- Hot Stamps
- Fast turn around
- OEM custom apparel design





Rebar Guards

The OSHA Standard requires that vertically-lined rebar “be guarded to eliminate the hazard of impalement.” Not all guards provide that level of protection. In some circumstances, the force of a fall can cause rebar to push clear through a plastic cap and still impale a worker, or the worker can be impaled by the rebar and the cap together.

Only rebar caps designed to provide impalement protection, such as those containing steel reinforcement, should be used on vertical rebar.



Rebar Guards

Impalement Protection Caps

WHARTON #3-#8 Cal-OSHA Approved Rebar Caps
Data sheet pending.



OSHA Rebar Caps - Large

Mutual Industries #14640-0-5

Our patented OSHA rebar caps are made of space-age high density polymer to protect against impalement injuries. These high quality caps fit rebar #9-#16 (2”). Meets new OSHA requirement 344.90.

50 per box.



Scratch Protection Caps

WARNING

For scratch protection ONLY on horizontal rebar. All vertically-lined rebar must be capped with an OSHA-approved cap designed to protect against impalement.

Standard Rebar Caps

Mutual Industries #14640-3

Our standard (mushroom style) rebar safety caps provide the protection you need from protruding rebar at your construction sites. These high-quality caps are brilliant orange for excellent visibility, and fit rebar #3 - #9. Mushroom caps are of use where the danger of impalement is not present.

500 per box.



Large Rebar Caps

Mutual Industries #14640-2

Our large rebar safety caps provide the protection you need from protruding rebar at your construction sites. These high-quality caps are orange for excellent visibility, and fit rebar up to 2” diameter. These caps are for use where the danger of impalement is not present.

100 per box.



CONSTRUCTION SAFETY



Fire Safety

Flammable Liquid Storage



EAGLE Flammable Storage Safety Cabinets

Keep flammable liquids near work areas in Eagle Safety Storage Cabinets. All are constructed of 18-gauge steel. Sides, top, bottom, and doors are doublewalled with a 1-1/2" air space between walls. Both vents, with 2" threaded fittings, have fire baffle and cap. Cabinets come in yellow high gloss powder finish with red warning, plus grounding attachment, 3-point key lock and 2" raised, leakproof door sill. Each shelf is adjustable, supported by 4 brackets, and can support 350 pounds.



Model	Capacity	FM	Door Specs.	Size (W x D x H)	Weight
1903	4 gal.	-	1 Self-closing	17.5" x 18" x 22.5"	70 lbs.
1904	4 gal.	-	1 Manual	17.5" x 18" x 22.5"	69 lbs.
1924	12 gal.	-	1 Self-closing	23" x 18" x 35"	135 lbs.
1925	12 gal.	-	1 Manual	23" x 18" x 35"	133 lbs.

*See our Material Handling Section for our complete offering of cabinets

Fire Extinguishers

ABC-Seamless Steel Cylinder Dry Chemical Fire Extinguishers

ABC Seamless Steel Cylinder Dry Chemical A non-corrosive pull pin, completely rechargeable, anodized aluminum valve. Cylinder has high corrosion and impact resistant finish (red epoxy). Comes complete with wall bracket or vehicle bracket and a 6 year warranty. UL Listed.

Model/Description	Nominal Capacity	Shipping Weight Lbs.	Cylinder Diameter In.	Overall Height In.	Overall Width In.	PSI	Range Feet	U/L Rating	Coast Guard Approved
ABC Extinguishers									
ABC 2.5-W	2.5 lb	5	3 1/8	15 1/4	3 3/4	150	12-Aug	1A-10BC	-
ABC 2.5-V	2.5 lb	5	3 1/8	15 1/4	3 3/4	150	12-Aug	1A-10BC	Yes
ABC 5-ALV-W	5 lb	10 1/2	4 1/4	15 1/4	6 3/4	195	15-Oct	2A-10BC	-
ABC 5-ALV-V	5 lb	10 1/2	4 1/4	15 1/4	6 3/4	195	15-Oct	2A-10BC	Yes
ABC 5HP-ALV-W	5 lb	10 1/2	4 1/4	16 5/8	6 3/4	195	15-Oct	3A-40BC	-
ABC 5HP-ALV-V	5 lb	10 1/2	4 1/4	16 5/8	6 3/4	195	15-Oct	3A-40BC	Yes
ABC 10-W	10 lb	19 1/4	5 1/8	21 1/4	9 1/2	235	15-Oct	4A-80BC	Yes (w/024)
ABC 20-W	20 lb	35 1/4	7 1/8	24	9 1/2	235	18-Dec	10A-120BC	-

V = Vehicle Bracket W = Wall Bracket HP = High Performance



Standard Bracket Included



First Aid

General First Aid Kits

Built for use in offices, vehicles, and work areas, these first aid kits contain everything needed to treat most minor emergencies. Kits come in metal cases which feature both carrying handles and mounting holes.



10-Person First Aid Kit
First Aid Only #90755



25-Person First Aid Kit
First Aid Only #224-U/FAO



50-Person First Aid Kit
First Aid Only #226-U/FAO



Mining First Aid Kits



First Aid Only #90795

Bloodborne Pathogen Kits

Pathogen spill kit contains everything needed to clean, disinfect, and dispose of small bodily fluid spills while minimizing exposure of personnel to potentially harmful substances. Comes in a waterproof steel case with mounting holes.



First Aid Only #6021-S

Heat Stress Kits

Protects against the dangers of excessive heat, preventing heat-related illnesses and death.



First Aid Only #5250

Eyewash Stations

Gravity-Fed Portable Eyewash Station

Haws #7501
9-gallon capacity eyewash station uses gravity to supply a continuous flow of clean water for up to 15 minutes at .4gpm. Good for remote locations away from plumbing. Meets ANSI Z358.1 standards.



7501

Twin 32oz. Eyewash Station

First Aid Only #24-300
Twin bottle eyewash station with wall mount.



Water Additive

Haws #9082
"Sterile" bacteriostatic preservative, pack of four (4) 5oz. bottles. One bottle will preserve 5 to 20 gallons of potable water for up to three months, keeping it fit for use in eyewash stations.



9082

Eyewash bottles are also included in every 25, 50, and 100-person first aid kit.

Size varies by kit.





First Aid Kit Contents

Item	90755	224-U/ FAO	226-U/ FAO
Persons	10	25	50
Inventory			
Accident Guide			
Adhesive Bandages, Plastic 3/4" x 3"		50	100
Adhesive Bandages, Fabric 1" x 3"	16		
Aspirin Tablets		12	12
Burn Dressing, 4" x 4"	1		
BZK Antiseptic Towelettes	10	12	20
Cloth Tape, 1/2" x 2.5yd			
Cold Pack, 4" x 5"	1	1	1
Cold Pack, 6" x 9"			
Conforming Gauze Roll, 2"	1	1	2
Conforming Gauze Roll, 3"			1
CPR Face Shield	1		
CPR Face Shield, 2 Nitrile Gloves and 2 BZK Towelettes			5
Elastic Bandage Wrap, 2" x 5yd			1
Eyewash, 1oz	1		
Eyewash, 4oz		1	1
Fingertip Fabric Bandages		3	
First Aid/Burn Cream Packets, 0.9g	10		
First Aid Guide	1	1	1
First Aid Tape, 1/2" x 5yd	1	1	
First Aid Tape, 1/2" x 10yd			1
Hand Sanitizer Packets, 0.9g	6		
Knuckle Fabric Bandages		2	
Nitrile Exam Gloves	4	2	4
Non-Stick Pad with Adhesive Tabs, 2" x 3"			
Scissors	1	1	1
Sterile Eye Pads	2	1	
Sterile Eye Pads w/ Adhesive Strips			4
Sterile Gauze Pads, 2" x 2"		1	12
Sterile Gauze Pads, 3" x 3"	2		
Sting Relief Wipes		3	10
Trauma Pads, 5" x 9"	2	1	1
Triangular Bandage, 40" x 40" x 56"	1	1	1
Triple Antibiotic Ointment Packets, 0.5g	10	6	12
Tweezers		1	1

Mining Kit Contents

Item	90795
Adhesive Plastic Bandages, 1" x 3"	16
Aluminized Rescue Blanket, 52" x 84"	1
Ammonia Inhalants	20
First Aid Guide	1
First Aid/Burn Cream Packets, 0.9g	12
Hema-Flex Bandage Compress, 2"	8
Hema-Flex Bandage Compress, 4"	32
Padded Flexible Splint, 4" x 24"	1
Rubber Tourniquet, 1" x 18"	2
Triangular Bandage, 40" x 40" x 56"	24
Triple Antibiotic Ointment Packets, 0.5g	12

Bloodborne Pathogen Kit Contents

Item	90795
Biohazard Bags, 24" x 24", 10gal	1
Biohazard Scoop	1
Bodily Fluid Pick-up Guide	1
BZK Antiseptic Towelettes	2
Clear Plastic Bags	1
Disposable Clean-up Towels	10
Germicidal Wipes, 8" x 8"	1
Nitrile Exam Gloves	2
Spill Clean-up Powder, 2oz.	1
Twist Ties	1

Heat Stress Kit Contents

Item	90795
Cold Pack, 4" x 5"	4
Disposable Thermometer	5
Electrolyte Drink Mix	10
Electrolyte Tablets	50
Emergency Blanket, 52" x 84"	1
Waterproof Tape, 1/2" x 5yd	2



Acme United Corporation



Hazard Markers

Warning Flags



Heavy-Duty Knitted Warning Flags

- Vinyl trim
- Standard pack 50 only

Item No.	Flag	Dowel
0102822	18"	24"
0102734	18"	30"
0102846	18"	36"
2057629	18"	NONE
0102858	24"	30"
0102860	24"	36"

Standard Vinyl Warning Flags

- Heat-sealed hem
- Standard pack 50 only
- Non-Fouling feature and Imprinting available

Item No.	Flag	Dowel
0117152	18"	24"
0117217	18"	24" w/ Stay
0117229	18"	30"
0103230	18"	30" w/ Stay
0117176	18"	36"
0103354	18"	36" w/ Stay
0117164	18"	NONE
0103266	24"	30"
0117205	24"	36"
0103292	24"	36" w/ Stay

Not all flag types in stock. Please contact us for inquiries.



Plain Weave Mesh Warning Flags

Item No.	Flag	Dowel
0102896	18"	24"
0102913	18"	30"
0102925	18"	36"
0102951	18"	NONE

Throwaway Warning Flags

- Economy style
- Nail/Staple to overhanging load
- No hems or grommets
- Packed 100 per bag

Item No.	Flag
0102729	12"
0102731	16"
0117243	18"

Note: all flag measurements are square



Airport Flags

- 12" checkerboard squares in orange and white
- 2-3/4" diameter sleeve for mounting on dowels

Item No.	Flag
0103644	36"

Truck Banners

Double-Sided Load Banner

Mutual Industries #14990

- Measures 18" x 7'
- Heavy-duty grommets and sewn-in rope ties
- Made of 12oz. yellow vinyl-coated nylon



Buried Markers

Underground Detectable Utility Tape

Mutual Industries #17774

- Available in 3" x 1000"
- 5mil double-laminated
- Metallic tape can be detected above ground even when buried
- Warns against gas, electric, fiber optic, sewer, and water lines.
- Storm drain tape shown but not stocked. Contact for orders.



Barricades



Type I and Type II Barricades

- NCHRP-350 Certified with/without barricade lights.
- Meets MUTCD standards.
- All-plastic signs weigh only 15 lbs.
- Low Profile – Folded dimensions are 2.5" H x 24" W x 45.5" L.
- 12" x 24" top panels and 8" x 24" bottom panels afford maximum panel area for reflective sheeting, logos or stenciling.
- Engineer Grade or Hi Intensity Grade reflective sheeting available.
- Built-in bracket accommodates barricade light.
- Optional plastic Sand Ballast Bar for additional weight.
- Closed hinge feature prevents pinched fingers during placement and retrieval.

Item no.	Type	Size	Sheeting Type
2181000	Type I	24"x8"x8"	EG SHEETING
2181001	TYPE I	24" x 8" x 8"	HI SHEETING
2181002	TYPE I	24" x 12" x 8"	EG SHEETING
2181003	TYPE I	24" x 12" x 8"	HI SHEETING
2181005	TYPE II	24" x 8" x 8"	EG SHEETING
2181006	TYPE II	24" x 8" x 8"	HI SHEETING
2181007	TYPE II	24" x 12" x 8"	EG SHEETING
2181008	TYPE II	24" x 12" x 8"	HI SHEETING



Type III Barricades

- NCHRP-350 Certified with and without barricade lights
- Meets MUTCD standards
- Easy assembly – simply lower the barricade uprights into the receivers on the base
- Modular design includes upright stand, 63" tall, and (3) 1" x 8-1/4" deep plastic boards in 48", 72" or 96" lengths
- Lightweight and durable all-plastic construction
- Reinforced boards eliminate bowing when bolted to upright
- Upright weight is 3.5 lbs. and base weight is 9 lbs
- Accommodates flashing barricade light
- Available with Engineer Grade or Hi Intensity Grade sheeting, single or double sided

Item no.	Type	Size	Sheeting Type
2181010	TYPE III	1" x 8" x 48"	NO SHEETING
2181011	TYPE III	1" x 8" x 48"	EG Rt SHEETING
2181060	TYPE III	1" x 8" x 48"	EGX2 Rt/Lt SHEETING
2181013	TYPE III	1" x 8" x 48"	HI Rt SHEETING
2181065	TYPE III	1" x 8" x 48"	HIX2 Rt/Lt SHEETING
2181015	TYPE III	1" x 8" x 72"	NO SHEETING
2181017	TYPE III	1" x 8" x 72"	EG Rt SHEETING
2191064	TYPE III	1" x 8" x 72"	EGX2 Rt/Lt SHEETING
2181019	TYPE III	1" x 8" x 72"	HI Rt SHEETING
2181063	TYPE III	1" x 8" x 72"	HIX2 Rt/Lt SHEETING
2181021	TYPE III	1" x 8" x 96"	NO SHEETING
2181022	TYPE III	1" x 8" x 96"	EG Rt SHEETING
2181062	TYPE III	1" x 8" x 96"	EGX2 Rt/Lt SHEETING
2181024	TYPE III	1" x 8" x 96"	HI Rt SHEETING
2181061	TYPE III	1" x 8" x 96"	HIX2 Rt/Lt SHEETING


Note: EG/Hi Sheeting left side also available.

Channelizer Drums

TrailBOSS Drums

Available plain or with engineer-grade, diamond grade, and high-intensity prismatic sheeting. Available in high-density and low-density polyethylene with UV inhibitors.

Item No.	Density	Description
03-780	High	Plain
03-780-4EG	High	Engineer Grade 4" Stripes
03-780-6EG	High	Engineer Grade 6" Stripes
03-780-4HI	High	Hi-Intensity Prismatic 4" Stripes
03-780-6HI	High	Hi-Intensity Prismatic 6" Stripes
03-780-4FP3M	High	Diamond Grade 4" Stripes
03-780-6FP3M	High	Diamond Grade 6" Stripes
03-782	Low	Plain
03-782-4EG	Low	4" Engineer Grade 4" Stripes
03-782-6EG	Low	6" Engineer Grade 6" Stripes
03-782-4HI	Low	4" Hi-Intensity Prismatic Stripes
03-782-6HI	Low	6" Hi-Intensity Prismatic Stripes
03-782-4FP3M	Low	4" Diamond Grade Stripes
03-782-6FP3M	Low	6" Diamond Grade Stripes



Drum Bases

Made of recycled rubber. Snaps onto barrel bottom.

Item No.	Description
03-732-25	25 lb Base, Round
03-732-30	30 lb Base, Round
03-732-40	40 lb Base, Round
03-750-TRG	30" Diameter 22.5 lb Tire Ring Base with 22" ID

03-732



Perimeter Markers

Barrier Tape

- 3" x 1000'
- Poly barricade tape provides warning of temporary safety hazards
- Economical, strong and disposable
- Special legends available with minimums and plate charge



In Stock Now

Item No.	Color	Text
0110843	Yellow	CAUTION
0110817	Red	DANGER
0110867	Yellow	CAUTION - DO NOT ENTER

Available by Special Order

Item No.	Color	Text
0111029	Yellow	POLICE LINE - DO NOT CROSS
0110972	Yellow	FIRE LINE - DO NOT CROSS
0110805	Red	DANGER - DO NOT ENTER
0110855	Yellow	CAUTION - CONSTRUCTION AREA
26434	Yellow	CAUTION - WET FLOOR



Pennant Flags

- Available in a variety of colors, sizes, and texts
- Excellent both for marking hazards and decorating special events

Item No.	Color	Text	Size	Length/Ct.
14991	Red	None	9"x12"	60'/36
14991	Yellow	None	9"x12"	60'/36
14991	Orange	None	9"x12"	60'/36
14991	Red/White	None	9"x12"	60'/36
14991	Yellow/White	None	9"x12"	60'/36
14991	Orange/White	None	9"x12"	60'/36
14991	Yellow/Black	None	9"x12"	60'/36
14991	Multi	None	9"x12"	60'/36
15906-79	Yellow	Alternating: "DANGER: KEEP OUT", "SAFETY ALWAYS", "BE CAREFUL", "DANGER AHEAD", "SAFETY FIRST"	12"x18"	60'/26
15906-79	Red	DANGER: KEEP OUT	12"x18"	60'/26
15991	Green	Solid	9"x12"	100'/48
15991	Blue	Solid	9"x12"	100'/48
15991	White	Solid	9"x12"	100'/48
15991	Orange	Solid	9"x12"	100'/48
15991	Yellow	Solid	9"x12"	100'/48
15991	Red	Solid	9"x12"	100'/48

Barrier Cones

PVC channelizer cones. Available in 12", 18", 28", 36", and 42", with or without reflective tape.



15906-79



Additional barricades available upon request
Don't see what you need? Let us know and we can get it for you at a great price.



Fencing Barrier Fencing



Light-duty barrier
Grip-Rite #BF04100GR
10 lb roll, 4' x 100'. Flat oriented grid pattern.

Heavy-duty barrier
Grip-Rite #BFS4100GR
25 lb roll, 4' x 100'. Heavy duty square grid pattern.




Debris Netting

Breathable, high-density knitted polyethylene mesh netting. Edges are reinforced with button holes for fastening. UV treated to last in the sun. Tear-resistant mesh will not unravel when cut. All nets shown are flame retardant, meeting NFPA 701 Test Method 2 standards.


Can also be used as a privacy screen, wind block, or shade cloth. Available in black, green, blue, and orange.




4'x150' Black
Eagle #DN50-04150-BLK-FR



4'x150' Orange
Eagle #DN50-04150-ORG-FR



10'x150' Green
Eagle #DN50-10150-GRN-FR



4'x150' Blue
Eagle #DN50-04150-BLU-FR



Privacy Screen

Knitted high-density polyethylene with reinforced hems. Can also be used as a debris net. Not rated for fire-resistance.

5'6" x 150' Privacy Screen, Green
Grip-Rite #PSF68150



Traffic Control

Construction Signs

Rigid Warning Signs™

Rigid aluminum construction signs, pre-punched for post mounting.

Custom signs available. Please contact us for inquiries.

W20-5(F)

30 x 30
36 x 36
48 x 48



W8-1(NY)

30 x 30
36 x 36
48 x 48



W6-3(F)

30 x 30
36 x 36
48 x 48



Special Q50

30 x 30
36 x 36
48 x 48



W20-7a(F)

30 x 30
36 x 36
48 x 48



W24-1(F)

30 x 30
36 x 36
48 x 48



Parking Signs

Available in standard and non-standard (custom) legends. Parking series signs may also be ordered in either reflective or nonreflective finish. Eastern Metal/ USA-SIGN has what you've been looking for!

*Shown are only a few of our many signs. If you do not see the sign you want or need a custom legend, please call.

P4-6(NY)

12 x 18



P1-2(NY)

12 x 18



P3-8(NY)

12 x 6



P1-7(NY)

12 x 18



P1-1(NY)

12 x 18



P1-16(NY)

30 x 36
48 x 60



Many more signs available. Need a custom legend? Please call.

Roadside Hazard Markers


Safety Flares

- Visible in fog, rain or snow.
- Easy to ignite with self-contained striker.
- Approved by Underwriters Labs.
- Available in 20- or 30-minute duration.
- Spike, spikeless and wire flares.



Safety Triangle Kit

- Reflective for high visibility
- Reusable, requires no electricity or fuel



Snow Pole Markers

Mutual Industries # 14657

48" high-visibility poles are used to mark driveways, road edges, and other perimeters during heavy snow, when boundaries may otherwise be obscured. Features rubber tip for protection and pointed end for easy insertion.

Sold in boxes of 100.



Sizes

- Standard Sizes – as shown in your Federal or State MUTCD
- Special Sizes – also available

Legends

- Standard Legends – from MUTCD
- Special Legends – also available

Colors

- Standard Colors – as shown in your Federal or State MUTCD
- Custom Colors must be specified correctly and may not be cancelled or returned after order is placed.

Finishes

- BE Baked Enamel (non-reflective)
- EG Engineer Grade (reflective)
- HI High Intensity (reflective)
- DG Diamond Grade (reflective)

Aluminum Thickness

- .063" 1/16" (approx.)
- .080" 5/64" (approx.)
- .090" 3/32" (approx.)
- .125" 1/8"

- Special Thickness – request quote
- Special Alloy – request quote

Mounting Holes

- Industry Standard – 3/8" mounting holes (1" on center) – all panels
- Special Holes – must be specified correctly and may not be cancelled or returned once ordered
- No Holes – specify on order

Corner Radii

- Industry Standard corner radii on all panels (radius determined by panel size)
- Special Corner Radius must be specified correctly and may not be cancelled or returned once ordered.
- Square corners – specify on order

Note

- All custom requirements subject to additional charges.
- MUTCD – Manual of Uniform Traffic Control Devices for Streets and Highways
- To confirm your specification requirements, consult State or Local Government Representative.

Hazard Lights

SUNDOWNER®

- Available in 6V or 12V battery configuration
- 3-way or flashing models available
- Photocell for automatic on-off by light conditions
- Theft-proof bolts with custom socket
- 360 degrees lens rotation
- Improved lens for better visibility
- Meets MUTCD requirements



NIGHTFLASHER®

- Meets MUTCD requirements and ITE specs in 12 volt configuration
- 7" polycarbonate lens with advanced optics
- Dependable circuitry coated for protection against weather
- High-density polyethylene case, UV stabilized, available in blue, green, orange, red, black, white and yellow
- Lens colors available in red, green, amber, clear and blue
- Optional solar cell extends battery life



Rotating Signal Lights

MV-2-IND

- Heavy-duty, industrial quality build
- Single 25 watt incandescent bulb
- 90 to 100 flashes per minute
- Single-point shock resistant mounting
- Quiet belt drive for simplified maintenance
- Anodized aluminum base
- 10' Red power lead for easy installation
- Available in 6, 12, 24, 36, 48 or 72 Volts DC. 2.2 amps @ 12 Vdc
- Available in red, amber, blue, green, purple or clear acrylic dome
- 7-5/8" high, 6" diameter, shipping weight - 3 lbs



Bar Lights

16.5" rectangular LED light bar, SAE J 845 Class 1 rated. Includes 15ft power cord with accessory power plug, on/off switch, and momentary switch. Mounts to vehicle using two powerful magnets. Permanent mounting kit also available. Features 19 flash patterns.



MV-LP


- Model MV-LP-P - Permanent
- 1-point bolt mount or 3-point screw mount
- Model MV-LP-MAG - Magnetic mount with 10' cord and cigarette lighter plug
- Single 25 watt incandescent bulb
- 90 to 100 flashes per minute
- Quiet belt drive for simplified maintenance
- ABS corrosion proof base
- 12 Volt DC available. 2.2 amps @ 12 Vdc
- Available in red, amber, blue, green, purple or clear dome
- 6-1/2" high, 5-1/2" diameter, shipping weight - 2 lbs



Retractable Lifelines



Black Rhino Series



CFL-4-Z7
9' self-retracting lifeline with steel swivel and twist lock carabiner, black.



Miller CFL-5-Z7
9' self-retracting lifeline with steel swivel and locking rebar hook, black.

Falcon Series

Miller MP20G-Z7
20' galvanized rope self-retracting lifeline with tagline and carabiner, red.



Miller MP30G-Z7
30' (10 m) galvanized wire rope (3/16" [5 mm]) with tagline and carabiner.




Miller MP50-Z7
50' (15 m) galvanized wire rope (3/16" [5 mm]) with tagline and carabiner.



Scorpion Series

Miller PFL-4Z7
The lightweight, compact design of the 9 ft. (2.7 m) Miller Scorpion Personal Fall Limiter provides workers an affordable alternative to shock-absorbing lanyards. In a head-to-head comparison with shock-absorbing lanyards, the Scorpion web retractable requires less fall clearance, offers greater mobility and prevents tripping hazards.



Mighty Lite Series

Miller RL20G

20' galvanized wire rope self-retracting lifeline with tagline and carabiner, red.


- Double-swivel design allows for greater maneuverability while preventing the lifeline from twisting or kinking
- Consistent Spring Tension Regardless Of The Amount Of Wire Rope Or Webbing In Use
- Quick-activating inertia brakes limit a free fall to less than two feet
- Corrosion-resistant stainless steel and aluminum components promote longer service life
- Narrow payout port prevents intrusion of foreign debris



Miller RL30G

30' galvanized wire rope self-retracting lifeline with tagline and carabiner, red.

- Durable and dependable, corrosion-resistant stainless steel and aluminum housing
- No annual factory recertification required. Lowers cost of ownership and increases productivity.
- Ideal for hard-to-mount locations
- Corrosion-resistant stainless steel and aluminum components extend service life
- Carabiner and tagline included
- Rated to 400 lbs. (181.4 kg) capacity when using a SofStop shock absorber (928LS/18INYL)



Miller RL50G-Z7LE

50' self-retracting lifeline with twist-lock carabiner on a swivel shackle, red.

- Galvanized steel with aluminum and stainless steel housing
- 310 lb weight capacity
- Visual load indicator
- 3/16" cable diameter and 1" strap width
- 1 leg
- Locking anchorage connection
- 3/4" hook gate opening
- Swivel snap hook
- 3/4" harness hook gate opening
- 5,000 lb tensile strength



Miller HP Series

650T/UGK

- Durable, lightweight nylon or polyester webbing
- New DuPont PTFE webbing finish provides superior protection and extends product service life
- Bright colors make the HP harnesses readily visible and easy to inspect
- Back strap prevents user from falling out of the harness
- Lanyard ring allows user to attach lanyard when not in use
- Friction buckle shoulder straps
- Sub-pelvic strap
- Mating buckle leg strap



Thunderbolt™ Retractable Lifelines

The Thunderbolt series of Retractable Lifelines is constructed with a high impact antishock polymer casing, which prevents denting and is durable yet lightweight. The unique ratcheting design ensures reliability and longevity under even the most difficult environments. Available in 3/16" galvanized steel cable. The compact size and lightweight features of the Thunderbolt series ensure Ergonomic solution to difficult equipment handling.

Additional lengths available. Carabiner included.

REW Series™

ITEM	LENGTH	WEIGHT CAPACITY
REW - 7	7ft	310 lbs.
REW - 23	23ft	310 lbs.



REW-23

REW-7



Protecta Rebel™

Rebel™ self retracting lifelines (SRL) with super-tough yet lightweight composite housings are built to last providing an economical fall protection solution without compromising performance or safety. These Rebel™ SRL's feature a 310 pound (141 kg) user capacity, and a robust design to ensure longevity. Rebel™ is designed with the worker in mind, featuring a stackable space-maximizing design, high strength web lifeline and a built-in swiveling anchorage point. An SRL's lifeline will extend as the user moves away, and retract automatically enabling the user to move about within a recommended working area at normal speeds. Should a fall occur, a speed sensing brake system will activate stopping the fall and reducing the forces imposed on the user to safe levels.

ITEM	LENGTH	WEIGHT CAPACITY
3100425	11ft	310 lbs.
3590517	20ft	420 lbs.
3590500	33ft	420lbs.
3590550	50ft	420lbs.




3104425

MS Series™

The lightweight MS-11 utilizes the tangle-free swivel top and comes with a lightweight aluminum snaphook.

Additional lengths available. Carabiner included.

ITEM	LENGTH	WEIGHT	HOUSING
MS-11	11'	3.5 lbs.	Metal Alloy



Nano-Lok Edge™

Twin Leg Self-Retracting Lifeline

Nano-Lok edge is specifically designed for foot level tie-off and sharp edge applications often found in construction. It is ergonomically designed for ease-of-use and is ideal for direct connection to most harnesses. The extremely compact and lightweight design is virtually unnoticeable on your back, staying out of the worker's way and making it ideal as a lanyard replacement. Whether your application requires single or twin leg configurations, mounting to an overhead anchor or for connection directly to harness, there are numerous models to choose from to suit almost any application. Nano-Lok locks quickly—stopping a fall within inches—providing more protection at low heights. In addition, tension is always kept on the lifeline, which reduces dragging, snapping and trip falls.

ITEM	LENGTH	DESCRIPTION	WT. CAPACITY
3500225	8ft	Steel snap hooks	310 lbs.
3500227	8ft	Steel locking rebar hooks	310 lbs.



3500225



3500227



Harness Kits

Feather

Lower Mid-Range Full Body Harness

The original harness remains a popular choice today thanks to its X-plate D-ring assembly, designed to help reduce tangles and lies flat on the user's back. From pass thru chest connection to grommet or pass thru leg straps to additional D-rings, a variety of hardware configurations are available. For more more information contact a sales representative.



Product #	Size	Description	Capacity
1050	Universal	Back D-ring w/ 1D Ring	310 lbs.
1053	XL	Shoulder Front and Back D-ring	310 lbs.

Apache

Specialty Full Body Harness

The Apache Harness is engineered and manufactured for workers who have a 311 lbs. – 400 lbs. total working weight. The harness must be used with a 400 lbs. rated connecting device. It's equipped with a pass thru chest connection and grommet leg connection.



Product #	Size	Description	Capacity
1710	XXL	Back D-ring	400 lbs.

Wind Energy

Specialty Full Body Harness

Tower Climbing Fall Protection Harness with Quick Connect Buckle Chest Connection and Leg Connection, Back, Front, Side and Seat D-rings and padded positioning belt with toolbelt holder and seat sling for climbing application. Lanyard keepers and web keepers.



Product #	Size	Description	Capacity
1515	XL	---	310 lbs.

ExoFit STRATA

Full Body Harness

Load distribution system redirects weight away from shoulders. PolarMesh padding for breathability and EZ-Link SRL adapter for quick connections and disconnections.



Product #	Size	Description	Capacity
1112536	M	Side and Back D-ring	420 lbs.
1112537	L	Side and Back D-ring	420 lbs.

SafeLight

Entry-Level Full Body Harness

A lightweight and economical fall arrest harness, the SafeLight delivers quality construction designed for general fall arrest applications. The SafeLight harness is an excellent entry-level harness choice that is affordable and easy to use. It's equipped with a pass thru chest connection and grommet leg connection.



Product #	Size	Description	Capacity
10910	Universal	Back D-ring	310 lbs.
10911	Universal	Side and Back D-ring	310 lbs.
10951	Universal	Side and Back D-ring	310 lbs.

Ameba

Upper Mid-Range Full Body Harness

The Ameba harness features a webbing uniquely designed to flex and bend with the wearer for non-binding comfort. The Ameba harness maintains its shape and integrity over time. Its soft mesh backpad helps wick moisture away from the body for a cooler, more comfortable experience.



Product #	Size	Description	Capacity
A1410	XXL	D-ring	310 lbs.
A1411	XXL	Side and Back D-ring	310 lbs.

Protecta First

Full Body Harness

5-point harness with back D-ring, tongue buckle legs, and pass-thru buckle connectors for legs and chest. Lightweight harness weighs 1.70 pounds.



Product #	Size	Description	Capacity
AB17550	Universal	Back D-Ring	310 lbs.

Protecta PRO

Full Body Harness

Integrated hip and shoulder pads for comfort. Durable polyester web. Built-in impact indicators. Tongue buckle leg straps.



Product #	Size	Description	Capacity
1191209	M	Back D-ring	420 lbs.
1191210	XL	Side and Back D-ring	420 lbs.



Fall Protection Reusable Concrete Anchors

Portable, reusable wedge anchors with swiveling tie-off rings for use in cured concrete. Quick-release triggers allow for insertion and release using just one hand. Made of corrosion-resistant stainless steel.

Fall Protection Anchor

DBI Sala #2190053

- 3/4" drill hole
- Used in walls and ceilings
- Trigger release
- Meets ANSI 891.4
- Strength: 5,000 lbs



Beam Anchors

GLYDER 2 Anchor

DBI Sala #2104710

Sliding beam anchor systems provide complete horizontal mobility and can be tied-off overhead or at feet (use with Force2 shock absorbing lanyard when used at feet). The anchor effortlessly slides across the beam on its wear pads, eliminating metal-to-metal contact.

- Weight rating: 5,000 lbs
- Spring-loaded engagement for precision adjustment
- Dual-beam grip adjustment prevents twisting and turning
- Replaceable wear pads
- No pins required
- Fits 3 1/2" to 14" wide flange up to 1 1/4" thick
- Meets OSHA and ANSI requirements, including ANSI Z359



12.5" Beam Clamp

Miller #455

Temporary beam clamp for I-beams, S-beams, or W-beams. Accommodates beams with a maximum width of 12 1/2".

400 lbs maximum capacity.



Anchor Points and Grips

Rated at 5,000 lbs.

ROOF GRIP™

DBI Sala #4651X

Disposable roof anchor is easy to install and use.



Rope/Cable Grabs

COMBO ROPE GRAB

DBI Sala #122

- 5/8" and 3/4" rope (synthetic only)
- Stainless steel construction



SELF-TRAILING CABLE GRAB

99-0120

- Stainless steel construction
- Fits 3/8" and 5/16" cable (galvanized or stainless)
- Extremely durable



SAFECLAW™ Anchor

DBI Sala #4015

- 5/8" drill hole, 3" deep
- Universal use
- Trigger release
- Tie-off eye
- Meets ANSI Z359.1
- Strength: 5,000 lbs



GRIP™ Fall Protection Anchor

Miller #496

- 3/4" drill hole
- Used in vertical or overhead/ceiling surface applications
- Trigger release
- Meets ANSI 891.4
- Strength: 5,000 lbs



BEAMWALK™ Anchor

DBI Sala #4650-3

The BeamWalk™ is the newest generation of single-point anchorage for I and H beam applications. The system is lightweight and extremely portable. This unit can be mounted either on top or below the beam.

- Double action release for safety "No Slips"
- Easy one-hand adjustable feature
- Low friction design
- Lightweight
- User friendly
- Ergonomic hand position
- Fits I and H beam 3-1/2" to 12", beam thickness up to 1-1/4"
- Tie-off eye
- Weight Rating - 5,000 lbs
- Stainless steel locking springs

Adjustable Beam Trolley

Miller #9065-2

Adjustable trolley fits beam I-beams up to 12" wide. 400 lbs maximum width capacity.



REUSABLE ROOF ANCHOR

DBI Sala #4000


Constructed of heavy gauge steel, ideally suited for roofing applications. Hinge construction gives flexibility to any pitch angle. Approved for use on sheet metal decking.



GIRDER GRIP

DBI Sala #4007

Mobile anchorage point for metal structures. Can be used vertically or horizontally. Fits 3/4" diameter hole.



D-BOLT ANCHORAGE CONNECTORS

2104560 - Concrete D-Ring Anchor



417C - Concrete D-Bolt Anchorage Connector



100066 - 10-Pack Bolt Kit



417CBOLT - D-Bolt Anchor with Extension Bolt



ENERGY ABSORBING LANYARDS

This entry-level 6-foot low-profile (tubular) lanyard. Designed for general-purpose work environments.

209712

SafeLight Energy-Absorbing Lanyard



209712-0241

SafeLight Energy-Absorbing Dual-Leg Lanyard

SHOCK ABSORBING LANYARDS

4.5-foot lanyards expand to 6 feet. Shock absorbing action limits arresting forces to 900 lbs.

1340101

Pro Stretch Style Shock-Absorbing Lanyard



1340121

Pro Stretch Style Shock-Absorbing Lanyard



1340161

Pro Stretch Style Dual-Leg Shock-Absorbing Lanyard



CHAIN ASSEMBLIES

SP3710-S CHAIN ASSEMBLY

•**SP3710-S** 13-link swivel assembly with new swivel rebar hook and standard locking snap hooks.



PROTECTA FIRST REBAR CHAIN ASSEMBLY

•**1350200** 5.0 machine chain with zinc-plated stamped steel hooks. Double-locking snap hook accommodates up to #18 rebar.



CARABINERS

Saflok Carabiner

•**2000113** 3,600 lb self-closing/locking gate. Zinc plated for corrosion resistance. 5,000 lb breaking strength



EXTENDER

D-RING EXTENSION

• 5550 Double locking snaphook on one end, D-ring on the other, 18" length.



ROOFING KITS

SafeWaze has developed a creative assortment of Fall Protection. Roofing Kits. Portable and convenient, these safety kits are designed to meet any roofing application. The handy tool bags can be customized with individual distributor or end-user information.

20503



TEMPORARY HORIZONTAL LIFELINE

3M™ Two Man Horizontal Lifeline Systems are a complete temporary lifeline in a bag. Optional lifelines include cable and rope systems. All systems are portable and include a tensioning device to help with proper lifeline tension.



Specifications

Category	Fall protection
Category	Kits
Connector	Snap Hook
Features	External Shock Absorber
Harness Size	Universal
Kit Type	Roofing
Lanyard Length	3 Linear Foot

CROSS ARM STRAPS & ANCHOR STRAPS

Fall protection cross arm straps are a low cost general purpose anchor designed to wrap around structures.



4550 - 3ft Cross Arm Strap



4824 - 4ft Cross Arm Strap



210050 - 3 1/2ft Cross Arm Strap

210053 - 4ft Cross Arm Strap



AJ450A - 3ft Tie-Off Adaptor
AJ450A6 - 6ft Tie-Off Adaptor



4550U - 6ft Heavy Duty Cross Arm Strap



8185C - 4ft Anchor Strap



8185CX - 4ft Anchor Strap

Two-Way Radios

2-Channel Radios

RDV2020 UHF 2 Ch Radio

- The RDV2020 provides coverage up to 250,000 square feet, up to 15 floors and up to 1-2 miles.
- 1100mAh Lithium Ion Battery
 - 7 hr Drop-in Charging Tray
 - 3" Spring Belt Clip
 - RDV2020 Owners Manual
 - 1 Year Warranty Card



Radio	RDV2020
Power	Up to 2 watts
Frequency	27 VHF (150.8 to 160 MHz)
Interference	38 Analog / 83 Digital Interference Eliminator Codes
Battery Life	Up to 12 hours
Battery	Battery gauge included
Specs	Designed to IP-55 / MIL-SPEC
Scramble	3 Voice-Inversion scramble settings
Scan	Channel scan with selectable scan list
Tones	3 call tones
Plug	2 pin accessory
VOX	Hands-free use
LED	Tri-color with transmit, receive and low battery indicator
Channels	2
Programming	2 programmable buttons
Dimensions	4.5 x 2.2 x 1.6 (HxWxD)
Weight	8.6 oz

4-Channel Radios

RMU2040 UHF 4 Channel Radio

- 2100mAh Li Ion Battery
- Standard Drop-In Charging Tray
- Swivel Belt Holster with 3.5" Spring Clip
- Owners Manual
- 1 Year Warranty



Radio	RMU2040
Frequency	UHF (Ultra High Frequency)
Plug	2 Pin Accessory
Watts	2 Watts
Channels	4 Channels
Buttons	2 Programmable Buttons
Weight	8.2 Ounces

Only 4-channel radios in stock. All radios available with reasonable lead time.

8-Channel Radios

RMV2080 VHF 8 Channel Radio

- 2100mAh Li Ion Battery
- Standard Drop-In Charging Tray
- Swivel Belt Holster with 3.5" Spring Clip
- Owners Manual
- 1 Year Warranty



Radio	RMV2080
Frequency	VHF (Very High Frequency)
Watts	2 Watt
Channels	8 Channels
Buttons	2 Programmable Buttons
Plug	2 Pin Accessory
Weight	8.6 Ounces



MOTOROLA

Spill Response

Taskbrand® Oil-Only Spill Kits

Contains everything needed for immediate response to oil spills. Not for use with other liquids.



5-Gallon Oil Spill Kit
OS-SK5G



20-Gallon Oil Spill Kit
OS-SK20G



65-Gallon Oil Spill Kit
OS-SK65G

Vehicle Spill Kits

5-gallon spill kit built for vehicle storage.



Vehicle Spill Kit
AS-SKTK

Taskbrand® Universal Spill Kits

Contains everything needed for immediate response to spills.



5-Gallon Spill Kit
AS-SK5G



20-Gallon Spill Kit
AS-SK20G

Item	OS-SK5G AS-SK5G	OS-SK20G AS-SK20G	OS-SK65G	AS-SKTK
Bucket	1	1	1	--
Gloves, Pair	1	1	1	--
Safety Goggles	1	1	1	--
Socks	3	6	15	2
Pads	10	20	100	20
Can Liner	1	3	10	--
Pillow	--	2	6	--
Clean-Up Bag	--	--	--	2

Laminate Pads

Single laminate pads and rolls are perforated for easy tearing. Heavy-duty material quickly absorbs oil to prevent spread.



OS-INB-P
15"x8" singles, pack of 100. Perforated at 7.5".



OS-INB-R2
15"x150' roll, twin pack. Perforated every 7.5" and 20".



1MBWPB-K
30"x40" heavy-duty meltblown pads. Package of 50.

Ventilators

Designed with flexibility in mind, all of the features of General's ventilation blowers are designed to meet the confined space ventilation demands for many construction, utility, and municipal applications. Straight thru, axial flow design maximizes air flow delivery rates with input horsepower. Sturdy, easy-grip handle molded directly into the housing makes for convenient, reliable transport. The tough, double-walled housing is molded from UV-resistant polyethylene, making it dent-resistant, corrosion-proof and virtually indestructible. Air flows rates are certified by an independent testing agency.



EP12ACP



EP8AC25P



D10P

Non-Hazardous Location Axial Fans

Product #	Type	HP	Voltage	Speed Control	Diameter	Air Flow, Free
EP8ACP	Axial	1/3 HP	110 AC, 60HZ	Single	8"	501 CFM
EP12ACP	Axial	1HP	115 AC, 60HZ	Single	12"	1825 CFM
EP16ACP	Axial	1HP 1/3HP	220 AC, 50HZ 110 AC, 60HZ	Single	16"	22.6M3

Non-Hazardous Location Ventilation Blowers

These blowers are designed to provide adequate air flow even around 90° bends. Includes 25 foot flexible duct with storage canister.

Product #	Type	HP	Voltage	Speed Control	Diameter	Air Flow, Free
EP8AC25P	Axial	1/3 HP	115 AC, 60HZ	Single	8"	902.35 CFM

Carpet Dryers

Designed to accelerate evaporation rates for drying carpets, hardwood floors, and other flooded areas. Made for minor flooding events in non-hazardous locations. Can be aimed horizontally, vertically, or at a 45° angle. 72 dB noise level.

Product #	Type	HP	Voltage	Speed Control
CD10P	Carpet Dryer	1 HP	115 AC, 60HZ	3-Speed

Ventilator Accessories



This metal circular ring will allow you to connect multiple sections of duct.

Model Coupler	Size
8000	8"
1200	12"



This duct hose, made of flexible, light duty vinyl woven polyester is designed to collapse into its own attached carrying bag.

Model Size	Dimensions
Bag-O-Duct-1225	12" x 25'



Metal rack is perfect for safe duct storage – up to two 15' ducts or one 25' duct.

Model Holds Duct Size	Diameter
DSR-28-08	8" diameter
DSR-25-12	12" diameter



Flexible, light-duty vinyl woven polyester ducts are easily retractable and designed to handle large volumes of air.

Model Duct with Quick Connect	Dimensions
0815	8" x 15'
0825	8" x 25'
1215	12" x 15'
1225	12" x 25'
1225-SC	12" x 25'
2025	20" x 25'



Lightweight (9 lb.) plastic attachment for wet carpet and floor drying applications. Constructed with built-in handle for easy transport. Connects with supplied bungee cord.


Model	Application
CDA-3000	(VAF-3000 only)

Now Available!

SAFEWAZE™



FS981 - Confined Space Rescue System



FS876 - Removable Concrete Anchor

FALL PROTECTION



FS99280-E - Safety Harness, Universal



FS811 - Cross-Arm Strap, 6'

FS811-3 - Cross-Arm Strap, 3'

SHOCK-ABSORBING LANYARDS



FS580 - 6' w/ Double Locking Snap Hooks



FS585 - 6" w/ Rebar Hook



FS581 - 6' Dual-Leg, Double Locking Snap Hooks



FS586 - 6' Dual Leg, Rebar Hooks

ULTRA-SAFE® REBAR ASSEMBLIES



96602 - 22" Chain Rebar Assembly



96702 - 22" Web Rebar Assembly

CARABINERS



FS1015 - 11/16" Steel Carabiner

FS1017 - 1 3/4" Steel Carabiner

FS1017 - 1 3/4" Steel Carabiner

New Products

CONSTRUCTION SAFETY



Store Locations

CONSTRUCTION SAFETY



**WHARTON CONCRETE FORMING
SUPPLY OF NEVADA, LLC**
40 Industrial Pkwy.
Carson City, NV 89706





WHARTON CONCRETE FORMING SUPPLY OF NEVADA, LLC

40 Industrial Pkwy
Carson City, NV
(775) 241-9494
+1 (833) 410-2075

www.whartonhardware.com

Edition Year: 2019

WHARTON SUPPLY INC. OF VIRGINIA

7620 Backlick Road
Springfield, VA 22150
(703) 569-6660

WHARTON FORMS & STORAGE

8042 Old Alexandria Ferry Road
Clinton, MD 20735
(301) 877-8640

WHARTON HARDWARE & SUPPLY

7724 N. Crescent Boulevard
Pennsauken, NJ 08110
(856) 662-5334