



WHARTON HARDWARE & SUPPLY

CONSTRUCTION EQUIPMENT SALES & RENTALS

WHARTON HARDWARE SUPPLY CO., INC. - NEW JERSEY

NJ: 856-662-6935 | PA: 215-925-8800 | FAX: 856-234-2734

7724 N. Cresent Blvd. Pennsauken, NJ 08110

WHARTON SUPPLY INC. OF VIRGINIA

VA: 703-455-6700 | METRO: 703-569-6660 | FAX: 703-568-8299

7620 Backlick Road, Springfield VA 22150

WHARTON FORM RENTALS - MARYLAND

MD: 301-877-8640 | FAX: 301-877-8643

8042 Old Alexandria Ferry Road Clinton, MD 20735

www.whartonhardware.com



Authorized STIHL Dealer



Complete Line of Honda Generators



Concrete Construction Equipment Specialist



LINE CARD



LINE CARD



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Index

A

Aerial Lifts

Genie 1930 20' 800# 67
 Genie 2632 25' 800# 67
 Genie Lift AWSP-SB - 35' 67

Air Compressors

IR HP1300 1300 CFM (Diesel) 9
 IR HP1600 1600 CFM (Diesel) 9
 IR P250 250 CFM (Diesel) 9
 IR XP375 375 CFM (Diesel) 9
 IR XP825 825 CFM (Diesel) 9
 Kaeser M26 92 CFM (Diesel) 7
 Kaeser M27 92 CFM (Diesel) 7
 Kaeser M50 185 CFM (Diesel) 7
 Kaeser M57 210 CFM (Diesel) 7
 Kaeser M100 375 CFM (Diesel) 8
 Sullair 185 CFM (Diesel) 8
 Sullair 225 CFM (Diesel) 8
 Sullair 375 CFM (Diesel) 8

Air Tools & Accessories

Air Tampers

APT 131 14
 JET 06 14

Air Winches

IR 1/2 Ton, 1 Ton, 2 Ton 17

Chipping Hammers

TOKU TCH-2 11
 TOKU TCH-3 11
 TOKU THA-1B 10
 TOKU THA-2B 10
 TOKU THA-3B 10
 TOKU THA-34B 10

Hacksaws

Fein MOT 6-18-2 17

Impact Wrenches

IR 231C 1/2" Shank 15
 IR 244 1/2" Shank 16
 IR 259 3/4" Shank 15
 IR 285A 1" Shank 15
 JET J2000D 16
 JET JSG-0750 16
 JET JSG-0775 16
 JET JSM401 16

Paving Breakers

APT 5239 12
 JET JPB60 12
 JET JPB90 12
 JET PB30 12
 TOKU TB30 11
 TOKU TB60 11
 TOKU TB90 12

Rivet Busters

APT 133 / 1133 15
 JET RB90 15
 TOKU B90 / B90I 14
 TOKU B-110 / B-110I 14

Rock Drills

JET RD-7 13
 JET RD30 13
 TOKU THD-1100N 13

Sandblasters

Titan U300 300lbs 17

B

Brush Chippers

BAND-IT 65XP 6" 23
 BAND-IT 150 12" 23

C

Chainsaws & Trimmers

Chainsaws

STIHL GS461 Rock Boss 88
 Stihl MS170 86
 STIHL MS180C-BE 86
 STIHL MS201T Arborist 86
 STIHL MS251 C-BE 87
 STIHL MS271-16 Wood Boss 86
 STIHL MS280 87
 STIHL MS441 Magnum 87
 STIHL MS660 Artic Pro 87
 STIHL MS880 88

Trimmers

STIHL FS40 C-E 88
 STIHL FS45 OK Brushcut Bike 90
 STIHL FS45 C EZ-Start GS 88
 STIHL FS46 89
 STIHL FS56 R-CE 89
 STIHL FS100 RX 89
 STIHL FS110R 89
 STIHL FS250 R w/Loop Handle 90
 STIHL HS80 Hedge Trimmer 24" 88
 STIHL Trim FS110 Bike Handle 90
 STIHL Trimmer FS94 R 90

Column Clamps

Ellis Scissor Clamps 62

Compact Excavator

Airman AX35 31
 Lay-Mor LB30 (Gas) 31
 Terramite T5C Backhoe 31
 Yanmar B-15 31
 Yanmar B-35 31

Compaction Equipment

Rammers

Sakai MMD R545 4 Stroke 34
 Sakai MMD R565 4 Stroke 34

Wacker BS50-2i 2 Stroke 34
 Wacker BS60-2i 2 Stroke 34
 Wacker BS60-4S 4 Stroke 34

Ride-On Rollers

30" Bomag BW90 37
 Wacker RD12A 37

Tandem Vibratory Roller

Dymapac LP852 33" Dual Drum 37
 Wacker RT82 32" Articulated 37

Vibratory Plates

Dynapac LF82 (Dirt) 35
 Dynapac LT62H 35
 MBW AP2000 (Asphalt) 35
 MBW GP3000 35
 Sakai PC100 Plate Tamper 36
 Sakai PC800 Plate Tamper 36
 Wacker BPU2540A (Reversible) 36
 Wacker VP1540W 36
 Wacker VP1550AW 36

Walk-Behind Rollers

Bomag BW75AD 37

Concrete Equipment

Concrete Buckets

Garbro Concrete Bucket Parts 57
 Garbro G Series General Purpose 57
 Garbro R Series Lightweight 58
 Garbro Side Chute 58
 Garbro Steel Extension Collar 57

Concrete Mixers

Stone 65CM 6 Cu. Ft. 52
 Toro 658CM 52
 Toro CM-958H-S 52

Concrete Saw Blades

Banner Line Black Blade 43
 Banner Line Red Blade 43
 EH8 Blade 43
 Heavy Duty Orange Blade 43
 Imperial Purple Blade 42
 Premium Black Blade 43

Concrete Vibrators

Flex Shaft / Vibrator Heads 56
 Northrock Backpack Vibrator 56
 Northrock Vibrator 1.5 to 3 H.P. 56
 Wacker IRFU45 High Frequency 56

Cutt-Off Saws

Husqvarna K650 44
 Husqvarna K750 44
 Husqvarna K760 44
 Husqvarna K960 44
 Husqvarna K970 45
 Husqvarna K1250 45
 Husqvarna K2500 45
 Husqvarna K3000 45
 STIHL TS 410 46
 STIHL TS 420 46
 STIHL TS 700 46

STIHL TS 800 [46](#)

Floor Grinders

Edco 2GC6 (Gas) [55](#)

Edco CPM8 [55](#)

Edco TLR-7-11H Line Remover [55](#)

Edco TS8-75 Floor Stripper [55](#)

Mortar Mixers

Toro MM-658H-P GX240 [53](#)

Toro MM-858H-P [53](#)

Toro MM-1158H-P [53](#)

Toro MM-1251H-P [53](#)

Power Buggys

Allen Engineering AR16 [54](#)

Allen Engineering AT16 [54](#)

Amida WBH-16 [54](#)

Morrison PB16R [54](#)

Ride-On Trowels

Allen MP215 [49](#)

Allen MSP415 [49](#)

Allen MSP455 [49](#)

Allen MX600 [49](#)

Wacker CRT36 [50](#)

Wacker CRT48 [50](#)

Wacker CRT60 [50](#)

Screeds

Allen Magic Screed HD7070 [51](#)

Vibra Strike Power Screed I [51](#)

Vibra Strike Power Screed II [51](#)

Soff-Cut Saws

Husqvarna Soff-Cut 150 Saw [40](#)

Husqvarna Softcut 390 Saw [40](#)

Husqvarna Softcut 2000 Saw [40](#)

Husqvarna Softcut 4000 Saw [40](#)

Walk-Behind Saws

Diamond Products CC150EE [41](#)

Diamond Products CC1211H18 [41](#)

Diamond Products CC1213 [41](#)

Diamond Products CC1309 HSXL [41](#)

Diamond Products CC1313 HSXL [42](#)

Diamond Products CC2520H20 [42](#)

Diamond Products CC6566 [42](#)

Walk-Behind Trowels

Allen Edger PS436 Ring Trowel [48](#)

Allen Edger Trowel VP424 [48](#)

Allen Trowel PS446 [48](#)

Wacker CT36-26A Trowel 36" [47](#)

Wacker CT48ADP Trowel 48" [47](#)

Whiteman B46H90 Trowel 46" [47](#)

Whiteman HDA48413H Trowel [47](#)

Whiteman J45H Trowel 36" [47](#)

E

Electric Tools

Breakers

BOSCH BH2770 60 LB. Breaker [78](#)

Core Drills

Diamond M1 Core Drill [78](#)

Target HD6 Handheld Core Drill [78](#)

Demolition Hammers

Bosch 11311 [82](#)

Bosch 11316EVS 120v [82](#)

Bosch 11321EVS 120v [82](#)

Electric Hacksaw

Fein ASTXE649 Electric Hacksaw [78](#)

Grinders

Bosch 1375A 4 1/2" [83](#)

Bosch 1380 SLIM2P 4 1/2" [83](#)

Bosch 1810PS 4 1/2" [83](#)

Bosch 1821D 4 1/2" [84](#)

Bosch 1873-8 7" [83](#)

Bosch 1893-6 7" [83](#)

Metabo WE14-150 4 1/2" [84](#)

Metabo WEP14-150 4 1/2" [84](#)

Magnetic Drills

Jancy JN101 Mag Drill [84](#)

Rebar Bender/Cutter

Fastcut FR-80-C Rebar Bender [84](#)

Rotary Hammers

Bosch 11240 10 amp [80](#)

Bosch 11245EVS Combination [80](#)

Bosch 11253VSR 120v Bulldog [80](#)

Bosch 11255VSR 120v Bulldog [80](#)

Bosch 11265EVS Combination [80](#)

Bosch RH228VC 120v [79, 80](#)

Bosch RH328VC 120v [79, 80](#)

Bosch RH432VCQ 120v [79, 80](#)

Bosch RH540M 120v [79, 80](#)

Metabo KHE-D24 5.6 amp [81](#)

Metabo KHE-D28 8.3 amp [81](#)

Wacker EH9BLM 110 - 127v [81](#)

Wacker EH11BLM 230v [81](#)

Wacker EHB7M 120v [81](#)

Wacker EHB11BLS 110 - 127v [82](#)

Extension Chords

Century Pro Power Strips [85](#)

Century Triple Tap Extension [85](#)

Cold Weather Extension Chords [85](#)

Pro Glow Extension Chords [85](#)

F

Front End Loaders / Attachments

Auger Bits [33](#)

Backhoe with 12" bucket [33](#)

Combination Bucket [33](#)

Hydra-Mac (Diesel Powered) 20C [32](#)

Hydraulic Breaker [33](#)

Terex PT75 [32](#)

Terex TSR60 [32](#)

G

Generators

Honda EB2000ITA 2000 Watt [18](#)

Honda EB3000c 3000 Watt [18](#)

Honda EB4000X 4000 Watt [18](#)

Honda EB5000XK3 5000 Watts [18](#)

Honda EB6500X1 6500 Watt [18](#)

Honda EB10000AH 10,000 Watt [19](#)

Honda EG4000CLAT 4000 Watts [19](#)

Honda EG5000CLAT 4500 Watts [19](#)

Honda EG6500CLAT 6500 Watt [19](#)

Honda EM5000SXX3 5000 Watt [21](#)

Honda EM6500 SXX2 6500 Watts [21](#)

Honda EN2500AL 2500 Watt [19](#)

Honda EU1000IK1A 1000 Watt [20](#)

Honda EU2000I1A1 2000 Watt [20](#)

Honda EU2000I1A3 2000 Watt [20](#)

Honda EU3000IH1A 3000 Watt [20](#)

Honda EU3000IS1A 3000 Watt [21](#)

Honda EU7000IS 7000 Watts [20](#)

IR G50 50 KW 110/220/440 [22](#)

Magnum MMG100 80 KW [22](#)

TEREX T35 [22](#)

Ground Heaters

Wacker Neuson E3000 [71](#)

H

Hydraulic Equipment

Hydraulic Cutting Equipment

ICS 823H Chain Saw 15" [59](#)

ICS 853PRO-19 Chain Saw 15" [59](#)

ICS 880F4 Chain Saw 15" [59](#)

Hydraulic Power Pac

Partner HP40 [59](#)

J

Job Transport Vehicles / Attachments

Kawasaki MULE [61](#)

Polaris Brutus HD PTO [61](#)

Polaris PTO Angle Broom [61](#)

Polaris PTO Material Bucket [61](#)

Polaris PTO Mower [61](#)

Polaris PTO Snow Blade [61](#)

Polaris PTO Snow Blower [61](#)

L

Lifting Equipment

Chain Hoist

AMH CB Series, Hook [64](#)



Fork Lifts

Doosan IC Pro 5 (Smooth Tire) 66

Doosan Pro 5 D25S-5 66

Lever Hoist

AMH LC Series, Hook 65

Material Handlers

IR 642 6000lbs Cap - 42' 66

IR 843 8000lbs Cap - 43' 66

Pallet Trucks

JET PTX2048 Pallet Truck (Hand) 66

Loaders / Attachments

320d Loader W/Bucket & Tracks 29

323 Loader W/Bucket & Tracks 29

Toro Dingo Auger Head 30

Toro Dingo Backhoe 30

Toro Dingo Slab Breaker 30

Toro Dingo Trencher 30

TX420 Loader W/Bucket & Tracks 29

TX525 Loader W/Bucket & Tracks 29

M**Masonry Saws**

Diamond CC500M 14" Brick Saw 63

Felker TMI Tile Saw 1.5 HP 63

Husqvarna TS60 Tile Saw 63

IMER 350FH Masonry Saw 63

IMER 350 Masonry Saw 63

Material Lifts

Sumner 2118 Duct Lift 68

Sumner ST-401 Grasshopper 68

Sumner Z250 Roust-A-Bout 68

Mobile Lighting Equipment**Arrow Boards**Wanco WTSP55 Solar Arrow Board
76**Bulbs**

Wanco P46 LED Bulbs 76

Light Towers

Wanco WLTC4CO 30' 76

Message Boards

Wanco Programmable Board 76

P**Pressure Washer**

Shark BR-353237 3200 PSI 38

Shark DD232337 2300 PSI 38

Shark SPG303037 3000 PSI 38

Simpson Power Shot 4,000 PSI 39

Simpson PS3228-S 3,200 PSI 39

Simpson WS5050H 5,000 PSI 39

Water Cannon WC4040 38

R**Rough Terrain Lifts****Boom Lifts**

Genie Z80 Boom 80' Z60/34 69

Upright AB46RT 46' 500lb Cap 69

Upright AB62RT 46' 500lb Cap 69

Platform Lifts

Upright SL30 29.5' 1000lb Cap 69

Upright XRT33 33' 1000lb Cap 69

S**Scaffolding**

BILJAX Scaffolding System 91

Snow Removal**Snow Blower**

Husqvarna 10527STE 27" 60

Sweepers

Sweepster WSP36 Walk-Behind 60

Space Heaters**Propane Heaters**

Dewalt DXH40FA 70

Dewalt DXH63FAV 70

Dewalt DXH125FAV 70

Dewalt DXH150FAV 70

Dewalt DXH170FAV 70

Stump Grinders

Vermeer Stump Gringer w/Trailer 23

Submersible Pumps

Little Giant 1-EA 28

Little Giant 2E-N 28

Little Giant 5-ASP 28

Little Giant 5-MSP 28

Little Giant PE-1 28

Tsurumi LB400 26

Tsurumi LB480 26

Tsurumi LB750 2" 26

Tsurumi NK15 3" 26

Zoeller 42 Floor Sucker 27

Zoeller M53 27

Zoeller M98 27

Surveying**Levels and Lasers**

AT-B Series Automatic Levels 77

RL-H4C Self-Leveling Laser 77

Taurus Laser Level 77

TP-L4B Red Beam Pipe Laser 77

T**Trash Chutes**

Superchute Trash Chute 30"x 4' 75

Superchute Trash Hopper 30" 75

Trash Pumps

Homelite HTP3 3" 25

Honda WT20XK3A 2" 24

Honda WT30XK3A 3" 24

Honda WT40XK3A 4" 24

Tsurumi EPT2-1500D 6" 25

Tsurumi TD5-300 3" 25

Wacker Tow Behind Trash Pump 25

Trenchers**Augers**

General Auger M330H 60

Barreto 1234D 6"x36" 23

V**Ventilating and Vacs****Backpack Blower**

STIHL BR430 72

STIHL BR500 72

STIHL BR550 72

STIHL BR600 72

Blowers

STIHL BG 56 C-E 72

Drum Fans

Marley Drum Fans 73

Pedestal Fans

Marley 24" Pedestal Fan 73

Marley 30" Pedestal Fan 73

Vacuums

Heavy-Duty Shop-Vac 8045 74

Porter Cable 7812 Drywall Vac 74

Ventilators

Americ VAF-1500 Fan 74

Americ VAF-3000 74

Wall Mount Fans

Marley 30" Wall Mount Fan 73

W**Water Pumps**

Honda WX15AX2 24

Welders

Miller 250NT 22



Kaeser M26 92 CFM (Diesel)

M26 Mobilair

The Kaeser M26 Mobilair portable compressor offers a non-scratch, dent- and temperature-resistant molded polymer shell. Unit delivers up to 90 cfm at 100 psig. Standard features include the Sigma Provile airend, Kubota diesel engine and an instrument and lighting package. The M26 also features the patent-pending anti-frost control, which is a thermostatically controlled combination valve that protects and extends construction tool life.



Kaeser M27 92 CFM (Diesel)

M27 Mobilair

The Mobilair M27 portable compressor produces 15% to 20% more air per gallon than competitive models due to its larger, slower-turning airend. The compressor also meets Tier 4 emissions standards with its Kubota 3-cylinder, 21-hp diesel engine..



Kaeser M50 185 CFM (Diesel)

M50 Mobilair

The Mobilair M50 is a versatile portable screw compressor that offers heavy-duty performance in a light weight package. It is well suited for many applications including sand-blasting, pavement breaking, and general air tool use. These units are built to meet the demands of rental houses, repair trucks, and railroad applications.



Kaeser M57 210 CFM (Diesel)

M57 Mobilair

The Kaeser Mobilair M57 portable compressor delivers 210 cfm at 100 psi and is designed for heavy-duty civil and commercial construction, demolition, sand blasting, and other worksite applications as well as portable backup for stationary units.

All air compressors for rental or sale! Compressors can be ordered with with OSHA safety valves. Ask your sales person about whipchecks, hoses, and other accessories.

KAESER
COMPRESSORS

Kaeser M100 375 CFM (Diesel)

M100 Mobilair

The Mobilair M100 portable rotary screw compressor delivers 375 cfm at 100 psig and is designed for heavy-duty civil and commercial construction, demolition, sand blasting, and other site work applications as well as portable backup for stationary units.

SULLAIR

Sullair 185 CFM (Diesel)

Sullair185CFM

Unit is designed for reliability and total accessibility featuring large side doors for easy maintenance. Powered by an interim Tier 4 (IT4) emissions compliant Caterpillar engine. Mounting option is 2-wheel, single axle. Enclosure is made of durable powder coated Galvanneal sheet metal with composite end caps.



Sullair 225 CFM (Diesel)

Sullair 225CFM

Sullair's 225 – 425 cfm portable compressors are available with 100 psi, 150 psi and 200 psi pressures. These compressors are excellent choice for any mobile portable air requirements in a wide of different industries. Contact Sullair and talk to our portable compressor experts today.



Sullair 375 CFM (Diesel)

Sullair 375CFM

Sullair 375 Tier 3 family rotary screw portable air compressors deliver 300 to 425 cfm at 100 to 200 psig or 8.5 to 12.0 m³/min at 6.9 to 13.8 bar. Unit is designed for reliability and total accessibility featuring large side doors for easy maintenance.

We repair all equipment shown. We have filters, lubes and parts all stock.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640





IR P250 250 CFM (Diesel)

IR P250

This compact machine is perfect for a wide variety of applications, including general construction, sandblasting, pneumatic tool operation, and pipeline testing.



IR XP375 375 CFM (Diesel)

IR XP375

XP375 Ingersoll Rand-branded compressors from Doosan Portable Power make your productivity a priority. With pressure ratings from 100 to 150 psig, and capacities of 375 and 425 cfm, these models are built with the power you need, whatever the application.



IR XP825 825 CFM (Diesel)

IR XP825

XP825WCU Ingersoll Rand Portable Diesel Air Compressor (825 CFM, 80 - 150 PSI, 2" Discharge, Cummins/QSC 8.3 Engine). The XP825 will survive the harshest conditions and always deliver the productivity you need on your jobsite.



IR HP1300 1300 CFM (Diesel)

IR HP1300

HP1300WCU, 1300 CFM Portable Air Compressor, s/n 295371UJI729, powered by Cummins N14 diesel engine, equipped with 150 psi and IQ system, trailer mounted with pintle hitch and 215/75R17.5 tires.



IR HP1600 1600 CFM (Diesel)

IR HP1600

HP1600WCU, 900-1600 CFM. Ingersoll Rand compressors assure complete satisfaction, from ease of service access, to simple user controls, to rugged reliability. The cool-box design keeps the internal components cool to prolong life, and the single-wall coolers allow quick and easy maintenance. Integrated electronics alert customers of issues that may reduce productivity

Chipping Hammers



TOKU THA-1B

For the renovation works of inside buildings and light duty concrete breaking works, laying the water and gas supply line, electric cable laying works and removing concrete.

Model	Piston Dia (inch)	Piston Stroke (inch)	Weight (lb)	Overall Length (inch)	Blow per Min (bpm)	Shank Size Round Hex (inch)	Air Cons (cfm)	Air Inlet (PT)	Hose Size (inch)
THA-1B	1-1/8	1	13	15-9/32	2,500	.680R .580H	28	3/8	1/2

TOKU THA-1B



TOKU THA-2B

For the renovation works of inside buildings and light duty concrete breaking works, laying the water and gas supply line, electric cable laying works and removing concrete.

Model	Piston Dia (inch)	Piston Stroke (inch)	Weight (lb)	Overall Length (inch)	Blow per Min (bpm)	Shank Size Round Hex (inch)	Air Cons (cfm)	Air Inlet (PT)	Hose Size (inch)
THA-2B	1-1/8	2-3/32	13.6	16-1/4	2,300	.680R .580H	29.75	3/8	1/2

TOKU THA-2B



TOKU THA-3B

For the renovation works of inside buildings and light duty concrete breaking works, laying the water and gas supply line, electric cable laying works and removing concrete.

Model	Piston Dia (inch)	Piston Stroke (inch)	Weight (lb)	Overall Length (inch)	Blow per Min (bpm)	Shank Size Round Hex (inch)	Air Cons (cfm)	Air Inlet (PT)	Hose Size (inch)
THA-3B	1-1/8	2-17/32	15	17-23/32	2,200	.680R .580H	31.8	3/8	1/2

TOKU THA-3B



TOKU THA-4B

For the renovation works of inside buildings and light duty concrete breaking works, laying the water and gas supply line, electric cable laying works and removing concrete.

Model	Piston Dia (inch)	Piston Stroke (inch)	Weight (lb)	Overall Length (inch)	Blow per Min (bpm)	Shank Size Round Hex (inch)	Air Cons (cfm)	Air Inlet (PT)	Hose Size (inch)
THA-4B	1-1/8	4-1/32	16.1	18-29/32	1,800	.680R .580H	33.25	3/8	1/2

TOKU THA-34B



Chipping Hammers



TOKU TCH-2

For the renovation works of inside buildings and light duty concrete breaking works, laying the water and gas supply line, electric cable laying works and removing concrete.

Model	Piston Dia (inch)	Piston Stroke (inch)	Weight (lb)	Overall Length (inch)	Blow per Min (bpm)	Shank Size Round Hex (inch)	Air Cons (cfm)	Air Inlet (PT)	Hose Size (inch)
TCH-2	1-1/8	2	18	14-3/4	2,600-2,800	.680R .580H	29.75	7/8-24	1/4

TOKU TCH-2



TOKU TCH-3

For the renovation works of inside buildings and light duty concrete breaking works, laying the water and gas supply line, electric cable laying works and removing concrete.

Model	Piston Dia (inch)	Piston Stroke (inch)	Weight (lb)	Overall Length (inch)	Blow per Min (bpm)	Shank Size Round Hex (inch)	Air Cons (cfm)	Air Inlet (PT)	Hose Size (inch)
TCH-3	1-1/8	2-1/2	19	16	2,000-2,200	.680R .580H	31.5	7/8-24	1/4

TOKU TCH-3

Paving Breakers



TOKU TB30

TPB breakers are made from forged steel and high quality components. These features are well suited for rental industry. TPB breakers are used in road construction and building foundation jobs. They are used for breaking highly densed concrete.

Model	Piston Dia (mm)	Piston Stroke (mm)	Weight (lb)	Overall Length (mm)	Blow per Min (bpm)	Shank Size Hex (inch)	Air Cons (m ³ /min)	Air Inlet (NPT)	Hose Size (mm)
TPB-30	44.45	85	15	564	1,550	H 1×4-¼	1.4	3/8	12.7

TOKU TB30



TOKU TB60

TPB breakers are made from forged steel and high quality components. These features are well suited for rental industry. TPB breakers are used in road construction and building foundation jobs. They are used for breaking highly densed concrete.

Model	Piston Dia (mm)	Piston Stroke (mm)	Weight (lb)	Overall Length (mm)	Blow per Min (bpm)	Shank Size Round Hex (inch)	Air Cons (cfm)	Air Inlet (PT)	Hose Size (inch)
TPB-60	57.15	100	30	645	1,400	H 1-¼×6	2.0	3/4	19

TOKU TB60

Paving Breakers (cont)



TOKU TB90

TPB breakers are made from forged steel and high quality components. These features are well suited for rental industry. TPB breakers are used in road construction and building foundation jobs. They are used for breaking highly densed concrete.

Model	Piston Dia (mm)	Piston Stroke (mm)	Weight (lb)	Overall Length (mm)	Blow per Min (bpm)	Shank Size Round Hex (inch)	Air Cons (cfm)	Air Inlet (PT)	Hose Size (inch)
TPB-90	66.67	152	42	723	1,250	H 1-1/4x6	2.2	3/4	19

TOKU TB90



JET PB30



JET - PB-30-1, 30-lb. Paving Breaker, 1"x4-1/4" Bushing. Large diameter, smooth stroke piston. Full control throttle. Replaceable front head bushing. Four-bolt head-to-cylinder construction. Efficient valve chest for low-maintenance. Drop-forged cylinder. Chisel retainer latch. Rubber handle grips. All shank sizes accommodate standard steel.

JET PB30



JET JPB60

JET - PB-60-1-1/4, 60-lb. Paving Breaker. Large diameter, smooth stroke piston. Full control throttle. Replaceable front head bushing. Four-bolt head-to-cylinder construction. Efficient valve chest for low-maintenance. Drop-forged cylinder. Chisel retainer latch. Rubber handle grips. All shank sizes accommodate standard steel. Recommended air pressure 90 PSI.

JET JPB60



JET JPB90

Jet Pneumatic Pavement Breaker Demolition Hammer JPB 90 1 - 1/4 Jack Hammer. Large diameter, smooth stroke piston. Full control throttle. Replaceable front head bushing. Four-bolt head-to-cylinder construction. Efficient valve chest for low-maintenance. Drop-forged cylinder. Chisel retainer latch. Rubber Handle grips. All shank sizes accommodate standard steel. Recommended air pressure 90 PSI.

JET JPB90



APT 5239



Model 190 is designed for big jobs such as heavy demolition and concrete breaking. Since the Model 190 has the ability to penetrate the hardest concrete it is the tool of choice for road building and foundation removal.

Model	Piston Dia (inch)	Piston Stroke (inch)	Weight (lb)	Overall Length (inch)	Blow per Min (bpm)	Shank Size Round Hex (inch)	Air Cons (cfm)	Air Inlet (PT)	Hose Size (inch)
5239	1-1/8	6-1/8	91	29	1350	6	75 - 80	3/4	1/4

APT 5239



Rock Drills



JET RD30

JET RD30

JET - RD-30-7/8, 35-lb. Rock Drill. Latch type tooling retainer. T-style handle, with rubber grips. Forged steel parts. Heavy-duty ratchet and pawl. Four-position throttle. RD-30 is equipped with model O-30 oiler. Both the RD-30 and the RD-60 have counterclockwise rotation. Recommended air pressure 90 PSI.



JET RD60

JET RD60

Jet RD-60-1, 55-lb. Rock Drill, 1"x4-1/4" Bushing. JET Rock Drills are ideal for a multiple drilling applications. Engineer to maintain constant drilling speed the working parts are well lubricated for long tool life. JET Rock Drills' T-handles and compact design allow for convenient transportation and storage on any jobsite.



JET RD-7

JET RD-7

Ball type tooling retainer for standard core, hex shank drills, counter clockwise rotation. D-style handle. Left rotation. Forged steel parts. Lightweight for one-hand operation. Recommended air pressure 90 PSI.

Model	Piston Dia (inch)	Piston Stroke (inch)	Weight (lb)	Overall Length (inch)	Blow per Min (bpm)	Shank Size Round Hex (inch)	Air Cons (cfm)	Air Inlet (PT)	Hose Size (inch)
RD-7	1-1/2	1-1/2	8	14-1/2	2,600	5/8	25	1/2	3/8



TOKU THD-1100N

TOKU THD-1100N

Multi-position throttle enables smooth start up in drilling. The well balanced design between the drill weight and performance allows efficient operation when using the rock drill on steep slopes or anchor jobs. The most critical components are made of forged steel and are rugged and durable.

Model	Piston Dia (inch)	Piston Stroke (inch)	Weight (lb)	Overall Length (inch)	Blow per Min (bpm)	Shank Size Hex (inch)	Air Cons (cfm)	Air Inlet (NPT)	Hose Size (inch)
THD-1100N	38x22	1-7/32	11.4	16-17/32	3,200	7/8x3-1/4	28.3	3/8	1/2



Air Tampers



APT 131



The Model 131 Backfill Tamper is used for soil compaction, temporary filling of holes, asphalt packing, etc. Applications range from foundation and pavement repair to the installation of power or telephone poles. APT Tampers come with a choice of 3 styles of butts, a 6" diameter (approx 7lbs), 3" round butt (approx 5lbs), and a pole butt (approx 5lbs). The half-moon shaped pole butt is for compaction around a pole and the 3" diameter butt for confined space compaction

APT 131



JET 06



JET-06 Backfill Tamper, 6-inch Diameter Butt. Heat treated cylinder and chrome-plated piston provide corrosion resistance in any industrial environment. Ergonomically designed providing greater ease of handling with reduced operator fatigue. Designed for maximum power with slow compacting blows increasing productivity. Butt Type Steel.

JET 06

Rivet Busters



TOKU B-110 / B-110I



TOKU rivet busters are ideal for riveting the steel construction such as bridge construction.

Model	Piston Dia (inch)	Piston Stroke (inch)	Weight (lb)	Overall Length (inch)	Blow per Min (bpm)	Shank Size (inch)	Air Cons (cfm)	Air Inlet (NPT)	Hose Size (mm)
B-110 / B-110I	1-3/16	11-15/16	32.1	26	680	1-1/2	32.9	3/8	3/4

TOKU B-110 / B-110I



TOKU B-90 / B-90I

TOKU rivet busters are ideal for riveting the steel construction such as bridge construction.

Model	Piston Dia (inch)	Piston Stroke (inch)	Weight (lb)	Overall Length (inch)	Blow per Min (bpm)	Shank Size (inch)	Air Cons (cfm)	Air Inlet (NPT)	Hose Size (mm)
A-90 / A-90I	1-3/16	8-15/16	31	22-29/32	700	1-1/2	36.0	3/8	3/4

TOKU B90 / B90I



Rivet Busters (cont)



JET RB90

JET RB90

The JET logo in a bold, black, sans-serif font with a red horizontal bar above the letters.

Designed to remove and install threaded fasteners, the Pneumatic Impact Wrench combines exceptional power, control, and durability. It delivers 1,770 ft-lb (2,400 Nm) of maximum torque, with a 5,250 rpm free speed @ 120 psi (8.3 bar) and features a high-efficiency 6-vane motor.



APT 133 / 1133

APT 133 / APT 1133

The APT logo in a bold, red, sans-serif font with a black outline.

The APT model 133 and 1133 Rivet Buster was originally designed to cut rivets off metal structures. With half the weight of the 60lb. class paving breakers, the ratio of their high impact energy versus their weight makes them the most efficient tool APT makes. The model 133 meets the weight requirements for bridge deck repair work, and are also popular for cutting up underground tanks. Rivet Busters are offered in 8" and 11" stroke.

Impact Wrenches



IR 285A 1" Shank

IR 285A

The IR logo in a red, stylized font with a black outline, and the text "Ingersoll-Rand." below it.

The Ingersoll - Rand 1" Heavy Duty Extended Anvil Air Impact Wrench combines exceptional power, durability, and operator convenience. It delivers 1,450 ft.-lbs. of maximum torque, with 5,000 rpm free speed and high efficiency, 6-vane motor. The integral 360 degree swivel inlet makes kinked hoses a thing of the past, and along with the swept-back side handle, provides excellent maneuverability.



IR 259 3/4" Shank

IR 259

Ingersoll Rand Air Impact Wrench — 3/4in. Drive, 8 CFM, Model# 259. This Ingersoll Rand air impact wrench delivers 1050 ft.-lbs. of torque and is compact, lightweight and powerful enough for work on trucks, heavy equipment and agricultural machinery. Versatile tool is an solution for a wide range of vehicle service applications. Two power regulator settings in both directions along with a variable-speed trigger provide superior control.



IR 231C 1/2" Shank

IR 231C

Pressure-Feed lubrication System automatically greases the impact mechanism. Exclusive TwinHammer Plus impact mechanism. Pressure-feed lubrication. Adjustable power regulator. Easy to service two-piece construction. Contoured handle for comfort and control.



Impact Wrenches (cont)



IR 244 1/2" Shank

IR 244

For tire-changing, and other heavy automotive and truck work. The impact mechanism pumps out 500 ft.-lbs. torque at a free speed of 7,000 rpm to get the job done fast.

JET JSM401



JET JSM401

Built-in air regulator for positive speed and torque control. Front and/or rear bumper guards. Features a single hammer clutch mechanism.

Model Number	Square Drive	Bolt Capacity	Anvil Retainer Type	Max Torque	Free Speed	Air Pressure	Air Consumption	Air Inlet (NPT)
JSM-401	3/8 "	3/8 "	Ring	75 lbs per foot	10000 RPM	90 psi	3 cfm	1/4 "



JET JSG-0775

JET JSG-0775

Built-in air regulator for positive speed and torque control. Front and/or rear bumper guards. Features a single hammer clutch mechanism.

Model Number	Square Drive	Bolt Capacity	Anvil Retainer Type	Max Torque	Free Speed	Air Pressure	Air Consumption	Air Inlet (NPT)
JSG-0775	3/8 "	3/8 "	Ring	75 lbs per foot	10,000 RPM	90 psi	3 cfm	1/4 "



JET JSG-0750

JET JSG-0750

Built-in air regulator for positive speed and torque control. Front and/or rear bumper guards. Features a single hammer clutch mechanism.

Model Number	Square Drive	Bolt Capacity	Anvil Retainer Type	Max Torque	Free Speed	Air Pressure	Air Consumption	Air Inlet (NPT)
JSG-0750	1/2 "	1 "	Ring/Hole	500 lbs per foot	4,500 RPM	90 psi	10 cfm	1/4 "



JET J2000D

JET J2000D

The Square Drive Impact Wrench D-Handle is A Unique Pinless Hammer That Provides Stability. Features A Pistol Grip Design with Center Balanced Hanger Ring. JET® Heavy-Duty Impact Wrench features a three-piece housing design and a powerful pin clutch hammer mechanism.



Air Winches



IR Classic Winches



Serving the construction and maintenance industries for more than fifty years, the BU7A and EU model Ingersoll Rand air winches have become the industry standard.

- IR 1/2 Ton Capacity, Air Tugger
- IR 1 1/2 Ton Capacity, Air Tugger
- IR 2 Ton Capacity, Air Tugger

IR 1/2 Ton, 1 Ton, 2 Ton Air Winches

1000' of 5/16" or 250' of 5/8" Wire Rope Not Included

We stock wire rope and 100's of accessory items. Use Wharton for all your rigging needs.

Hacksaws



Fein MOT 6-18-2

This is a pneumatic hacksaw for cutting pipe and profile steel when a spark free environment is required. The saw will cut pipes up to 24" in diameter and profile steel up to 21 3/4" height and 11 1/2" width. The saw blade needs 6 inches of clearance to make the cut. A pipe clamp is also recommended for cutting pipes.

Fein MOT 6-18-2

Sandblasters



Titan U300

Titan Ultrablast blast machines are designed for high-performance, versatile blast cleaning. Whether removing contamination, corrosion, paint, mill scale or other coatings from surfaces, the Titan Ultrablast blast pot is unparalleled in the industry. The rugged cast iron abrasive regulator integrates the blasting media and high velocity air providing maximum cleaning speeds, uniform surface texture, and creates a surface profile to increase bonding for coatings.

Titan U300 300lbs w/Accessories

Black Beauty blasting sand also available. Also sand blasting hoods, hoses, nozzles and accessories are available. These items can be delivered the same day if ordered by 9:00 am



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640





Honda EB2000ITA 2000 Watt

Honda EB2000ITA

Honda's EB2000i packs a lot into a small package; it provides 2,000-Watts of extremely quiet and fuel-efficient advanced inverter technology power. This model can run and recharge a wide variety of worksite tools and runs 3.4 to 8.1 hours on a single tankful of gasoline. It's excellent for jobsite and recreational applications with its exceptional portability and GFCI protection.



Honda EB3000c 3000 Watt

Honda EB3000CK2A

The Honda EB3000c 3000 watts, 120V. Lightweight - only 71 lbs. Honda commercial OHV engine. Exclusive CycloConverter technology. Full GFCI protection. OSHA worksite compliant - meets job site emission and safety requirements.



Honda EB4000X 4000 Watt

Honda EB4000X

Honda's EB4000x is an ideal job site generator with 4000 watts of portable, stable power. Honda's IAVR technology allows over 5,000 watts of max output for a 10 second period to aid large equipment with high initial amp draw. The engine is housed in a rigid one piece frame w/ folding handles and a integrated lifting eye.



Honda EB6500X1 6500 Watt

Honda EB6500X1

The EB6500XA industrial generator features a 6,500 W model with Honda iGX commercial engine with Oil Alert, full GFCI, 6.2 Gallon fuel tank, two-wheels transport kit, folding handles, lift hook standard, 120/240 V selector switch, iAVR for 7,000 W up to 10 seconds and Auto Throttle.



Honda EB5000XK3 5000 Watts

Honda EB5000XK3

The Honda EB5000 Generator is made for industrial use that will put out 5000 watts of power for your toughest jobs. It features a Honda Commercial iGX engine and Full GFCI protection to help save all of your valued tools. The heavy duty frame will help keep it in good shape even in the toughest environments. The new folding handle system allows for easy transport and a smaller storage area.



Honda EB1000AH 10,000 Watt

Honda EB1000AH

The EB10000 uses Honda's exclusive DAVR (Digital Automatic Voltage Regulator). The DAVR is designed to hold the voltage stability within a +/- 1% range during operation. This provides more consistent power.



Honda EN2500AL 2500 Watt

Honda EN2500AL

Honda Generator Harmony Series 2500 Watt Portable Honda Generator Model EN2500 Specially designed for homeowner use, the Honda EN2500 portable generator has a full frame for protection. Powered by a Honda ohc engine, this unit provides a maximum of 2500 watts of power. HONDA Harmony EM 2500 Gas 120v Generator



Honda EG4000CLAT 4000 Watts

Honda EG4000CLAT

One of Honda's best values is the EG4000CLAT generator which is capable of producing over 4,000 watts of portable power under \$1700. A tough full frame cage protects the commercial grade Honda OHV engine. This generator has 120/240 Volt output options and a digital voltage regular to increase stability. Rated for 3500 watts of output at full load and 4000 watts peak.



Honda EG5000CLAT 4500 Watts

Honda EG5000CLAT

Honda's EG 4500 Watt Portable Generator (EG5000CLAT) is a the perfect outdoor power source. Its OHV engine runs on regular gasoline and includes oil alert feature that automatically shuts down the engine if the oil pressure reaches an unsafe level.



Honda EG6500CLAT 6500 Watt

Honda EG6500CLAT

Honda's economic, portable EG6500C provides 6500 watts (54.2/27.1A), 120/240V of Automatic Regulated Power. Has the Honda commercial GX390 OHV engine Protected by Oil Alert with the exclusive DAVR (Digital Auto Voltage Regulation) technology for increased performance. Features full frame protection and Voltage Selector Switch - 120/240V operation. Operates 10.0 hours @ 50% load.



Honda EU7000IS 7000 Watts

Honda EU7000IS

The Honda EU7000IS is a super-quiet, fuel-efficient, long-running portable power solution. Equipped with Honda inverter technology to safely power computers and other sensitive electronic equipment. Low 53 to 60dB noise level is as quiet as normal conversation. Plus, the iMonitor digital display shows hours of use, performance data, battery charging status and other on-board diagnostics.



Honda EU1000IK1A 1000 Watt

Honda EU1000IK1A

Features a 1000 watts, 120V. Ideal for TV, lights, fans, small power tools and more. It's super quiet. Is less than 29 lbs!! Fuel efficient - up to 8.3 hrs on 0.6 gal of gas. Has a inverter - stable power for computers and more



Honda EU2000I1A1 2000 Watt

Honda EU2000I1A1

Honda EU2000I Super Quiet 2000 Watt Portable Generator with Inverter. Honda EU2000I1A1 2000 Watt Portable Generator is super quiet, fuel efficient, and portable.



Honda EU2000I1A3 2000 Watt

Honda EU2000I1A3

This Honda EU2000i Companion Portable Inverter Generator is super quiet, easy to carry and fuel efficient, making it ideal for TVs, small appliances and more. Clean, stable power allows for safe use of computers and other sensitive electronics.



Honda EU3000IH1A 3000 Watt

Honda EU3000IH1A

Honda's Advanced Inverter technology provides 3000-Watts of extremely quiet, clean, and fuel-efficient power. The EU3000i Handi can operate a wide variety of appliances, making it perfect for use at home or camping. Exceptionally efficient, it can run up to 7.7 hours on a single tankful of gasoline, depending on the load. And best of all, it's extremely portable with its standard folding handle and wheel kit.



Honda EU3000IS1A 3000 Watt

Honda EU3000IS1A

Honda's Advanced Inverter technology provides 3,000-Watts of extremely quiet and fuel-efficient power. Exceptionally efficient, it can run 7.2 to 20 hours on a single tankful of gasoline, depending on the load. It is also an excellent source of power for RVs (including 13,500 BTU AC units) or a basic home backup power source.



Honda EM5000SXX3 5000 Watt

Honda EM5000IS

The EM5000is generator comes equipped with a high powered commercial grade Honda iGX390 389cc engine with convenient electric start {battery included} with recoil back-up. This Honda delivers 5000 watts and 120/240 volts perfect for home or job site use, A/C units and furnaces plus much more.



Honda EM5000SXX3 5000 Watt

Honda EM5000SXX3

Honda EM5000SXX3. Has 5000 watts, 120/240V. Provides 7,000 watts for 10 sec to start larger equipment. Powers fridge, furnace, well pump, and much more. Long run time - up to 11.2 hrs. Powerful Honda iGX commercial engine. Electric start (battery included) with recoil back-up.



Honda EM6500 SXX2 6500 Watts

Honda EM6500 SXX2

The Honda iGX Series computer-controlled engine operates automatically with better, simpler and faster controls. The result is excellent starting, high power output, reduced fuel consumption and superior emissions performance. Electric start adds greater convenience.

Wharton is a authorized Honda repair center. We service and sell many brands. If you don't see your preferred brand ask our salesperson.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640





TEREX T35

TEREX T35

The TEREX T35 operates quietly, 68 dba or less at 23 ft. (7 m). High water temperature, low oil pressure, overspeed, and overcurrent safety shutdown. Engine control module includes remote start capability on all models. Over 24 hours of fuel capacity. Designed to keep oil, antifreeze and other spills inside the unit. DOT approved and serialized trailers. Hydraulic brakes, full light package, bolt on fenders and heavy duty side-mount jacks are standard.



IR G50 50 KW 110/220/440

IR G50

Ingersoll-Rand mobile environmental generators are designed to be compact and quiet, while powering a full load in extreme temperature conditions. The fluid containment system offers double-wall protection, keeps fluids from creating environmental hazards and provides 24-hour minimum run times. These generators also feature AREP technology for best-in-class motor starting capability.



Magnum MMG100 80 KW 110/220/440

Magnum MMG100

The Magnum MMG 100D mobile diesel generator is built with the patented front flip-hood design for easy access to routine service and maintenance areas. Powered by a John Deere PowerTech engine, the MMG 100 utilizes a catalyzed exhaust filter that contains a Diesel Oxidation Catalyst (DOC) and a Diesel Particulate Filter(DPF).



Welders



Miller 250NT

Miller 250 NT

Rugged welder/generator is great for Stick and Flux-Cored welding and designed for maintenance/repair operations, construction, farm, ranch and generator use.



Our shop offers daily delivery and pick up on all rental items.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



BRUSH CHIPPERS

Brush Chippers



BAND-IT 65XP 6" Brush Chipper

BAND-IT 65XP

Compact and easy-to-tow. This 6" capacity disc-style chipper is popular with homeowners, landscape companies and commercial customers alike. The Model 65XP will easily keep two people busy feeding it. This is the most popular model with rental stores.



BAND-IT 150 12" Brush Chipper

BAND-IT 150

Rugged construction and a large 29 X 35 infeed opening are keys to this chipper's ability to process trees and brush with limited trimming. The model 150 is a chipper for brush, limbs, and some smaller trees. This unit has the capability and power to chip a 12 inch diameter tree.

Stump Grinders



Vermeer Stump Gringer w/Traylor

Vermeer SC252

Features a 27 HP Kohler Engine. Is 50" wide and 9'3" long. Cuts 12" below grade. Weighs 1500LBS. Has belt gates with a 66" long belt.

Trenchers



Barreto 1234D 6"x36" Depth 4 WD

Barreto 1234D

Barreto 1234D 6"x36" Depth 4 WD Walk Behind trencher. Has a pull start and a Honda GX390 13HP gas engine.

Most items shown are available for sale or rental.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Water Pumps



Honda WX15AX2

Honda WX15AX2

The Honda WX15AX2. Lightweight general purpose 1.5" pump. Easy starting Honda mini 4-stroke engine. Weighs only 20 lbs. 74 gal./min capacity.

Trash Pumps



Honda WT20XK3A 2" Trash Pump

Honda WT20XK3A

The Honda WT20XK3A is a heavy-duty 2" construction trash pump. Has a easy starting Honda OHV commercial engine with a 185 gal./min capacity. Solid handling capability up to 13/16". Cast iron volute and impeller. Quick clean out port.



Honda WT30XK3A 3" Trash Pump

Honda WT30XK3A

The Honda WT30XK3A is a heavy-duty 3" construction trash pump. Has a easy starting Honda OHV commercial engine with a 423 gal./min capacity. Solid handling capability up to 13/16". Cast iron volute and impeller. Quick clean out port.



Honda WT40XK3A 4" Trash Pump

Honda WT40XK3A

The Honda WT20XK3A is a heavy-duty 4" construction trash pump. Has a easy starting Honda OHV commercial engine with a 423 gal./min capacity. Solid handling capability up to 13/16". Cast iron volute and impeller. Quick clean out port.

Dixon/Jason suction hoses, basket strainers and 3 grades of discharge hose are in stock.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Homelite®



Homelite HTP3 3" Trash Pump

Homelite HTP3

Homelite 3" Utility Water Transfer Pump 260 GPM 3" Gas Powered. Perfect for removing water from unwanted areas or for dispersing water for irrigation purposes. Its cast aluminum pump is corrosion resistant and increases durability to withstand foreign debris that may enter through the intake port.



Tsurumi EPT2-1500D 6" Trash Pump (Diesel)

Tsurumi EPT2-1500D

Tsurumi 3" pump model EPT2-80RDB diesel powered trash pump is powered by a dependable Robin Hatz 1B30 diesel engine. Has a high chrome impeller. A harder surface / longer life, and cast iron volute casting plus stainless steel wear plate.



Tsurumi TD5-300 3" Trash Pump

Tsurumi TD5-300

Has a heavy-duty Honda GX120HX gas engine with oil sensor. Durable TPE diaphragm and check valves for extended wear. Balanced wheel and handle assembly. Modular component design permits easy maintenance and clean out.



Wacker Tow Behind Trash Pump 6"

Wacker PT6 Trash Pump

The PT 6 self-priming centrifugal, trash pump provides fast, cost effective pumping solution for larger jobs. With the ability to move water up to 1300 gpm (4935 l/min) containing solids up to 2-inches (50mm) big dewatering jobs are completed fast so work can continue. Featuring cast ductile iron pump housing, impeller, wear plate and volute, this durable trash pump offers a long, trouble-free service life. This high performance pump is an ideal choice where ever larger volumes of water need to be moved.

SUBMERSIBLE PUMPS

Electric Submersible Pumps



Tsurumi LB400

Tsurumi LB400

Measuring only 7 1/2" in diameter by 12" tall, this pump is ideal for use in filters boxes, skimmers and sumps where space is a concern. Constructed from durable materials for long life in continuous operation. Synthetic rubber wear parts and vortex design for maximum life, built-in motor protection, double mechanical seals and easy disassembly with one wrench. 30' power cord. 115 volt only. 2" MPT discharge.



Tsurumi LB480

Tsurumi LB480

Dewatering Pump, electric. Tsurumi Submersible Pumps, dewatering pump -Top discharge provides maximum motor cooling efficiency allowing continuous duty operation at low water levels and extended dry-run capability. 3720 +GPH.



Tsurumi LB750 2"

Tsurumi LB750

Tsurumi LB750 2" Electric (1 PH) (110V). Designed to fit into an 8" pit. Urethane Semi Vortex Impeller for maximum durability and maintaining pump performance. Double Inside Mechanical Seal with SIC faces provides the longest operational life. V-Ring Seal Protector protects mechanical seal from abrasive particles.



Tsurumi NK15 3"

Tsurumi NK15

Tsurumi NK15 3" Electric (1 PH) (110-220V). Designed to pump sands and debris with minimal wear and clogging, the Tsurumi NK2-15 is a contractors pump that works for high-volume and single-phase dewatering applications. It is perfect for high head sump applications and construction sites.



SUBMERSIBLE PUMPS

Electric Submersible Pumps



Zoeller 42 Floor Sucker

Zoeller 42 Floor Sucker

Use Zoeller's Model N42 Floor Sucker Utility Pump submerged or on any flat surface to pump clear water. The model N42 features a high-quality, thermal overload protected, sealed motor. The N42 is lightweight and portable. It can be used indoors or outdoors. The housing is made of durable polypropylene and the screened bottom may be removed to allow easy cleaning. Because of its compact design, this pump will fit in a 7-Inch opening. The N42 removes water from any flat surface down to 1/8-Inch. The temperature rating is 104 Degree Fahrenheit.



Zoeller M98

Zoeller M98

FLOW-MATE™ SUBMERSIBLE PUMP 1/2 HP For sump/dewatering septic tank effluent Thermal overload protected Cast iron Stainless steel screws 2-pole float operated mechanical switch 1-1/2" NPT discharge Passes 1/2" solids 115 volt 3420 GPH at 5, 3060 GPH at 10, 2580 GPH at 15 head



Zoeller M53

Zoeller M53

The Zoeller M53 has a 1/3 H.P. motor. 1-1/2" NPT Discharge & Passes 1/2" spherical solids. Non-clogging vortex impeller design. Durable cast iron switch case, motor, and pump housing. Automatic with float activated switch.



PUMP COMPANY

Zoeller Family of Water Solutions™



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Electric Submersible Pumps

LittleGIANT®



Little Giant 5-MSP

Little Giant 5-MSP

Little Giant 5-MSP. Has 1/6 HP, 1200 GPH at 1-Feet of head, 115V. 1/6 hp shaded pole motor with overload protection. Designed for continuous duty. Has a 1-Inch FNPT discharge. Pumps down to 1/8-Inch (38 mm).



Little Giant 5-ASP

Little Giant 5-ASP

Little Giant 5-ASP. The product is highly durable and easy to use. Easy installation and easy handling. Bottom sump-type pick up with removable plastic screen, pumps down to 1/8-Inch. Low-level pressure diaphragm. Has a 1-foot FNPT discharge, optional regular garden hose adapter. Screened inlet, 18-foot power cord, 1/6 HP. Epoxy coated cast aluminum housing, UL listed.



Little Giant PE-1

Little Giant PE-1

Little Giant PE- Has 1 /125 hp epoxy encapsulated, direct drive motor. Designed for continuous duty, submersible use only. Has a Polyester housing. Has a polypropylene volute, a nitrile shaft seal. A snap off screen covers intake.



Little Giant 1-EA

Little Giant 1-EA

Little Giant 1-EA. Has a 1/125 hp epoxy encapsulated motor. Glass-filled polyester housing. Epoxy coated cast aluminum cover. A nylon volute, and fluoroelastomer (FKM) shaft seal.



Little Giant 2E-N

Little Giant 2E-N

Little Giant 2E-N. Has a 1/40 hp oil-filled motor. Epoxy coated cast aluminum housing and cover. Nylon volute. Nitrile shaft seal, and polypropylene screen.

Loaders

TORO



TX420 Loader W/Bucket & Tracks

Toro Dingo TX420

The Dingo TX 420 is designed with workers in mind. All of its power is harnessed in only 3 easy to use controls. This power can be used to run over 35 Toro Dingo attachments. Its walk behind operator position provides 360° of visibility and outstanding operator mobility.



TX525 Loader W/Bucket & Tracks

Toro Dingo TX525

Maximize manpower and minimize hand labor. Increase productivity and finish jobs faster. Take on more work and expand your business. Tackle virtually any task using 40+ attachments. Work in tight spots where other machines cant go. Go almost anywhere with a light footprint on existing turf.



320d Loader W/Bucket & Tracks

Toro Dingo 320D

The labor-saving Dingo 320-D gives you greater capability and effortless maneuverability so you can get more done with less time in a short learning curve-even for inexperienced operators. These machines are built to deliver a high power-to-weight ratio in the compact utility loader category. The Dingo 320-D also has zero-turn maneuverability to handle countless jobs on every site... dig, haul, plant and build.



323 Loader W/Bucket & Tracks

Toro Dingo 323

Equipped with the Toro designed 4-Paw[®], independent 4-wheel drive system, the Dingo 323 at 3000 psi (206.7 bar) offers incredible power and durability. Delivering 10.8 gpm (40.9 lpm) of hydraulic power with this 23 hp (17.2 kw) Kohler engine will guarantee jobsite productivity.

Many of our units fit through standard fence gates for easy accessibility. Ask your Sales person for detailed specification and operation/safety manuals whenever you have questions.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Attachments



Toro Dingo Backhoe Attachment

Toro Dingo Backhoe

The Toro Dingo TX 420 backhoe attachment. This powerful attachment can be used for various jobsite activities - digging foundations, planting trees, trenching for irrigation and utilities installation and much more.



Toro Dingo Auger Head Attachment

Toro Dingo Auger Head

This high torque head provides a large amount of torque (power) to the auger at a slower speed. The high torque (power) translates into the Dingo's capability to dig 30" (76.2 cm) holes up to 6' (1.8 m) deep in clay, gravel, sandstone and many other conditions where lower torque heads get stuck.

Auger Bits: 6"- 12"- 18"-24"



Toro Dingo Trencher Attachment

Toro Dingo Trencher

The Toro trencher is designed for productivity and durability. Toro trenchers are built to trench through the toughest conditions without flinching. The high-torque, heavy-duty drive system for performance in the toughest soil conditions from rock to caliche. Dig trenches up to 50" (127 cm) below grade.



Toro Dingo Slab Breaker Attachment

Toro Dingo Cyclone Slab Breaker

Toro Dingo SW1500 Cyclone Slab Breaker simplifies the tough job of breaking concrete, asphalt, rock or brick during renovation jobs. This rugged unit helps break up footings, sidewalks, foundations and a host of other solid structures. The unique mounting configuration also allows for horizontal alignment, particularly useful in breaking apart walls.

We fix what we sell and rent. Come see us anytime or call for equipment repair pick up service. Generally well be back with you concerning an estimate within one day for small equipment and 3 days on larger equipment.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



COMPACT EXCAVATOR

Compact Excavator

AIRMAN®

Airman AX35

Airman AX35

The Airman AX35 has a hydraulic quickhitch, 3 Buckets, and rubber tracks. It has been fully checked and serviced.



Yanmar B-15

YANMAR**Yanmar B-15**

Yanmar B-15. 2 buckets, piped for hammer, 2 speed tracking, anti theft pad.



Yanmar B-35

Yanmar B-35

Yanmar B-35. 2 buckets, piped for hammer, 2 speed tracking, anti theft pad.



Lay-Mor LB30 (Gas)

Lay-Mor LB30

The Lay-Mor LB-30 Loader backhoe . This is a very dependable and useful machine built for serious work. It has a 50" General Purpose Loader Bucket, 16" Backhoe Bucket, Hydraulic Outriggers and a OROPS Canopy.



Terramite T5C Backhoe

Terramite T5C

Wheel Tractors Tractor-Loader-Backhoes Terramite T5C. The features a sloped hood, improving loader visibility. **LOADER BUCKET:** Loader Bucket Type: General Purpose: Loader Bucket.

Available in both (Gas) and (Diesel) powered engine models.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Front End Loaders



Hydra-Mac (Diesel Powered) 20C

Hydra-Mac 20C

Hydra-Mac (Diesel Powered) 20C Tip Skidsteer Capacity 5000lbs. T-bar controls, 69" bucket, 12X16.5 tires, 4 cylinder Isuzu DSL, Auxillary Hydraulics.

*****Also available Hydra-Mac 20C 3000lbs. Capacity*****



Terex TSR60

Terex TSR60

Terex® Skid Steer Loaders are uniquely versatile and boast an impressive range of work attachments to deliver outstanding performance in a wide range of applications. Compact with superb manoeuvrability, our Skid Steer Loaders offer excellent operator comfort in the toughest working conditions. Engine Power kW (hp) - 44.7 (60), Rated Operating Capacity) kg (lbs) - 680 (1,500)



Terex PT75

Terex PT75

Featuring an electronic, 4-cylinder turbocharged Perkins diesel engine, the 71-hp Terex® PT-75 compact track loader. The Tier 4i PT-75 can easily maneuver and operate in confined or congested work sites, making it an ideal loader for landscapers and general contractors. Its purpose-built chassis is designed to be a heavy-duty machine within a compact package. Operating Capacity kg (lbs) - 1,406 (3,100)





Backhoe with 12" bucket

Backhoe

Dig deep with the utility digging backhoe. This skid steer digger backhoe reaches 9 feet deep with a hydraulically controlled bucket. Use it for trenching or other productive digging work.



Hydraulic Breaker

Hydraulic Breaker

Hydraulic Breaker (RAM)700 Ft# 1 Auger. Makes quick work out of tough situations. The smart and efficient design provides a workhorse with only 2 moving parts. Vibration and shock are reduced by the advanced absorbing polymers, minimizing machine wear and sound while improving operator comfort level. Easily smash through concrete and asphalt.



Auger Bits

Auger Bits

Auger Bits: 12"x 48" - 18"x 48" - 24"x48" (for use with hydraulic breaker). Skid steer auger assembly.



Combination Bucket

Combination Bucket

This multipurpose bucket does it all – dozing, grappling, leveling, digging, loading, and dumping. Use it on demolition, construction, landscaping and municipal jobs. Its interlocking serrated grapple edges hold objects securely, while its unique design provides optimum digging force.

We have parts for all items shown.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Rammers

SAKAI

Sakai MMD R545 4 Stroke

Sakai MMD RS45

The Sakai MMD R545 4 Stroke Rammer is Extremely light weight. Has a dual air filter. Superior Shock Isolation System lowers vibration level at operator handle. Height-adjustable handles for operator convenience. All-in-One fuel off lever and engine stop switch. Diaphragm carburation.



Sakai MMD R565 4 Stroke

Sakai MMD RS65

Sakai MMD R565 is extremely light weight. Has superior shock isolation system that lowers vibration levels at operator handle. It has height-adjustable handles for the operator's convenience. It has a all-in-one fuel off lever and engine stop switch.



Wacker BS60-4S Rammer 4 Stroke

Wacker BS60-4S

The outstanding features of Wacker Neuson's four-cycle rammers are the compact design and high performance. The long shoe stroke, high percussion rate and high stroke energy combined with fast advance travel achieve excellent results.



Wacker BS50-2i Rammer 2 Stroke

Wacker BS50-2i

The patented oil-injected rammers offer the performance of two-cycle rammers with the convenience of a no-mix system. The two separate tanks for fuel and two-cycle oil eliminate premixing, plus an amazing fuel to oil ratio of 120:1 allows for longer and cleaner running times...up to 65 hours on a single tank of oil.



Wacker BS60-2i Rammer 2 Stroke

Wacker BS60-2i

WACKER's exclusive WM 80 engine features a unique patented oil-injection system that provides reliable performance by eliminating spark plug fouling and carbon buildup. The no-mix system is an added convenience for operators. Fuel to oil ratio of 120:1 allows for longer and cleaner running times up to 65 hours on a single tank of oil.



Vibratory Plates

DYNAPAC

Dynamac LF82 (Dirt)

Dynapac LF82

CP / Dynamac LF82 18.1"x21.2" Forward Plate Soil Compactor. It's for soil applications only. It has a Hardox 400 bottom plate. It has a foldable handle for easy transport. It's a vibratory Plate Compactor. It has a Honda GX160 5.5hp gas engine. The plate size is 18" wide x 21" long.



Dynamac LT62H

Dynapac LT62H

It weighs only 90 KG. Has a 2,9 KW GX290 Honda engine. A operating width of 500mm. A centrifugal force 13,5 kw. A vibrating frequency of 80 Hz.



MBW AP2000 (Asphalt)

MBW AP2000

The MBW AP2000 Asphalt Plate Compactor is designed for asphalt applications. Stress relieved steel plate housings are crack resistant and provide long wear. Aluminum exciter housing dissipates heat rapidly and custom lubricants preserve bearing and seal integrity. The self cleaning plate prevents dirt build-up.



MBW GP3000

MBW GP3000

The GP3000-15 is ideal for confined work areas, such as sidewalk, curb and gutter, and narrow trenches. This specialty plate is not a lightweight compactor. Its operating weight is over 200 lbs. (91 kg) and produces compaction depths up to 16 in. (41 cm)* and a travel speed of 120 ft/min (36.6 m/min).



Vibratory Plates (cont.)



Sakai PC100 Plate Tamper

Sakai PC100

SAKAI

The Sakai PC100 control handle lifts into locking position for easy transportation. A heavy duty hardened steel plate. Superior shock absorbing isolators.



Sakai PC800 Plate Tamper

Sakai PC800

Features a dual belt drive. Removable water tank with heavy duty hose and valve. Heavy duty hardened steel plate. Superior shock absorbing isolators. For small confined compaction jobs, backfill, trench work, gas utility and electric.



Wacker BPU2540A (Reversible) 5625lbs

WACKER NEUSON

Wacker BPU2540A

The smallest reversible plate in the line is the BPU 2540A that offers excellent compaction results with added job site versatility. The unique integrated wheel set simplifies the task of moving a reversible plate around the job site and shop floor. This is an ideal plate for compaction of interlocking paving stones, trenches, paths, sidewalks and maintenance jobs.



Wacker VP1550AW

Wacker VP1550AW

Premium asphalt plates feature a durable baseplate for various applications. The vibratory asphalt plates feature a tough, wear resistant, ductile iron baseplate offering high strength and shock resistance. Designed for the compaction of granular and mixed materials with some cohesive content in confined areas such as parking lots, highway and bridge construction, next to structures, curbs, and abutments.



Wacker VP1540W

Wacker VP1540W

Lightweight, high strength aluminum components for a lighter machine that's easier to handle. Straight, center-mounted guide handle for superior maneuverability. Tough, wear-resistant ductile iron base plate for durability and shock resistance. Water tank not included. For compaction of soil; adding a water tank allows for compaction of asphalt

Ride-On Rollers



Wacker RD12A Ride-On Roller

Wacker RD12A

The RD 12 one ton roller series features dual drum drive and articulated steering for extremely accurate control. Front drum vibration with static rear drum leaves a quality asphalt finish. Outstanding overall roller performance and a high exciter frequency allows compaction at faster speeds while still delivering even coverage and excellent results.



30" Bomag BW90 Roller (Asphalt Or Dirt)

Bomag BW90

Fields of application: Earthwork and asphalt applications. New construction and repair work for medium and small scale construction projects, on parking lots, sidewalks, cycle paths, playing fields and sports grounds as well as rolling of joints in road construction.



Walk-Behind Rollers



Bomag BW75AD Walk-Behind Roller

Bomag BW75AD

BW75AD, effortless operation of the articulated vibratory roller sets the standard. The hydrostatic servo-steering which is activated via a steering handle and the infinite speed regulation enable the operator to travel in any direction and to drive round any obstacle with unequalled maneuverability.

Tandem Vibratory Roller



Dymapac LP852 33" Dual Drum Roller

Dymapac LP852 Dual Drum

Dymapac LP852 33" Dual Drum Roller. has a construction weight of 1,6 t. The engine manufacturer is Hatz. The engine type is 2G40. The engine power is 13,1 KW.



Wacker RT82 32" Roller-Articulated

Wacker RT82

The RT trench roller is ideally suited for the compaction of excavations and sub bases of foundations, roads and parking lots. The compaction of cohesive soils is the RT's specialty. The sheepfoot drums, together with the adjustable centrifugal force, achieve optimum results.





Water Cannon WC4040

Water Cannon WC4040 4000 PSI Pressure Washer (Cold Water), with EZ start. Has a 4000psi Honda powered fuel efficient overhead valve first pull starting dual air intake.

Water Cannon WC4040



Shark DD232337

Gas Powered direct drive Pressure washer. This unit is a high quality high performance machine that appeals to both professionals and casual users. Great for painters and professionals of all types. Comes with pneumatic tires and a steel powder coated frame and downstream detergent injection. It has a axial pump rated at 2.3 GPM at 2300 PSI with 5HP Honda Engine GCV for easy starts and long life.

Shark DD232337 2300 PSI



Shark SPG303037

Shark SPG303037 3000 PSI pressure washer (Hot Water). Portable self contained hot water pressure washer. This portable gas powered pressure washer is built using heavy duty components and rugged steel chassis to withstand the most rigorous conditions. Pump is rated at 3.5 GPM at 3000 PSI and comes with a 11HP Honda Engine for fast starts and long life.

Shark SPG303037 3000 PSI (Hot water)



Shark BR-353237

Extra rugged gas powered pressure washer. This roll cage model is one of the most powerful series in the Shark cold water pressure washer family. It is protected by a rugged powder coated roll cage built of 1 1/4 inch steel. The BR cage unit features a powerful tri-plunger oil bath Karcher pump rated at 3.5 GPM at 3200 PSI with 13HP Honda Engine GC for fast starts and long life.

Shark BR-353237 3200 PSI



Simpson PS3228-S 3,200 PSI

Simpson PS3228-S

Designed to meet the rigorous demands of the cleaning pro, the SIMPSON PowerShot is very powerful, yet extremely compact, easy to transport, set-up and load. Perfect for contractors who specialize in deck cleaning, wood restoration, paint preparation, graffiti removal, and all other professional cleaning services. Equipped with commercial series HONDA GX OHV engines that are built with high-quality components and designed for optimum performance in the harshest environments.



Simpson Power Shot 4,000 PSI

Simpson Power Shot

The Simpson 4000 PSI Commercial Gasoline Pressure Washer Powered by Honda is an extremely powerful direct drive cleaning machine. It is the clear choice for contractors and cleaning professionals who want direct drive simplicity and quality in one package.



Simpson WS5050H 5,000 PSI

Simpson WS5050H

Created for commercial and industrial use, the SIMPSON Water Shotgun Series is simple to use and designed for the heaviest of cleaning. Perfect for paint preparation, professional cleaning services, graffiti removal, industrial jobsites, and fleet maintenance. Heavy duty industrial triplex plunger pump design with ceramic pistons and thermal relief valve for long life. Its dual-belt system separates the engine and pump, preventing overheating and pump fatigue, resulting in greater efficiency and longer engine and pump life.



Soff-Cut Saws



Husqvarna Soff-Cut 150 Saw

Husqvarna Soff-Cut 150

The Husqvarna Soff-Cut 150 saw is designed for residential and light commercial applications. The 150 is designed for ease of use and convenience. Features include a patented low noise blade enclosure which allows the unit to be used in residential areas with minimal disruption. In addition, the low-dust blade block system allows the saw to cut dry, and it controls the debris for easy cleanup.



Husqvarna Softcut 390 Saw

Husqvarna Soff-Cut 390

The Husqvarna Soff-Cut 390 electric saw is designed for residential and light commercial applications. The 390 is designed for ease of use and convenience. Features include a carrying case for easy transport, lightweight, adjustable aggregate knob and depth gauge, and a pre-paid maintenance program to provide long life.



Husqvarna Softcut 2000 Saw

Husqvarna Soff-Cut 2000

A self-propelled dry-cutting gas saw ideal for medium to heavy-duty commercial, industrial and paving applications. Features include a 9 hp engine with automatic compression release for easy starting, chain driven overhead cam system, superior cooling, excellent lubrication system, and a cyclone air cleaner to increase engine longevity.



Husqvarna Softcut 4000 Saw

Husqvarna Soff-Cut 4000

The Husqvarna Soff-Cut 4000 self-propelled gasoline saw is designed for heavy-duty commercial, industrial and paving applications. Features include a 20 hp twin-cylinder engine with overhead valves, heavy-duty air cleaner, electric start, full pressure lubrication, hydraulic valve lifters and a mechanical fuel pump.



Soff-cutt blades and skid plates in stock.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640





Walk Behind Saws



Diamond Products CC150EE Saw

Diamond Products CC150XL-EE

The CC150XL-EE unreal utilizes a one-inch arbor, allowing unrivaled you to use standard diamond best-loved blades without worrying about special desired arbors. Uses standard 6" diamond blades with 1" arbor. Cyclone air filter. Easy to read built-in depth indicator. Blade raise/lower mechanical mechanism with spring loaded releases. Heavy duty handles offer no slack and will not rattle. 1-3/16" cutting depth.



Diamond Products CC1211H18 Saw

Diamond Products CC1211H18

Diamond Products - Core Cut. Honda GX390 11.7 HP 19.5 Ft Lbs Torque. A 18" maximum blade capacity. A 6-5/8" maximum cutting depth. Heavy duty design. Slip-on blade guard. Left or right side sawing. Screw feed raise & lower. Cyclone air filter. Built-in depth indicator.



Diamond Products CC1213 18"

Diamond Products CC1213 HS18

Diamond Products CC1213 18" (Push). The CC1213 series portable saw offers the best cutting value in a portable walk behind saw. The CC1213HS is a high speed walk behind saw with an 11 HP Honda engine. This saw will handle an 18" blade.



Diamond Products CC1309 HSXL

Diamond Products CC1309 HSXL

Easy turning and quick acting handwheel raise and lower making handling even easier. Power transmission to blade drive is via 3 molded notch 3VX premium belts. Blade coolant is delivered from an innovative dual multi-spray water tube system which gets coolant to both sides of the blade from the arbor to the top of the blade.



We stock 100's of diamond blades from Diamond products as well as other manufactures.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Walk Behind Saws



Diamond Products CC1313 HSXL 14"

Diamond Products CC1313 HSXL

CC1313 HSXL with 13 HP Honda engine. Extra sturdy handles adjustable to 4 positions for precise control. Doesn't rattle like other adjustable handles. Available as an optional 10 HP electric saw with 20" blade capacity. 6-5/8" maximum cutting depth with 18" blade guard.



Diamond Products CC2520H20 18"

Diamond Products CC2520H20

Diamond Products CC2520 18" (Self Propelled). Has screw feed raise/lower with optional power raise/lower. A positive gear drive to rear axle via Eaton hydrostatic transmission. 2 position tilt handle bars. Rigid high strength 3/16" steel box frame with heavy bar reinforcement. Hydraulic raise/lower offered on all models.



Diamond Products CC6566

Diamond Products CC6566

Diamond Products CC6566 walk behind saw. Liquid-cooled engine allows for a smoother running, longer lasting saw with higher productivity.

Concrete Saw Blades



Imperial Purple Asphalt Overlay Blade

Imperial Purple

Imperial Purple Asphalt Overlay Blade. Is laser welded for wet cutting. Has a very good blade life.

Sizes: 14", 20"



Concrete Saw Blades (cont.)



Heavy Duty Orange

Heavy Duty Orange Asphalt Overlay Blade. Laser welded for wet cutting. Has wide gullets to keep the blade cool. Has a long blade life.

Sizes: 14", 24", 26"

Heavy Duty Orange Asphalt Overlay Blade



Premium Black

Premium Black Asphalt Overlay Blade. Laser welded for wet cutting. Has wide gullets to keep the blade cool. Has a long blade life.

Sizes: 30", 36"

Premium Black Asphalt Overlay Blade



Banner Line Red



The Red 450B-R blade is used for cutting green concrete, asphalt over concrete or asphalt with hard aggregate. Undercut protection is standard on this blade.

Sizes: 18", 20", 24", 30", 36"

Banner Line Red Walk Behind Blade



Banner Line Black

The Black 500 B-R is designed for medium to large jobs using 5 to 20hp concrete saws. The Banner Line Series have .260" diamond depth segments and provide higher production and cost per foot.

Sizes: 18", 20", 24", 30", 36"

Banner Line Black Walk Behind Blade



EH8 Blade

EH8 blade will cut a wide range of abrasive materials such as soft brick, abrasive block and green concrete or cured concrete with soft aggregate.

Sizes: 14"

EH8 Walk Behind Blade



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640





Cut-Off Saws



Husqvarna K650 Saw 12"

Husqvarna K650

The Husqvarna K650 Cut n Break is a twin blade concrete saw with a unique method for cutting deep, up to 16", at an extremely low tooling cost. The K650 Cut n Break has a wide range of applications. It is ideal for use on window and door openings where you do not want overcutting at the corners. It is also very good for cutting pipes in trenches, sawing grooves for cabling and expansion joints, and for crack renovation.



Husqvarna K750 Saw 12"

Husqvarna K750

The Husqvarna K750 Oil guard 12" 300mm petrol disc cutter is a whole new breed of power cutter. Previously known as the Partner K650 before Husqvarna took over the Partner name the all new Husqvarna K750 has been completely rebuilt from the ground upwards bringing to the machine the unbeatable Husqvarna engine technology.



Husqvarna K760 Saw 14"

Husqvarna K760

All-purpose power cutter is lightweight, with every detail developed with ergonomics in mind. The outstanding power-to-weight ratio and exceptionally low vibrations (below 2.5 m /s²) mean you can work longer without having to worry about vibration monitoring.



Husqvarna K960 Saw 12"

Husqvarna K960

Husqvarna K960 Gas Cut Off Saw. Cuts curbstones and pavers in landscaping. Pipe cutting in installation work Asphalt cutting in roadwork and pre-cutting in pipe trenches. Metal cutting. Active Air Filtration, centrifugal air cleaning in three stages, extends product life and service intervals. Engine with X-Torq produces more power, higher torque and 70pct fewer emissions. Smart Carb, built-in automatic filter compensation, maintains high power and lowers fuel consumption. Easy to start, thanks to the decompression valve.





Cut-Off Saws



Husqvarna K970 Saw 14"

Husqvarna K970

Robust, reliable, light and powerful - the K 970 power cutter is ready to perform when you are. The ultimate choice when you need an all-around cutter performing in the toughest conditions, withstanding climate and fuel variations. Suitable for flatwork when used with the corresponding KV 970 cutting cart, which enables you to fully concentrate on the cutting job.



Husqvarna K1250 Saw 14" / 16"

Husqvarna K1250

Husqvarna K1250 Saw. Available in 14" & 16" maximum blade capacity. Hi torque, lowest emission, safest features, low noise, low vibration! Power engine blade diameter displacement 5.8kw. Air-cooled 2 cycle engine, 7.8Hp/400mm or 16119cc. The K1250 Active features an incredible 119 cc's it is surprisingly easy to handle thanks to its good balance and ergonomic design.



Husqvarna K3000 Saw 12" / 14"

Husqvarna K3000

Wet and dry cutting in one machine! Electric all-around wet cutter that minimizes the amount of water and slurry. With the optional Vac unit you can easily transform it into a dry cutter that generates minimal dust. Unlike other electric cutters, the blade rotates forward, cutting into the material efficiently with minimum effort from the user.



Husqvarna K2500 Saw 16"

Husqvarna K2500

The hydraulic K 2500 power cutter works with a traditional 16" cutting blade, and is frequently used for pre-cutting with the K 3600 MK II. This power cutter is surprisingly light and maneuverable, powerful and durable, so you can work efficiently and comfortably for longer periods. It's particularly well-suited for working indoors due to no exhaust fumes and low noise levels.



Cut-Off Saws (cont.)

STIHL®

STIHL TS 410

STIHL TS 410

The TS 410 is a lean, clean, cut-off machine that's easy to use and easier to maintain. Just squeeze the trigger and watch its 12" cutting wheel grind through iron, steel, and concrete.



STIHL TS 420

STIHL TS 420

The TS 420 is compact, lightweight, reliable and proves itself day in and day out, all day long. The TS 420 features all the high-performance features of the TS 410 – including an X2 air filtration system for a clean and smooth-running engine and virtually maintenance-free filters.



STIHL TS 700

STIHL TS 700

The 14" STIHL TS 700 cut-off machine is the powerhouse of the STIHL line. This machine features a powerful, high-speed engine, large fuel capacity, five-point dual element vibration control system built right into the handle, and a semi-automatic belt tensioner with an innovative ribbed belt. Its X2 filtration system is low maintenance and cleans airflow.



STIHL TS 800

STIHL TS 800

The TS 800 STIHL Cutquik® cut-off machine features a magnesium guard making the machine a full 0.7 pounds lighter than the previous model. The TS 800 features a 16" cutting wheel, the largest size we offer in a handheld design.

**STIHL®**

We are an authorized Stihl rental/repair dealer.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Walk-Behind Trowels



Whiteman J45H Trowel 36"

Whiteman J45H

Whiteman J45H Trowel 36" has a 36-inch (915 mm) guard ring diameter. Rotor speed of 90-155 RM for high speed finishing applications; optional low speed panning kit available (60-130 RPM). Front access panel provides quick access to trowel arms and blades. Spider and thrust collar assembly design simplifies routine maintenance. Optimally balanced for smooth finishing.



Whiteman B46H90 Trowel 46"

Whiteman B46H90

The Whiteman B46H90 walk-behind trowel is optimally balanced for smooth finishing with this 4-blade, 46-in. power trowel. It has 60 to 130 rpm. A Honda GX270 engine. Has a center mount lifting bale. Spider thrust collar assembly design for simple routine maintenance. Gearbox features large oil capacity.



Whiteman HDA48413H Trowel 48"

Whiteman HDA48413H

The trowel features a CVT clutch that spins the rotor to a top speed of 180-RPM. Heavy-Duty Walk-behind trowel gearbox and CVT drive. Easy to service spider assembly reduces cost of ownership. Honda GX390 offers top rotor speed of 180-RPM for high speed burnishing. Available with optional Quick-Pitch or standard (knob-style) handles.



Wacker CT36-26A Trowel 36"

Wacker CT36-26A

The models of the CT36 trowel range feature a trowel diameter of 36 inches - ideal for finishing medium sized areas. The trowels are optimally balanced, therefore they can be effortlessly controlled in the wide range of speeds.



Wacker CT48ADP Trowel 48"

Wacker CT48ADP

With a trowel diameter of 48-inches, the models of the CT48 trowel range are ideal for finishing medium large areas. The trowels are optimally balanced, therefore they can be effortlessly controlled in the wide range of speeds.





Walk-Behind Trowels (cont.)



Allen Edger Trowel VP424 Ring Trowel

Allen Edger Trowel VP424

Engineered for the concrete professional. Allen® Walkers are designed to produce high tolerance concrete floors (as measured by F-Numbers) with high-quality features that are hard to find on other trowels. Allen Pro-Series Walkers feature precision engineered Allen Gearboxes for long, trouble-free life. Built with a rotating guard ring for easy edging against walls, pipes and other obstructions.



Allen Edger Trowel PS436

Allen Edger Trowel PS436

Our Allen Walkers are designed to help concrete professionals produce high tolerance concrete floors (as measured by F-Numbers) with high-quality features that are hard to find on other trowels. All Allen Walkers feature precision engineered Allen Gearboxes for long, trouble-free life. We use cast iron spiders, pressure plates and lift levers for long wear and continuous service.



Allen Trowel PS446

Allen PS446

Engineered for the concrete professional. Allen Pro-Series Walkers feature precision engineered Allen Gearboxes for long, trouble-free life. We use cast iron spiders, pressure plates and lift levers for long wear and continuous service. Our high strength steel handle provides maximum comfort and control.





Ride-On Trowels



Allen MP215 Ride-On Trowel

Allen MP215

The MP 215 (Mechanical Pro) entry level riding trowel is a total redesign of the MP 205. 688cc Honda GX690 air-cooled, gasoline engine and heavy-duty drivetrain packaged in an easy-to-service frame. Standard-duty gearboxes. Two four-blade, 36-in.-diameter, non-overlapping rotors. Torque converter clutch provides full variable speed control of rotors up to 145 rpm. Manual steering and blade pitch controls.



Allen MSP415 Ride-On Trowel

Allen MSP415

The Allen MSP415 uses the 35hp Vanguard Air-Cooled Engine and a centrifugal clutch creating an economical, heavy-duty double four foot diameter rider with the power needed for panning and the speed for finishing. The MSP415 is very easy to steer and control. The MSP415 features the five bladed rotor driven by a Super Heavy-Duty Gearbox, the power is delivered where it is needed.



Allen MSP455 Ride-On Trowel

Allen MSP455

Allen's MSP 455 (Mechanical Super Pro) riding trowel combines a gasoline engine, heavy-duty gearboxes, spiders and a torque converter clutch for balanced weight-to-horsepower performance. Hydraulic power steering with independent manual pitch controls. 40-hp air-cooled Kohler engine. Two 46-in.-diameter, 5-blade non-overlapping rotors Rotor speeds: up to 165 rpm.



Allen MX600 Ride-On Trowel

Allen MX600

Designed to satisfy the most demanding concrete contractors, the Allen HDX600, Hydraulic-Powered Riding Trowel is packed with the punch of a high-horsepower diesel engine and is the most powerful rider in its class and also one of the most dependable. With ideal weight to horsepower ratio and hydraulic components (including a patented automatic load sensing device), the HDX600 ensure a peak performance every time.



Ride-On Trowels



Wacker CRT36 Ride-On Trowel

Wacker CRT36

The CRT36, 36-inch, ride-on trowel line offers quality results, high productivity and operator comfort. One person can easily and simply raise and lower the integrated wheel set from one jack at the rear of machine allowing easy maneuverability around the job site. During troweling, the wheel kit does not block the operator's line of sight.



Wacker CRT48 Ride-On Trowel

Wacker CRT48

The 48-inch, CRT 48 trowel range delivers the best results with maximum productivity. The distinguishing feature is a superior steering system that is easy to operate and reduces operator fatigue. In addition, the rigid frame ensures excellent steering control. Combined with the ergonomic 2-lever controls it achieves optimum maneuverability.



Wacker CRT60 Ride-On Trowel

Wacker CRT60

The innovative technology of the ride-on trowel CRT60 features an intelligent combination of a hydraulic drive with an electro-hydraulic steering system. The hydraulic drive regulates the engine speed in a way that resembles an automatic transmission of a car. The electro-hydraulic steering concept with two joysticks enables accurate maneuvering and virtually fatigue-free working.



WACKER
NEUSON

Screeds

Vibra Strike

Vibra Strike Power Screenshot I

Vibra Strike Power Screenshot I

The original Vibra Strike I is ready to screed either wet or form to form. The Vibra Strike I and VSII are the only power screeds with our patented horizontal vibration that gives you a honeycomb free, first bull float finish as fast as you can pour!

Floaters Available: 5ft Wet | 6ft Wet | 8ft Wet | 10ft Wet | 12ft Wet
14ft Wet | 16ft Wet



Vibra Strike Power Screenshot II

Vibra Strike Power Screenshot II

The Vibra Strike II is just as quick and versatile as the original, and with the 4 stroke engine this is a power screed that delivers performance. Think of it as a Vibra Strike I with an attitude.

Floaters Available: 5ft Wet | 6ft Wet | 8ft Wet | 10ft Wet | 12ft Wet
14ft Wet | 16ft Wet



Allen Magic Screenshot HD7070



Allen Magic Screenshot HD7070

The Allen Magic Screenshot was the first floating/wet screed on the market and is the #1 selling screed in the world. It is light and has enough blade surface area to allow it to float in wet concrete. The adjustable handles and lifting bar make it extremely user friendly. In addition to the gas powered screed, an electric unit with a rechargeable battery is available for use in non-ventilated areas.

Power screed floats and accessories available. Ask your sales person.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Concrete Mixers

TORO



Toro 658CM Concrete Mixer

Toro CM-658H-S GX240

Toro 658CM Concrete Mixer. Oversized steel paddles for fast, complete mixing. Reinforced cowl provides superior engine protection and ventilation while allowing easy access. Heavy-duty, one-piece cast iron ring gear delivers smooth operation, long life. Positive gear and dog drum lock secures drum in 1 of 94 positions to accommodate mixing and storing needs.



Toro CM-958H-S Concrete Mixer

Toro CM-958H-S

Toro CM-958H-S Concrete Mixer. Heavy-duty cantilever springs provide smoother towing. Reinforced cowl provides superior engine protection and ventilation while allowing easy access. Oversized, heavy-duty steel paddles for fast, complete mixing.



Stone 65CM 6 Cu. Ft.

Stone

Stone 65CM

Stone Concrete Mixer 6cu. ft. Gas 5.5HP Honda Engine. Stone concrete mixers meet every job site application and include the largest portable concrete mixing capacities in the industry.

Parts and repairs are available for all mixers shown.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Mortar Mixers

TORO



Toro MM-658H-P GX240 Mortor Mixer

Toro MM-658H-P GX240

Toro MM-658H-P GX240 Mortor Mixer has a capacity of 6 cu. ft. (1 1/2 to 2 bags). A Honda GX240 engine. 20" (51 cm) high-speed tires and a weight of 554lbs (251kg).



Toro MM-858H-P Mortor Mixer

Toro MM-858H-P GX240

Toro MM-858H-P Mortor Mixer has a capacity of 8 cu. ft. (2 1/2 to 3 bags). A Honda GX240 engine. 25" (64 cm) high-speed tires and a weight of 605lbs (274kg).



Toro MM-1158H-P Mortor Mixer

Toro MM-1158H-P GX240

Toro MM-1158H-P Mortor Mixer has a capacity of 11 cu. ft. (3 bags). A Honda GX240 engine. 13" (33 cm) high-speed tires and a weight of 860 lbs (390 kg).



Toro MM-12511H-P Mortor Mixer

Toro MM-12511H-P GX340

Toro MM-12511H-P Mortor Mixer has a capacity of 12 cu. ft. (3 to 4 bags). A Honda GX340 engine. 25" (64 cm) high-speed tires and a weight of 1073 lbs (487kg).

Power Buggys



Morrison PB16R

Morrison PB16R

Morrison PB16R. With more tie-down, lift and load options than competitive units, Morrison hydraulic power buggies are a cost-saving solution to the transportation of all kinds of materials – in and around the job site or plant. Made for moving concrete to the pour and a variety of other applications.



Allen Engineering AT16 Power Buggy

Allen AT16

Allen Engineering AT16 Power Buggy. 16 cu. ft. capacity. Excellent traction on grades, inclines and soft soils. Rugged steel frame increases load weight. 27-hp Kohler gasoline engine. Hydraulic dump action with 6-in. of ground clearance when fully dumped. Heavy-duty poly dump bucket. Rubber tracks. Payload: 2,500 lbs.



Allen Engineering AR16 Power Buggy

Allen AR16

The sixteen cubic foot AR16 has earned its rank as the standard by which all power buggies are judged. The massive two-inch thick solid steel tank-tough frames provide unparalleled strength and durability along with a lower center of gravity and ideal weight distribution. These buggies give excellent traction in real-world job site conditions. Drive components are protected by a removable steel shroud.



Amida WBH-16 Power Buggy

Amida WBH-16

Amida WBH16 Power Buggy. 16 Cu. Ft., GX390 Honda Engine, Recoil start. The Whiteman WBH-16 Series power buggy has earned a reputation as the most durable and dependable design on the market.



Floor Grinders




Edco 2GC6 (Gas)

Edco 2GC6

EDCO Classic Style Concrete Floor Grinders are versatile machines that perform a wide variety of surface preparation applications.



Edco TS8-75 Floor Stripper

Edco TS8-75

Remove up to 200 sq. ft. per hour of vinyl or other related soft material (Square footage amounts and time schedules will vary based on material and adhesion). Folding handle for easy transport & storage. Sharktooth wrench for easy blade changes. Heavy-duty steel material deflector shield. Multiple position hand held assembly. Heavy-duty flexible rubber isolators.



Edco CPM8 Sidewalk Grinder (Gas)

Edco CMP8

The EDCO CMP8 gas sidewalk grinder. Scarifier, Planer, Sidewalk Grinder with DRUM LOADED 78 - Tungsent Carbide Cutters.



Edco TLR-7-11H Traffic Line Remover

Edco TLR-7-11H

EDCO's easy-to-use Traffic Line Remover can be pushed or pulled by one person in congested or limited access areas such as city streets, crosswalks and school safety zones.

Concrete Vibrators



Northrock Vibrator 1.5 to 3 H.P.

Northrock 1.5 to 3 HP

Northrock Flex Shaft Vibrator 1.5 to 3 H.P. The Northrock Pro 1.5 HP prime Electric Concrete Vibrator is an primo electric concrete vibrator with a principal 1-1/2 hp motor and a prized rugged shock absorbing frame. Shaft suitable length up to 60' with tried-and-true a connector.

****All Flexible Shafts and Heads Are Interchangeable To Meet Your Needs****



Northrock Backpack Vibrator

Northrock Backpack Vibrator

Northrock Pro 50 45 Backpack Concrete Vibrator. Honda GXH-50 4-Stroke Engine, Uses regular gas, no need to mix oil with gas. High efficiency synchronous drive belt transmission with cast aluminum housing that steps up engine speed to achieve optimal vibrations per minute. Universal counter shaft accommodates all brands of vibrators so you can use the shafts and heads you already stock. Strong steel tubular frame with ergonomic molded back pad and padded shoulder straps. Power vibrator heads from 3/4" to 2 1/2"



Flex Shaft / Vibrator Heads

Northrock Shaft / Heads

All NORTHROCK flexible shafts are constructed with rubber coated steel braiding which prevents stretching, and hardened steel inner liners that act as the bearing surface for the inner core. Available in 7ft, 10ft, 14ft and 21ft lengths. Seven Northrock vibrator heads are available in a range of diameters from 3/4" up to 2-1/2". Diameter is selected by the scope of the job and the speed required to complete it.



Wacker IRFU45 High Frequency Vibrator



Wacker IRFU45

Electric internal vibrator with integrated frequency inverter for concrete compaction. Protection hose length of 5 meters, vibrator head with rubber cap. With integrated personal protection switch (Bodyguard™).



CONCRETE BUCKETS

G Series



Garbro G Series

Gar-Bro General Purpose or 'G' Series Concrete Buckets are built for modern concrete requirements and general concrete work. Sturdy design and construction provides long life expectancy. All 'G' Series buckets feature a Double Clamshell Gate with vertical center discharge. Standard gate size is 15 inches x 22 inches. Extension collars for increased capacity are available for all models.

Garbro G Series General Purpose Bucket

Model #	Rated Capacity Cu. Yds.	Level Capacity Cu. Ft.	Loading Height Inches	Inside Diameter Inches	Weight Pounds
413-G	1/2	15	45	38	420
433-G	1	30	57	51	615
442-G	1 1/2	42	64	55	795
462-G	2	58	72	58	1,045



Garbro Steel Extension Collar

Garbro Steel Extension Collar for Concrete Bucket.

- 1/2 YD Extension Collar, 2 YD G-Series
- 1/2 YD Extension Collar, 3 YD G-Series
- 1/2 YD Extension Collar, 2/3 R-Series

Garbro Steel Extension Collar

Concrete Bucket Parts

Garbro Concrete Bucket Parts

Garbro Replacement Parts for Concrete Bucket.

- 2148G Lever Handle, 462G & 493G
- 2910R Lever Handle, 454R & 483R
- Bearing, 21
- Spring, 0154, Little
- Spring, 0359, Big
- Cap Screw, 746
- Nut, 169
- Bushing, 1814 & 1815
- Pivot Bolt, 1476 & 3109

Garbro Concrete Bucket Parts



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



CONCRETE BUCKETS

R Series



Garbro R Series

The Gar-Bro Round Gate or 'R' Series Concrete Bucket is 30% to 50% lighter than most standard steel buckets of the same capacity. The Double Clamshell 16-inch diameter venturi gate throat is non-jamming, grout tight, and self-closing. A variety of attachments are available for all 'R' series buckets, including rubber accordion hoppers, side chutes, air operated gate systems, and extension collars.

Garbro R Series Lightweight Round-Gate

Model #	Rated Capacity Cu. Yds.	Level Capacity Cu. Ft.	Loading Height Inches	Inside Diameter Inches	Weight Pounds
413-R	1/2	13.5	41	36	257
420-R	3/4	20.3	44	45	330
427-R	1	27.5	46	54	400
440-R	1 1/2	40.5	53	60	500
454-R	2	54	58	66	675
483-R	3	83	72	66	760



Garbro Side Chute

Garbro Side Chute

Garbro Side Chute for R-Series Concrete Bucket.

- 413SC, Side Chute, 1/2 YD
- 420SC, Side Chute, 3/4 YD
- 427SC, Side Chute, for 427R
- 440SC, Side Chute, 1 1/2 TD
- 454SC, Side Chute, 2 YD



Garbro 409E Rubber Accordion Hopper

Garbro 409E Accordion Hopper

Garbro 409E Rubber Accordion Hopper for R-Series Concrete Bucket.

Hydraulic Power Pac

PARTNER

Partner HP40 Power Pac

Partner HP40 Power Pac

The Partner HP40 is a compact hydraulic power pack with flow rate adjustment for the hydraulic tool classes 20, 30 and 40 l/min. The HP40 is highly competitive in the hydraulic power unit market on account of its sheer versatility. The Partner HP 40 can power a full range of tools, from wall saws and large core drills to small drilling hammers and pumps.

Hydraulic Concrete Cutting Equipment

ICS

ICS 823H Hydraulic Chain Saw 15"

ICS 823H Hydraulic Chainsaw

This ICS 823 Model hydraulic diamond 15" chainsaw. Engineered to stand up to your toughest jobs. In a package that exceeds industry standards.

The ICS 823H-19 Hydraulic Chainsaw Kit also available..

****Chain or Ring Blade Can Be Rented or Purchased****

ICS 853PRO Hydraulic Chainsaw



ICS 853PRO-19 Hydraulic Chain Saw 15"

ICS® developed the high-performance 853PRO Series Hydraulic Concrete Cutting Chainsaws for the Professional Concrete Cutter. This series of professional saws is built tough to stand up to everyday use in the harsh environment of concrete cutting.

ICS 880F4 Hydraulic Chainsaw



ICS 880F4 Hydraulic Chain Saw 15"

890F4 15" 8 GPM Hydraulic Concrete Saw by ICS. 890F4 Hydraulic-Powered Concrete Chain Saw. The ICS 890 Series hydraulic cutting system offers the superior strength of FORCE4® technology.

Diamond cutting chains and parts are in stock.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Snow Blower



Husqvarna 10527STE

Husqvarna 10527STE 27" Snow Blower. Versatility of the field and brush mower platform. In addition to its base brush-mowing deck, the machine accepts the snow thrower attachment, a snow blade attachment, a 42" lawn mower attachment and a 6000 watt generator attachment.

Husqvarna 10527STE 27" Snow Blower

PTO Attachment



Polaris PTO Snow Attachments



Snow Blower



Snow Blade



Material Bucket

Sweepers



Sweepster WSP36 Walk-Behind

Sweepster

Sweepster WSP36 Walk-Behind. Lightweight and maneuverable. The 5.5 hp Honda engine powers the 36" wide, 24" diameter two speed brush, (specify poly or poly & wire mix). A transmission with differential provides 5 speeds forward, neutral and reverse. The large tires and differential provide excellent traction and maneuverability. Truly a 4-season cleanup machine on pavement and turf cleaning thatch, gravel, snow, and more.

Augers



General Auger M330H

General Auger M330H

M330H Two Man Hole Diggers. The Comfort-Flex® composite operator handles flex under load to help absorb vibration and shock. Increased safety in the event of contact with an underground utility line. Heat-treated spur gears are precision machine-cut, deliver unequated torque and horsepower.

Power Head Auger Bits All Sizes: 6"- 8"- 12'



Job Transport Vehicles



Polaris Brutus HD PTO

Polaris Brutus HD PTO

The new BRUTUS model enhances the level of comfort, versatility and productivity by integrating key offerings from the BRUTUS HD and BRUTUS HDPTO models. A fully enclosed, factory-installed cab with heating, defrost and air conditioning ensures operators are comfortable no matter what the outside conditions.

Polaris PTO Attachments

Polaris PTO Attachments



Polaris PTO Snow Blower



Polaris PTO Snow Blade



Polaris PTO Angle Broom



Polaris PTO Mower



Polaris PTO Material Bucket

BRUTUS™ HDPTO is the first in its class to offer front-end PTO capability. The high-efficiency, mechanical PTO delivers smooth performance directly from the engine to versatile, optional front attachments.



Kawasaki MULE

The Trans4x4 truly does it all, from people hauler to cargo hauler to everyday workhorse. The key to all this functional flexibility is the Trans4x4's convertible design, as it only takes a moment to go from two-passenger, long-bed, cargo-hauler configuration to four-person, short-bed mode.



Kawasaki MULE





Column Clamps

Ellis Scissor Clamps



Item#	Bar Size	Net Concrete Dimensions	Weight
CC-38/38	3/8"x2"x38"	10" to 24"	40 lb
CC-48/48	3/8"x2-1/2"x48"	10" to 34"	55 lb
CC-60/60	3/8"x3"x60"	22" to 46"	84 lb

Ellis Scissor Clamps provide a fast, easy, accurate and affordable way to build column forms for pouring your concrete columns. Steel bars clamp snug to your wood forms. Simply slide each red casting along the bar up to the adjacent bar, drop the wedge through a slots in the in the casting and matching slot in the bar. Hammer down each wedge to seat bars tight against the wood forms. Slot spacing in bars and castings have been designed to eliminate dead spaces and insure you are always able to clamp tight to your wood form.


To dismantle, simply tap the wedge up to loosen the scissor clamp bars from the wood form.

All parts are connected to make single units with no loose parts to get lost.



The units are identical, no right or left, up or down.

Only a hammer, nails, and lumber are needed to erect form. Ellis Column Clamps are made of high carbon steel with malleable iron castings to promote long life and many reuses.

The chart above indicates the finished concrete size each set of clamps will form and assumes use of 3/4" or 5/8" Plywood and 2x4 or 2x6 vertical walers (laying flat).



Assembly



MASONRY SAWS

Masonry Saws



Diamond CC500M 14" Brick Saw

Diamond CC500M

2.5 HP electric motor is strongest dual-voltage motor on the market. Water pump standard on all electric models. Cooler running electric motors. 1.5 HP electric motor draws only 13.4 amps and works on all residential circuits.



Felker TMI Tile Saw 1.5 HP (electric)

Felker TMI Tile Saw

The Felker TMI Tile Saw 1.5 HP (electric) features a high torque 1-1/2 HP continuous duty motor. Cuts up to 18" tile.



IMER 350 Masonry Saw

IMER 350 Masonry Saw

Imer MS 350 Smart 14" Masonry Saw. Cutting blocks, paving stone or tile is a breeze on the biggest cutting table available on a 14" masonry saw. Very accurate cuts up to 30" in length, and 4-3/4" deep. New 2 hp motor provides plenty of power.



IMER 350FH Masonry Saw

IMER 350FH Masonry Saw

The powerful 1 1/2 hp, 15 amp, 110V motor is a reliable jobsite partner. The motor has been specially designed to run on standard household current, without tripping the breaks. For large scale production cutting, a 220V, 3 hp model is available. The cutting tray roller system is the best in the industry. Load up 4 bricks and cut them in one pass, or cut stone pavers and tile to 1/24".



Husqvarna TS60 Tile Saw

Husqvarna TS60 Tile Saw

The TS 60 has become the contractor's choice for production sawing. With a powerful, high-torque 1-1/2 HP motor, the saw performs 28.5 inch rip cuts, 20 inch diagonal cuts, and 2.75 inch depth of cut in tile with precision accuracy..



LIFTING EQUIPMENT




AMH CB Series Chain Hoist



AMH CB Series Chain Hoist, Hook

AMH CB Series Chain Hoist.

- Low Headroom, Light weight and durable formed steel enclosure protects from contamination and can be quickly disassembled for fast and easy maintenance.
- Powder coating and plated finishes, on exposed components, are used for resistance to corrosion allowing the hoist to stay in service longer.
- Hand chain opening is formed with radius allowing operation from side or even above permitting use for lifting or pulling.
- Internal parts are heat treated for strength and reliability with fully enclosed gearing to protect from contamination.
- All gears and shafts run on caged roller bearings including the lift wheel which is machined for smooth operation and long life.
- Wesson style mechanical load brake is self adjusting with double pawls, asbestos-free brake discs and is surrounded by an enclosure to limit contamination.
- Drop forged Alloy hooks are designed to stretch when overloaded before chain failure and are equipped with heavy duty cast steel safety latch attached by a bolt and lock nut. The top hook mounting articulates to aid in rigging and help insure straight line loading between hooks.
- Grade 80 Alloy load chain in black oil finish. Hand Chains are zinc plated. Each hoist is proof tested at 1.5 times the WLL and shipped with a certification of test matching the individualized serial number stamped in the nameplate.



Model #	Working Load Limit (WLL)	Available Lift Chain Length (ft)
CB005	1/2 ton	10' 20' 30'
CB010	1 ton	10' 20' 30'
CB015	1 1/2 ton	10' 20' 30'
CB020	2 ton	10' 20' 30'
CB030	3 ton	10' 20' 30'
CB050	5 ton	10' 20' 30'



LIFTING EQUIPMENT




AMH LC Series Lever Hoist



AMH LC Series Lever Hoist, Hook

AMH LC Series Chain Hoist.

- Easy One Hand Operation and Set Up – When the selector is in neutral and no load is present then free chain mode is entered.
- The chain can be pulled through the hoist by a pull handle for easy set up and load attachment before engaging the selector for pulling.
- The pull handle also acts as a chain stop. Short ratchet strokes of a non slip rubber grip lever and 360 degree rotation requires minimal space for operation.
- The pull force to operate may be 20 to 30 % less than others. Operation in any orientation is assured by a fully enclosed horseshoe shape chain guard keeping the load chain in contact with the lift wheel.
- Light weight and durable formed steel enclosure protects from contamination and can be quickly disassembled for fast and easy maintenance. ▪
- Powder coating and plated finishes on exposed components are used for resistance to corrosion.
- Internal parts are heat treated for strength and reliability with fully enclosed gearing to protect from contamination.
- All gears and shafts run on caged roller bearings including the lift wheel which is machined for smooth operation and long life.



Model #	Working Load Limit (WLL)	Available Lift Chain Length (ft)
LC008	3/4 ton	10'
LC015	1 1/2 ton	5' 10' 20'
LC030	3 ton	10' 20'
LC060	6 ton	5' 10' 20'



Pallet Trucks

JET



JET PTX2048 Pallet Truck (Hand)

JET PTX2048

JET PTX2048 Pallet Truck (Hand) 5500lbs Capacity. Has a capacity of 8,000 pounds. Turning radius of 210 degrees. Overload Protection ball valve prevents lifting loads past maximum capacity. Top-Stroke release valve prevents cylinder extension beyond maximum height. Chrome-plated pump piston and ram provide corrosion resistance in any industrial environment.

Fork Lifts

DOOSAN



Doosan Pro 5 Series

Doosan Pro 5 Series

These trucks offer the ultimate combination of power and performance, reliability, operator comfort, and economy. This series of trucks provides a well balanced mix of enhanced technology, operator comfort refinements, performance efficiencies and serviceability advances which will help to increase productivity and lower your operating costs.

Available Units: Doosan Pro 5 D25S-5 & IC Pro 5 Series (Smooth Tire)

Material Handlers

IR
Ingersoll-Rand.

IR 642 6000lbs Cap - 42'

IR 642

The VR-642B telescopic material handler offers 6,700 lbs. lift capacity and a maximum lift height of 42 ft. The VR-642B has 28 ft. 4 in. of forward reach. This low profile telescopic material handler has an overall height of 95" in the carry position and will fit under an 8 ft. overhang.



IR 843 8000lbs Cap - 43'

IR 843

The IR 843 has a lift height of 43'. A lift capacity of 8000lbs. It weighs 22,813lbs. It's 102 inches wide, 95 inches high, and 21 feet long. It has a forward reach of 28 feet.

Available: Material Bucket for 843



Genie 1930 20' 800# Aerial Platform

Genie 1930

Genie 1930 20' 800# Aerial Platform. This battery operated Genie Self-Propelled Scissor Lift with 19ft. lift height has a sturdy steel platform with a large 36in. steel extension deck for added reach and an expanded work area. 500-lb. total capacity, 250-lb. capacity on extension deck. Complies with ANSI A92.6 standards. Industrial use, only.



Genie 2632 25' 800# Aerial Platform

Genie 2632

Genie 2632 25' 800# Aerial Platform. This battery operated Genie Self-Propelled Scissor Lift with 26ft. lift height has a sturdy steel platform with a large 36in. steel extension deck for added reach and an expanded work area. 500-lb. total capacity, 250-lb. capacity on extension deck. Complies with ANSI A92.6 standards. Industrial use, only.



Genie Lift AWSP-SB - 35' 350# Cap

Genie AWSP-SB

Genie Lift AWSP-SB - 35' 350# Cap. Rolls through standard doorways for easy access, and models up to 30 ft (9.1 m) don't need to be tilted back. An exclusive six-point wheel and caster rocker base system also maneuvers easily around corners and over thresholds or debris. Durable Mast and Platform.



All lifts require safety training and awareness as well as fall protection. Ask your salesperson.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Material Lifts

SUMNER

Sumner Z250 Roust-A-Bout 1500lb Cap

Sumner Z250 Roust-A-Bout

The Sumner Roust-A-Bout enables one man to lift and place loads in tight locations that would be impossible with other lifts. The flexible Roust-A-Bout not only makes the job possible . . . it can pay for itself in days by reducing job time! This dependable lift can raise a 1,500 lb. (680 kg) load to heights up to 25 feet (7.6 m) in minutes. In addition, large 8" (200 mm) casters permit a fully loaded Roust-A-Bout to position pipe or beams.



Sumner 2118 Duct Lift

Sumner Drywall Lift

Sumner 720 Contractor Lift. Solid, safe construction (CE). Two speed winch handle. Quick, tool-free assembly. One person operation. 3 Tilts 65° for drywall installation. Lifts loads of 150 lbs (70 kg) up to 11' 6" (3.5 m) or 15 ft (4.5 m).



Sumner ST-401 Grasshopper

Sumner ST-401 Grasshopper

SumnerST-401 Grasshopper. Special sliding chain block design accommodates long and short loads. A one-man pipe dolly for loading and moving up to 2,000 pounds unassisted Fits through 35" openings, is a versatile 12 feet long and weighs only 165 lbs. Carries up to 20 diameter pipe, tool boxes, fittings, valves, landscaping timbers, and more. Rugged high pressure tires and wheels allow for construction site mobility.

SUMNER

Various material handling items are in-stock for rental or purchase.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Platform Lifts



Upright XRT33 Platform 33' 1000lb Cap

Upright XRT33

Upright XRT33 Platform 33' 1000lb Cap. 12.10 Metre Working Height; Diesel Powered. 4x4 with Outrigger Legs for ultimate terrain capability. 454kg Max. Platform Capacity.



Upright SL30 Platform 29.5' 1000lb Cap

Upright SL30SL

Upright SL30 Platform 29.5' 1000lb Cap. The Upright SL30SL has a working height of 11 metres. The working platform of more than 7 square metres has a capacity of 590kg and is automatically leveled on gradients up to 19 degrees. The oscillating axle with 4 wheel drive and rough terrain tyres keep the drive wheels firmly in contact on uneven ground.

Boom Lifts



Upright AB46RT Boom Platform Lift 46' 500lb Cap

Upright AB46RT

Upright AB46RT boom lift, telehandler. 500 lb platform capacity. 46' max platform height. 24.5' max platform reach. 9.50-16.5 tires. 14,300 lbs. base operating weight.



Upright AB62RT Boom Platform Lift 46' 500lb Cap

Upright AB62RT

Upright AB62RT boom 4x4 diesel. Bucket 235CM width. 4x4 4-wheel drive. Articulated boom lift. Working height 2090cm. Platform height 1890cm. Horizontal outreach 1070cm. Up/Over Clearance 910cm.



Genie Z80 Boom 80' Z60/34 Boom Lift

Genie Z80

Full-time positive traction and full-time 4WD (4WD models) for a smooth ride on rough ground conditions. Reverse-articulating secondary boom with 29 ft (8.83 m) of up and over reach and zero front arm swing. Platform hydraulically rotates 160° and stays level throughout the entire range of motion. 360° continuous turntable rotation for fast, easy positioning. Steel 6 or 8 ft (1.83 or 2.44 m) platform with up to 500 lb (227 kg) lift capacity.

Genie
A TEREX COMPANY

Propane Heaters



Dewalt DXH40FA

Dewalt DXH40FA

The 40K BTU Forced Air Propane Heater features a rugged two-piece barrel with recessed controls to heat any outdoor workplace. The ergonomic handle makes this heater easy to transport.



Dewalt DXH63FAV

Dewalt DXH65FAV

The DeWalt 65K BTU propane forced air heater. Rugged two-piece split barrel, designed to make cleaning and maintenance easier and safer. Ergonomic handle for easy transport. Recessed controls designed to reduce the risk of damage on the jobsite. Variable heat output. Continuous ignition and thermo-electric safety valve for easy ignition and operation.



Dewalt DXH125FAV

Dewalt DXH125FAV

Heat outdoor settings with ease with the DeWalt 125,000 BTU Forced Air Propane Heater. This heater features a rugged two-piece barrel, ergonomic handle and recessed controls for convenient and easy use. The 125K BTU Forced Air Propane Heater also features Quiet Burner Technology. For indoor use only. Area must be well ventilated.



Dewalt DXH150FAV

Dewalt DXH150FAV

DeWalt Job-Site Propane Forced Air Heater - Patented Quiet Burner Technology reduces combustion and operation noise. Rugged two-piece split barrel designed to make cleaning and maintenance easy and safer. Features include recessed controls designed to reduce risk of damage on jobsite, continuous electronic ignition, and ergonomic carry handle.



Dewalt DXH170FAV

Dewalt DXH170FAV

Patented Quiet Burner Technology reduces the combustion and operation noise by up to 50% Equipped with a 25AF-95AF thermostat. Rugged two-piece split barrel, designed to make cleaning and maintenance easier and safer. Recessed controls designed to reduce the risk of damage on the jobsite.

Large variety of keorsene and propane heaters are available for purchase and rent.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640




**WACKER
NEUSON**

MID-SIZED GROUND HEATERS!

E 3000 Hydronic Ground Heater

Engineered for reliable performance and trouble-free starts for up to 140 hours of run time, the E3000 will provide maximum flow and ensure consistent heat delivery for thawing and curing applications. The E3000 thaws or cures up to 6,000 sq. ft. With accessories this heater will cure up to 18,000 sq. ft. or provide 535,000 cu. ft. of dry heat at 83% efficiency, the highest in the industry.

Wacker Neuson E3000

6,000 Sq. Ft.* - THAWING

12,000 Sq. Ft.* - CURING

Optional accessories for Clean Dry Air Heat

*Up to sq. ft. based on manufacturers specs.

Available for Rent & Sale



- With 3,000 ft. of hose and a hydraulic hose system, the E 3000 allows for single person set-up and placement, for greater flexibility on all applications.
- Positive displacement pump provides maximum flow and consistent heat delivery for thawing and curing. One pump per hose loop means delivery of maximum Btu's per hour.
- Digital temperature controller with push button adjustment allows operators to easily adjust Heat Transfer Fluid (HTF) output temperature for all concrete curing applications.
- Performance monitoring strobe light indicates from a distance that all systems are operating properly.
- Several options are available including a 5 kW liquid-cooled diesel generator and lifting bail.



Blowers

STIHL®



STIHL BG 56 C-E

STIHL BG 56 C-E

Designed with ease of use in mind, the STIHL BG 56 C-E features our simplified starting system with the STIHL Easy2Start™. The STIHL Easy2Start™ lets you start the engine with a long easy pull of the starting rope rather than a hard fast jerk, making starting virtually effortless. The semi-automatic choke and the new start/stop switch make it virtually impossible to flood when starting this unit.

Backpack Blower



STIHL BR430 Blower Backpack

STIHL BR430

The STIHL BR430 has the features you need to get the job done with fewer refuels and less fatigue. Its pro-sized 57.5 oz. fuel tank goes even farther thanks to a fuel-efficient engine that produces cleaner emissions when compared to standard 2-stroke engines. In addition to its anti-vibration system and ElastoStart™ handle, the blower also features back padding, broad shoulder straps and soft rubber grip.



STIHL BR500 Blower Backpack

STIHL BR500

Reduce the noise without sacrificing the power. The STIHL BR 500 features a powerful, low-emission engine and specially designed muffled blower tube so that it operates at a quiet 65dB(A). This makes the BR 500 an excellent choice for use in residential neighborhoods or in municipalities with noise restrictions. The blower also includes a 2-position adjustable blower tube, giving you greater control over its powerful air flow.



STIHL BR550 Blower Backpack

STIHL BR550

If value, power and fuel efficiency are important to you, then the STIHL BR 550 backpack blower should be at the top of your list. Its rugged, fuel-efficient engine is one of our most powerful options, delivering excellent performance with fewer emissions. The BR 550 also includes a 3-position adjustable blower tube offering flexibility to crews with multiple users and allowing great control.



STIHL BR600 Blower Backpack

STIHL BR600 Magnum

With its powerful, fuel-efficient engine, the BR 600 MAGNUM® sets the standard for professional-grade blowers. It produces the highest air volume and velocity of all our backpack blowers, yet features a low-emission engine, making it a great choice in both urban and rural areas. No matter where the job takes you, the BR 600 MAGNUM® blower is the ideal choice for heavy-duty cleanup.

Pedestal Fans



Marley 24" Pedestal Fan

Marley 24inch Pedestal Fan

Marley 24" Pedestal Fan. This fan is engineered and designed for use in large, non-air conditioned facilities, which require general air circulation. This fan is ideally suited for providing spot cooling where long aisles and production lines exist.



Marley 30" Pedestal Fan

Marley 30inch Pedestal Fan

Marley 30" Pedestal Fan. A powerful 1/2 HP circulator. This fan is engineered and designed for use in large, non-air conditioned facilities, which require general air circulation. This fan is ideally suited for providing spot cooling where long aisles and production lines exist.

Drum Fans



Marley Drum Fans

Marley Drum Fans

The Marley IDF Series of Industrial Belt Drive fans is designed specifically for industrial applications where quality, performance and durability are required. The high performance motor, belt drive system, and specialized fan blade design combines to maximize airflow and velocity while reducing fan noise. Quality features include a durable 20 gauge steel housing, heavy duty painted wire guards, sturdy fan and motor supports, large rubber wheels with integrated bearings and a wide stable base.

Available in 36" - 42" - 48" length fan blades.

Wall Mount Fans



Marley 30" Wall Mount Fan

Marley 30" Wall Mount Fan

This fan is engineered and designed for use in large, non-air conditioned facilities, which require general air circulation. This fan is ideally suited for providing spot cooling where long aisles and production lines exist. A powerful 1/2 HP circulator used in warehouses and production facilities.

Ventilators



Americ VAF-1500 Fan

Americ VAF-1500

Americ VAF-1500 Fan. For a versatile portable ventilator with just the right amount of power, the VAF-1500 (blower/extractor) or VAF-1500B (blower only) is ideally suited for light industrial or utility applications. A perfect workhorse for small confined spaces, such as manholes and sewers, these compact blowers deliver maximum airflow for a safe, comfortable and controlled work environment.



Americ VAF-3000

Americ VAF-3000

Americ VAF-3000 Blower/Extractor 110V 60Hz, 1 HP Motor, 12" Dia Duct 2091 CFM Air Flow. With a forceful 1 H.P. motor, the VAF-3000 can deliver both positive and negative airflow at an incredible maximum capacity of 2,091 CFM in the most difficult work environments. No matter what your industry or application-construction, demolition, utility, paper mill, shipyard, power station, tank purging, or manufacturing

Americ ventilator ducts and accessories also available.

Vacuums



Heavy-Duty Shop-Vac 8045

Heavy-Duty Shop-Vac 8045

Quiet operation motor, stainless steel tank, Lock-On positive connection hose system, tank drain, and extra large non-marking casters.



Porter Cable 7812 Drywall Vac

Porter Cable 7812 Drywall Vac

Porter Cable 10 Gallon, Drywall Vacuum, Used With Model #7800 Drywall Sander, Vacuum Has Built In Outlet So The Vacuum Starts Automatically When The Tools Is Turned On, Delivers 99.85% Filtration Efficiency To Remove Fine Drywall Dust, Dual Filtration System With Washable Pleated Filter & 2 Ply 10 Gallon Paper Filter Bag, Corrosion Resistant Poly Tank, Contoured Body & Large Wheels Easily Maneuvers Around Rooms.



Superchute Trash Hopper

Superchute Trash Hopper 30 inches. 4 ft tall design and 30 inch diameter. 1 inch taper - tight fit to minimize airborne dust. Light weight, safe, flexible and quiet in use. Equipped with safe and strong cable linking hardware.

Superchute Trash Hopper 30''




Superchute Trash Chute

Superchute® Construction Chutes are made with High Molecular Weight Polyethylene (HMWPE). They are extremely resistant to abrasion, chemicals and cold. The plastic is UV treated, for use outdoors.

Superchute Trash Chute 30''x 4'

SUPERCHUTE





Light Towers



Wanco WLTC4CO Light Tower 30'

Wanco WLTC4CO

Wanco WLTC4CO Light Tower 30' (4) 1000 Watt Light W/ Diesel Powered Generator Trailer. Mounted 8 KW.

Arrow Board



Wanco WTSP55 Solar Arrow Board

Wanco WTSP55

The new generation of WANCO® arrowboards is even more power-efficient. Innovative engineering employs a unique power system that uses small, eco-friendly batteries. The result is a remarkable technology that benefits the environment without sacrificing performance.

55W w/charger & 75W w/charger available

Message Board



Wanco Programmable Message Board

Programmable Message Board

The Wanco Three-Line Message Sign is capable of displaying three rows of alphanumeric characters. When you need to get information to the public, the Three-Line's highly legible, ultra-bright LEDs display your message clearly.

Bulbs



Wanco P46 LED Bulbs

Wanco P46 LED Bulbs

Wanco LED replacement bulb. Fits all WTSP series arrow boards.



Levels and Lasers



AT-B Series Automatic Levels

AT-B Series Automatic Levels

Features:

- Durable, Dependable, High Value Auto Levels
- Rapid, Accurate, and Stable Automatic Compensation
- Ultra-Short 20cm (7.9 in.) Focusing
- All WEather Dependability
- Clampless, Endless Fine Horizontal Adjustments



RL-H4C Self-Leveling Laser

RL-H4C Series Self-Leveling Laser

Features:

- Long Range Operation (400m)
- New Smart Long Range Laser Receiver
- Tough IP66 Construction Rating
- New Dual Handle Design
- ± 10 Arc Seconds Horizontal Accuracy
- ± 5 Degrees Self-leveling Range



TP-L4B Red Beam Pipe Laser

TP-L4B Red Beam Pipe Laser

Features:

- Bright, Easy-to-read Rear Display
- World's Brightest and Best Long-range Spot Quality
- All Metal, Waterproof Housing



Taurus Laser Level

Taurus Laser Level

Features:

- Fast Set Up, Easy to Use
- Automatic Self-leveling
- Full-featured Laser Receiver
- Large Working Area

Core Drills



Diamond M1 Core Drill

Diamond M1 Core Drill with Pump & Pad. M1-AA-15 Core Rig 6 inch bit capacity. Weighs only 45 pounds. 15 amp, 3.5 HP Core Bore Motor. Single speed - 800 RPM. Very durable and reliable. Water hose connection. Spring loaded slide handle for easy coring. Convenient carrying handle on carriage.

Diamond M1 Core Drill with Pump & Pad



Target HD6 Handheld Core Drill

Target HD6 Handheld Core Drill. Ideal for concrete and masonry drilling applications. 3-speed gearbox with selector adjusts for various bit sizes (580/1400/2900 RPM). Softstart? electronic current limiter ensures a soft start and less load on the electrical system.

Target HD6 Handheld Core Drill

Electric Hacksaw



Fein ASTXE649

Fein ASTXE649 Electric Hacksaw with Pipe Clamps Breakers. Powerful hacksaw for pipes and profiled sections with continuously variable stroke adjustment. Ideally suited for cutting pipes and profiles made of steel, cast iron, autoclaved aerated concrete, and plastics. Especially suitable for sandwich material and layers of different materials. Electronic speed control for optimal cutting speed.

Fein ASTXE649 Electric Hacksaw

Breakers



BOSCH



BOSCH BH2770

BOSCH BH2770 60 LB. Breaker Rotary Hammers. The Bosch BH2770VCD Brute™ Turbo Breaker Hammer delivers the best concrete removal rate in its class, impressive for a tool that weighs just 63 pounds. Providing 1,000 bpm and 43 Ft.-Lbs. of impact energy, this tool can handle heavy-duty applications such as outdoor asphalt work or indoor foundation removal.

BOSCH BH2770 60 LB. Breaker

We stock accessories for all items shown.



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



Rotary Hammers



Bosch RH228VC 120v

Bosch RH228VC

The Bosch RH228VC provides higher drilling capacity (1-1/8-Inch) at 40-Percent faster speeds than the competition. Best in class impact energy at 2.4-Foot Pounds. of impact energy at 20-Percent better than the competition. Best in class Anti-Vibration system “Counter Balance Vibration Control” for improved comfort for all day drilling/chiseling applications.



Bosch RH328VC 120v

Bosch RH328VC

The Bosch 1-1/8-Inch SDS-plus Rotary Hammer features vibration control for superior performance, and an excellent power-to-weight ratio for fast chiseling and drilling. It also provides three modes of operation--rotary hammer, hammer only, or rotation only--and an integral clutch to make this tool more versatile. The hammer comes with an auxiliary handle and a carrying case.



Bosch RH432VCQ 120v

Bosch RH432VCQ

The BOSCHÂ 1-1/4-Inch SDS-Plus Rotary Hammer is ideal for breaking up concrete, stucco and other material. Its electric motor generates outstanding power to make quick work of difficult jobs. You can select from hammer, drill or rotary hammer modes to get the right performance for every task.



Bosch RH540M 120v

Bosch RH540M

The RH540M SDS-max Rotary Hammer delivers 38 percent more impact energy than previous generations and up to 20 percent more than competitors. A variable speed dial for both drilling and chiseling applications allows users to adjust tool settings based on the application and material they're tackling and a selector knob makes it easy to switch between hammer drilling, chiseling only and the Varo-Lock function.

Rotary Hammers



BOSCH



Bosch 11240 10 amp

Bosch 11240

The Bosch 11240 1-9/16-inch SDS-Max combination hammer features a 10 amp motor, dual-mode selector lever for hammering with or without rotation, and Vario-Lock positioning that rotates and locks the chisel into 12 different positions. The SDS-Max system facilitates tool-free bit changes with automatic bit locking, dust protection, and a maximum-impact energy transfer rate.



Bosch 11253VSR 120v Bulldog Xtreme

Bosch 11253VSR Bulldog Xtreme

The Bulldog Xtreme. Multi-function Selector has 3 modes of operation: rotary hammer, hammer-only and rotation-only mode. Vario-Lock Positioning rotates and locks chisel into 36 different positions to optimize working angle. The patented Rotating Brush Plate provides equal power in forward and reverse. Integral Clutch helps minimize torque reaction. The 11253VSR has a pistol grip design.



Bosch 11255VSR 120v Bulldog Xtreme

Bosch 11255VSR Bulldog Xtreme

The Bulldog Xtreme. Multi-function Selector has 3 modes of operation: rotary hammer, hammer-only and rotation-only mode. Vario-Lock Positioning rotates and locks chisel into 36 different positions to optimize working angle. The patented Rotating Brush Plate provides equal power in forward and reverse. Integral Clutch helps minimize torque reaction. The 11253VSR has a pistol grip design.



Bosch 11245EVS Combination Hammer

Bosch 11245EVS Combination Hammer

The Bosch 11245EVS 2-In. SDS-max® Combination Hammer features a powerful 14.0-AMP motor that provides outstanding drilling performance in a hammer that weighs less than 25 lbs. The hammer includes two modes of operation: hammer-rotation and hammer-only. The tool's electro-pneumatic impact system maximizes impact force and minimizes vibration, while the 12-position Vario-Lock™ helps optimize the chiseling angle.



Bosch 11265EVS Combination Hammer

Bosch 11265EVS Combination Hammer

Unmatched Power to Weight Ratio - 13 Amps, 8.1 ft-lbs Impact energy & 14.3 lbs – Best performing rotary hammer in its class!

Rotary Hammers (cont.)



Metabo KHE-D24 5.6 amp 1"

Metabo KHE-D24



Metabo hammers use standard SDS, or SDS Max carbide bits. Their highly efficient ball and roller bearing motors are rated between 4 and 15 amps, and all have our unique winding protection grid. Fitted with electronic controls, ranging from speed regulators to sophisticated winding-temperature monitoring. They also have the unique Metabo slip clutch, which protects both operator and tool when an obstruction is encountered.



Metabo KHE-D28 8.3 amp 1 1/8"

Metabo KHE-D28

Metabo hammers use standard SDS, or SDS Max carbide bits. Their highly efficient ball and roller bearing motors are rated between 4 and 15 amps, and all have our unique winding protection grid. Fitted with electronic controls, ranging from speed regulators to sophisticated winding-temperature monitoring. They also have the unique Metabo slip clutch, which protects both operator and tool when an obstruction is encountered.



Wacker EHB7M 120v

Wacker EHB7M



This lightweight hammer is designed for maximum efficiency and productivity. The combination of extreme durability, low service requirements plus powerful impact performance provides top results and excellent operating efficiency. The high-quality design allows for maximum service life as well as the longest service intervals in its class.



Wacker EH9BLM 110 - 127v

Wacker EH9BLM

The three-phase AC motor means that there is no changing of worn-out carbon brushes. Failures due to burnt-out windings in the rotor of the motor are likewise a thing of the past. On the other hand, the built-in frequency inverter is a very useful feature, since it means that magic electric hammers can be plugged in to a standard mains socket.



Wacker EH11BLM 230v

Wacker EHB11BLM

The innovative magic drilling and chiseling hammers save money because they lose no time due to maintenance and failures. The three-phase AC motor means that there is no changing of worn-out carbon brushes. Failures due to burnt-out windings in the rotor of the motor are likewise a thing of the past.



Rotary Hammers (cont.)



Wacker EHB11BLS 110 - 127v



Wacker EHB11BLS

The innovative magic drilling and chiseling hammers save money because they lose no time due to maintenance and failures: The three-phase AC motor means that there is no changing of worn-out carbon brushes. The built-in frequency inverter is a very useful feature, since it means that magic electric hammers can be plugged in to a standard mains socket.

Demolition Hammers



Bosch 11311 120v



Bosch 11311

Bosch 11311 Demo Hammer. The Bosch Demolition Hammer features Constant Response circuitry that provides a soft start, maintains constant speed under load and supplies overload protection. It's powerful 14 Amp motor delivers up to 1890 BPM. With variable-speed control, you can adjust the impact force to the material you're removing.



Bosch 11316EVS 120v

Bosch 11316EVS

This model is a favorite because it's so user-friendly, weighing in at under 23 pounds and about as many inches in length – practically diminutive next to its competition. Its power, however, is not at all relative to its size, offering a range of impact energy from 4.4 to 18.4 ft./lbs. and up to 1,890 blows per minute, reducing tough concrete to dust.



Bosch 11321EVS 120v

Bosch 11321EVS

Unmatched power-to-weight ratio; 13 amp, 9.6-feet per pounds impact force. Fastest removal rate in its class. Vibration reduction in the hammer mechanism and the grip area provides maximum user comfort for extended periods of work. Tool indicates when preventative maintenance is required.

Grinders



Bosch 1375A 4 1/2"

Bosch 1375A

The Bosch 1375A 4-1/2-Inch angle grinder features a powerful 6.0 amp motor that produces 11,000 no-load rpm, making this compact grinder a powerhouse tool. With a well-designed grip, lock-on slide switch, two-position side handle and 11,000 no-load rpm, this workhorse can get the job done. It is well suited for metal fabrication, concrete restoration, pipe fitting and more.



Bosch 1380 SLIM2P 4 1/2"

Bosch 1380 SLIM2P

Ergonomic Slim Grip. Adds comfort and convenience for all day use. Powerful 7.5 Amp Motor. Provides the ability to grind various materials and applications with ease and speed. Directed Air Flow. Diverts dust away from vital components and extends tool's life. Removable Brush Covers. Allows easy and fast tool brush replacements.



Bosch 1810PS 4 1/2"

Bosch 1810PS

Bosch's 1810PS 4-1/2-inch grinder has the power and performance needed for any power carving application. It illuminates quality, precision, and power, all trademarks to Bosch. Whether you are a professional looking for a workhorse tool to draw power from DC outlets or at home looking to grind basic welds, this grinder is your perfect match.



Bosch 1873-8 7"

Bosch 1873-8

BOS1873-8 Features: -Bosch® Model 1873-8, 7" large angle grinder with rat tail handle is extremely versatile because of its ability to run on both AC and DC current. Precision spiral bevel gears, reinforced armature windings, epoxy-coated field windings and Service Minder™ brushes prove this grinder is built for the long haul.



Bosch 1893-6 7"

Bosch 1893-6

Vibration Control Side and Main Handles: Reduces vibration up to 60 percent, providing uncompromising user comfort for extended periods of work. AC/DC Capability: Extends the versatility of the tool by working from DC outlets such as welders and generators.

ELECTRIC TOOLS

Grinders (cont.)



Bosch 1821D 4 1/2"

Bosch 1821D

Bosch Power Tools deliver stronger performance and lasting reliability. The Bosch 1821D 5 In. rat tail grinder is powerful and durable enough for the most demanding jobs. It is light weight. It is also compact in size. Not equipped with a lock-on switch to help prevent accidental start-ups.



Metabo WEP14-150 4 1/2"

Metabo WEP14-150



The Metabo WEP15-150 Quick is packed with features to make it easy and convenient to use. Electronic soft start, Metabo "Quick" tool change, and dead-man function to shut off when the button is released, complement the Metabo Longlife Motor.



Metabo WE14-150 4 1/2"

Metabo WE14-150

Metabo is well known for its top-class angle grinders. Excellent quality, high performance and user-friendly ergonomics are characteristics which are also distinctly evident in our new generation of small angle grinders. Their design is completely new and even more ergonomic. Includes WEP14-150 Quick 6-in 9,000 RPM 12.0 Amp Angle Grinder with Deadman Switch

Magnetic Drills



Jancy JN101 Mag Drill

Jancy JM101

Jancy JN101 Mag Drill. The Slugger 2x2 is an portable magnetic drill that can cut a depth of 2" and at a diameter of 2". This is the smallest drill available that can cut through 2" of carbon steel. Lightweight at only 36.25 pounds makes this mag drill ideal for applications such as bridge building, steel erecting, ship building, and steel fabricators.



Rebar Bender/Cutter



Fastcut FR-80-C Rebar Bender

Fastcut FR-80-C Rebar Bender

The model FR-800-C combines a rotary bender with a heavy-duty shear to cut and bend up to and including #8 (1-in. diameter) rebar. Fabricate stirrups, hooks and 3-D bends and cut bars to length. Plugs into a standard 110-volt outlet.



Power Strips & Surge Protectors



Century Pro Surge Protectors

Allows you to safely and conveniently add multiple power outlets to your home, office or workshop. Century's Power Strips and Surge Protectors have built-in circuit breakers, transformer charging stations and rocker-type on/off switches.

Century Pro Power Strips & Surge Protectors

Heavy Duty Extension Chords



Pro Glo Extension Chords

Our special Pro Glo® SJTW (300V) jackets offer high visibility for safety underfoot and extra flexibility in cold weather. Each male plug has a built in amber neon light which indicates that there is power in the cords and outlet. In addition, these extension cords provide Continuous Current and Ground Monitoring (CGM), an OSHA safety requirement.

Green 12/3 50' & 12/3 100' - Pink 12/3 50' & 12/3 100'
Purple 12/3 50' & 12/3 100'

Pro Glow Extension Chords



Century Power Triple Tap

Our heavy duty Century Power™ triple tap extension cords have become the industry standard for durability and safety. The triple tap connector provides three standard 15A-125V outlets for convenient operation of multiple tools and small appliances.

Century Triple Tap Extension Chords

Triple 12/3 2', Triple 12/3 50', Triple 12/3 100'



Sub Zero Cold Weather

This extension cord was designed for use in Cold Weather where flexibility is the main concern. The special SJEOW rubber elastomer jacket prevents the cords from cracking and will remain flexible in temperatures well below freezing. Passes the UL cold bend test at -50°C.

Cold Weather Extension Chords

Polar 12/3 50', 12/3 100', Polar 10/3 50', 10/3 100'

We have adaptors, GFI's & Multi-GFI's available.

Chainsaws

STIHL®

**STIHL MS180 C-BE**

The MS 180 C-BE is where handy meets high tech. And this lightweight, easy-to-maneuver chainsaw's first order of business is fast, easy starting with the STIHL Easy2Start™ system.

STIHL MS180C-BE Chainsaw

**STIHL MS201T Arborist**

We call it “the ultimate arborist saw.” And for good reason. Powered by scavenging engine technology, fuel consumption is reduced by 20% over former models, allowing you to cut more before refueling. In addition, this saw comes standard with the STIHL PICCO™ SUPER 3 saw chain for improved cutting and boring efficiency, as well as a longer cutting life.

STIHL MS201T Chainsaw Arborist

**STIHL MS170**

The STIHL MS 170 is the perfect lightweight chainsaw for homeowners seeking a great value. Compact, lightweight with just the right amount of power, the MS 170 makes quick work of trimming or cutting small trees, fallen limbs after a storm, and other tasks around the yard.

Stihl MS170 Chainsaw

**STIHL MS271-16 Wood Boss**

The STIHL® MS 271 Wood Boss® Chain Saw is loaded with features and technology. It has a highly efficient engine delivering 20% longer run times between refuelings – while cutting exhaust emissions in half. This chainsaw also has a pre-separation air filtration system that's so effective, the air filter can last up to five times longer. All this has been engineered into one compact, ergonomic design.

STIHL MS271-16 Wood Boss



Chainsaws

STIHL®



STIHL MS280 Chainsaw

STIHL MS280

If you need a chainsaw for a big home project, check out the Stihl MS 280. Packed in this consumer chainsaw are professional-grade features, including a powerful 54.7 cc, 3.6 bhp engine, Intelligent Engine Management that optimizes engine power and performance automatically, heavy-duty anti-vibration system, quick chain adjurer, and many more.



STIHL MS251 C-BE Chainsaw

STIHL MS251C-BE

The STIHL MS 251 C-BE Chainsaw features all the comfort and ease of the MS 251, but is easy to start and adjust on the fly. The MS 251 C-BE is perfect for felling small trees, pruning and thinning, and cutting firewood simply and efficiently.



STIHL MS441 Magnum

STIHL MS441 Magnum

The MS 441 C-M MAGNUM® engine is the STIHL M-Tronic™ engine management system that intelligently manages the operating performance of the engine. The M-Tronic™ automatically and constantly adjusts the fuel-air mixture, maintaining maximum operating efficiency under varying conditions like altitude, outside temperature, a dirty air filter or poor fuel quality.



STIHL MS660 Artic Pro

STIHL MS660 Artic Pro

With full-wrap heated handles and carburetor for optimal performance in extreme weather conditions. Featuring a full-wrap handle for improved maneuverability, a decompression valve for easy starting, the Intelli-Carb™ compensating carburetor system to keep it running at full rpm, and heavy-duty air filter and fuel and oil caps with retainers, this reliable chain saw will take care of even the most demanding cutting jobs.



Chainsaws

STIHL®



STIHL MS880 Chainsaw

STIHL MS880

For the most demanding challenges and extreme conditions when harvesting big timber, the STIHL MS 880 meets the need. Robust design and excellent power to weight ratio make this saw ideal for the toughest jobs in the forest. Available in guide bar lengths 30"/75cm to 48"/120cm.



STIHL GS461 Rock Boss

STIHL GS461 Rock Boss

When you need to cut deep into concrete, reach for the Boss – the STIHL GS 461 Rock Boss®. This revolutionary concrete cutter changes the game with enhanced performance that cuts up to 15.7" deep into concrete, reinforced concrete (with rebar up to ½ inch), cinder blocks, masonry bricks, asphalt and soft stone. And it does all of this in a compact, light-weight package that is easy to maneuver and transport.

Trimmers



STIHL HS80 Hedge Trimmer 24"

STIHL HS80

New series of professional hedge trimmers that is lightweight and fast. Features a swivel handle for improved comfort. The HS 80 comes with a 24" blade and has Stihl's patented Elasto-Start shock absorbing handle. It is light weight and well balanced for reduced vibration levels that make trimming hedges incredibly easy.



STIHL FS40 C-E Trimmer

STIHL FS40 C-E

This entry-level trimmer feels like first class. The STIHL FS 40 C-E trimmer is lightweight, balanced in hand and features a curved shaft for exceptional handling.



STIHL FS45 C Trimmer Loop EZ-Start GS

STIHL FS45 C

STIHL FS45C Trimmer Loop EZ-Start GS. Effortless super Easy2-Start for all the family. Powerful .75Kw engine output. Powerful 27.2 cc engine capacity. Stihl seamless easy to load nylon head without the necessity of removing the head



Trimmers

STIHL®



STIHL FS46 Trimmer

STIHL FS46

Lightweight and powerful, the FS 46 has an extra-long shaft (L) to make trimming jobs easier for taller users. With dual line, TapAction™ AUTO-CUT® cutting head. Can use either nylon line or a PolyCut™ head. STIHL's famous Quad Power™ engine is standard.



STIHL FS56 R-CE Trimmer

STIHL FS56 R-CE

More power, less emissions. The FS 56 RC-E trimmer features a high-performance, fuel-efficient engine that runs cleaner and smoother and provides about 5% more power than the FS 55 R. When it's not squeezing every last ounce of performance from its upright fuel tank, this straight-shaft grass trimmer keeps the weeds at bay, thanks to its AutoCut® cutting head.



STIHL FS100 RX Trimmer

STIHL FS1000 RX

Trim circles around other professional trimmers with the lightweight STIHL FS 100 RX trimmer. With its high-powered and low exhaust emission engine, this straight-shaft trimmer delivers one of the best power-to-weight ratios in its class. It features a loop handle for excellent maneuverability around landscaping obstacles and its anti-vibration system provides enhanced user comfort.



STIHL FS110R Trim Loop

STIHL FS110 R

When you need more power to cut through your landscaping tasks, the STIHL FS 110 R trimmer has the extra muscle you're looking for. Its advanced low exhaust emission engine is powerful and fuel-efficient while you cut through thick and thin.



Trimmers

STIHL®



STIHL Trimmer FS94 R

STIHL FS94 R

Dependable performance meets variable speed control. The STIHL FS 94 R trimmer delivers one of the best power-to-weight ratios in its class, weighing just over 10 pounds – great for maneuvering around hills, landscaping stones and other terrain.



STIHL Trim FS110 Bike Handle

STIHL FS110

The STIHL FS 110 bike-handle trimmer has the same power and features as the FS 110 R, but includes bike handles for trimming large swaths of land. With its swift and smooth acceleration and anti-vibration system, this trimmer is comfortable to use, whether you're mowing flat terrain or scraggly inclines.



STIHL FS45 OK Saw Trim Brushcut Bike

STIHL FS45 OK

Get to the root of your big jobs with the FS 450 K, made for professional forest clearing and thinning applications. With more power and the same features as the FS 350, this operator-friendly STIHL brushcutter and clearing saw lets you quickly cut through thick undergrowth, saplings and other ground-level debris with ease. A high power-to-weight ratio and a rugged anti-vibration design help ensure extra operator comfort.



STIHL FS250 R Trimmer w/Loop Handle

STIHL FS250 R

The STIHL FS 240 R professional trimmer combines a heavy-duty design with the versatility needed to handle a variety of challenging clearing situations. Providing 20% more fuel efficiency, the low-exhaust-emission engine, combined with the large (25.4 oz.) fuel tank, means you'll spend more time cutting and less time refueling.




NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640



BILJAX Scaffolding System

- BILJAX - Float Coupler
- BILJAX - Float Coupler
- BILJAX - Diagonal Brace
- BILJAX - Mid Post
- BILJAX - Toeboard Steel
- BILJAX - Guardrail Panel, SD 7'
- BILJAX - Guardrail Panel End
- BILJAX - Adjustable Swivel Jack
- BILJAX - 19"x7' Aluminum Platform
- BILJAX - V-Clip Coupler
- BILJAX - Toggle Pin
- BILJAX - End Frame



COMPONENTS: See price list for complete component listing or consult factory.

				
0127-163-06 Platform Arm Brace, featuring the new Saf-T-Lok®	0127-108-06 Plywood Deck w/ Steel Frame	0127-113 Expanded Steel Deck		
0127-007-3 39" Additional Height Unit	0127-007-5 65" Additional Height Unit	0127-102 39"H Frame	0127-101 65"H Frame	
				
0026-952 Caster	0026-835 Caster	0127-150-18 18" W Outrigger Pkg.	0127-150-24 24" W Outrigger Pkg.	0127-149-06 6' Guard Rail Pkg



Job Name: _____ Date: _____

By: _____ Chk: _____ Job# _____ Sheet# _____ of _____

Contractor: _____

Description: _____

Large grid area for notes.

www.whartonhardware.com

8042 Old Alexandria Ferry Rd. Clinton, Maryland 20735

Phone# 301-877-8640

Fax# 301-877-8643



NJ: 856-662-6935 VA: 703-569-6660 | 703-455-6700 MD: 301-877-8640

