



SAFETY FIRST. GO STRONG.

www.strongman.com | 1-800-950-6999

CONSTRUCTION TARPS

The Strong Man Mighty Tarp

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ 18 Ounces Per Square Yard Coated PVC, 40 Mil Thickness
- ▶ 6" Reinforced Hems & Corners
- ▶ 2" Welded D-Rings With Webbing For Superior Strength
- ▶ Rust Proof Brass Grommets Every 3' Around Perimeter & On Internal Seams
- ▶ Polypropylene Rope In Hem
- ▶ Puncture & Rip Resistant

Sizes & Availability:

15' x 20' (2 Per Carton)
20' x 21' Finished Size (1 Per Carton)
20' x 30'-3 (1 Per Carton)



The Super FR Tarp

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ Premium White Woven Polyethylene
- ▶ Super Strong 14 x 14 Weave, 15 Mil Thickness
- ▶ 4" Reinforced Hems & Corners
- ▶ 1" Welded D-Rings With Webbing For Superior Strength
- ▶ Rust Proof Grommets Every 3' Around Perimeter & On Internal Seams
- ▶ Polypropylene Rope In Hem
- ▶ Puncture & Rip Resistant

Sizes & Availability:

15' x 20' (3 Per Carton)
20' x 21' Finished Size (2 Per Carton)
20' x 30'-3 (2 Per Carton)



Heavy Duty FR Tarp

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ High-Quality White Woven Polyethylene
- ▶ Strong 10 x 10 Weave, 10 Mil Thickness
- ▶ 2" Reinforced Hems & Corners With Folded Patches
- ▶ Rust Proof Grommets Every 3' Around Perimeter & On Internal Seams
- ▶ Polypropylene Rope In Hem
- ▶ Puncture & Rip Resistant

Sizes & Availability:

10' x 20' (10 Per Carton)
12' x 20' Finished Size (5 Per Carton)
15' x 20' (5 Per Carton)
16' x 20' Finished Size (5 Per Carton)
20' x 21' Finished Size (4 Per Carton)
20' x 21'-5 Finished Size (4 Per Carton)
20' x 30'-1 (2 Per Carton)
20' x 30'-3 (2 Per Carton)



Econo FR Tarp

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ High-Quality White Woven Polyethylene
- ▶ Durable 7 x 7 Weave, 6 Mil Thickness
- ▶ 2" Double-Stitched Hems
- ▶ Rust Proof Grommets Every 3' Around Perimeter & On Internal Seams
- ▶ Plastic Reinforced Corner Pieces For Superior Strength
- ▶ Puncture & Rip Resistant

Sizes & Availability:

15' x 20' (5 Per Carton)
20' x 21' Finished Size (4 Per Carton)
20' x 30'-1 (2 Per Carton)



VAPOR/MOISTURE/GAS BARRIERS

Raven VaporBlock® 10, 15 & Plus™ 20

- ▶ Highly-Resilient Underslab/Vertical Wall Barrier
- ▶ Constructed From State-Of-The-Art Polyethylene & Barrier Resins
- ▶ Superior Resistance To Gas & Moisture Transmission
- ▶ Resists Attack By Organisms In The Contracting Soil
- ▶ Greatly Reduces Damaging Moisture Migration Through Walls & Under Concrete Slabs
- ▶ Resists Tearing & Puncture During Installation
- ▶ Meets Or Exceeds ASTM E 1745 Performance Classes
- ▶ Excellent "Perm Ratings"

Sizes & Availability:

VaporBlock 10: 15' x 200'

VaporBlock 15: 12' x 200'

VaporBlock 20: 10' x 150'

- ▶ Visit WWW.STRONGMAN.COM For A Full Cut/Spec Sheet



SPECIALTY TARPS

Supreme UV Silver/Black Non-Fire Retardant Tarp

- ▶ Color: Top – Silver, Bottom – Black
- ▶ High Density Woven Polyethylene
- ▶ 14 x 14 Weave, 10 Mil Thickness
- ▶ Rust-Proof Grommets Every 3' On Center
- ▶ Heat-Sealed Hems & UV-Treated
- ▶ Polypropylene Rope In Hem
- ▶ Heavy Duty Plastic-Reinforced Corners
- ▶ Puncture & Tear-Resistant

Sizes & Availability:

16' x 20' (4 Per Carton) 30' x 50' (1 Per Carton)

20' x 20' (3 Per Carton) 40' x 60' (1 Per Carton)

20' x 30' (2 Per Carton) 50' x 100' (1 Per Carton)

20' x 40' (2 Per Carton) 100' x 100' (1 Per Carton)

30' x 40' (1 Per Carton)

- ▶ All Tarps Listed Are Finished Size



Water-Diverting Drainage Tarp

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ Premium White Woven Polyethylene
- ▶ Super Strong 14 x 14 Weave, 15 Mil Thickness
- ▶ 1" D-Rings In Each Corner
- ▶ Double-Stitched Hems
- ▶ Equipped With Fitting That Easily Connects To Any Standard ¾" Garden Hose
- ▶ Puncture & Rip Resistant

Sizes & Availability:


3' x 6' (10 Per Carton) 10' x 10' (5 Per Carton)

6' x 6' (10 Per Carton) 12' x 12' (5 Per Carton)

6' x 8' (10 Per Carton) 15' x 15' (5 Per Carton)

6' x 10' (5 Per Carton)

- ▶ All Tarps Listed Are Cut Size
- ▶ Sizes 12' x 12' & 15' x 15' Have Additional D-Rings On Each Side (Middle)



Snow Removal Tarp

- ▶ 18 Oz PVC Coated Polyester
- ▶ Stock Color: Black
- ▶ Webbing: 4" Black
- ▶ Stainless Steel Grommets Every 24" On-Center
- ▶ Heat Seamed Construction
- ▶ Lockstitch Sewing Around The Perimeter
- ▶ Webbing Reinforced Hem

Sizes & Availability:

- ▶ 20' x 20'



SPECIALTY TARPS

Demo, Canvas, PVC & Air Bag Tarps

- ▶ Heavy-Duty Webbing, Stitching & Grommets
- ▶ Durable & Strong Material
- ▶ Superior, Consistent Fabrication
- ▶ Fire-Retardant & Non-Fire Retardant Available
- ▶ Puncture & Rip Resistant

Sizes & Availability:

- ▶ Each Request Is **MADE TO ORDER**. Please Call For More Information & A Quote Today
- ▶ Fire-Retardant Not Available In All Materials



DEBRIS & SAFETY NETTING

SBN-22 Safety Debris Netting

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ Knitted High Density Polyethylene (HDPE) With ¼" Mesh Openings
- ▶ Edges Are Hemmed & Reinforced For Easy Installation
- ▶ Lightweight, UV-Treated & Long Lasting
- ▶ Rip Resistant Mesh Netting
- ▶ Large Hole Openings Allow For Maximum Air Permeability
- ▶ Will Not Unravel When Cut
- ▶ Flexible In Cold Temperatures
- ▶ Debris Containment, Scaffold Netting, Shutdowns/Turnarounds, Floor To Ceiling Protection

Sizes & Availability:

Orange/Blue	4' x 150'	10'6" x 150'
Fire Retardant:	5'6" x 150'	12' x 150'
	8'6" x 150'	
Black Fire Retardant:	8'6" x 150'	10'6" x 150'
Gray/White	8'6" x 150'	
Fire Retardant:		
Green Fire Retardant:	4' x 150'	8'6" x 150'
Black Non-Fire Retardant:	4' x 150'	10'6" x 150'
	8'6" x 150'	



SBN-427 PVC-Coated Debris Netting

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ PVC Coated Polyester With 5/32" Mesh Openings
- ▶ High Visibility Fluorescent Orange
- ▶ Edges Are Hemmed & Reinforced For Easy Installation
- ▶ Lightweight, UV-Treated & Long Lasting
- ▶ Rip Resistant Mesh Will Not Unravel When Cut
- ▶ Hole Openings Allow Air to Flow Through
- ▶ Flexible In Cold Temperatures
- ▶ Meets OSHA Requirements & NYC Local Law #61
- ▶ Debris Containment, Scaffold Netting, Shutdowns/Turnarounds, Short Term Guardrail

Sizes & Availability:

4' x 150'
5'6" x 150'



MADE IN THE USA!

SBN-324 Debris Netting

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ Knitted High Density Polyethylene (HDPE) With 1/16" Mesh Openings
- ▶ Hems With Reinforced Buttonholes For Easy Installation
- ▶ Durable 60% Mesh
- ▶ UV-Treated & Long Lasting
- ▶ Rip Resistant Mesh Will Not Unravel When Cut
- ▶ Flexible In Cold Temperatures
- ▶ Debris Containment, Scaffold Netting, Floor To Ceiling Protection, Guardrail

Sizes & Availability:

Black/White Fire Retardant:	8'6" x 150'	10' x 150'
Green Fire Retardant:	8'6" x 150'	
Blue Fire Retardant:	4' x 150'	10' x 150'
	8'6" x 150'	
Tan Fire Retardant:	10' x 150'	
Black Non-Fire Retardant:	4' x 150'	15' x 150'
	8'6" x 150'	10' x 300'
	10' x 150'	12' x 300'



To locate a distributor, visit www.strongman.com/contact or call 1-800-950-6999.


DEBRIS & SAFETY NETTING

SBN-1460 Heavy Duty Debris Netting

- ▶ Knitted High Density Polyethylene (HDPE) With 1/32" Mesh Openings
- ▶ Available In Non-Fire Retardant Only
- ▶ Hems With Reinforced Buttonholes For Easy Installation
- ▶ Durable 70% Mesh
- ▶ UV-Treated & Long Lasting
- ▶ Rip Resistant Mesh Will Not Unravel When Cut
- ▶ Flexible In Cold Temperatures
- ▶ Debris Containment, Scaffold Netting, Ideal For Use In Fabrication

Sizes & Availability:

Black Non-Fire Retardant: 10' x 300' 12' x 300'



Heavy Duty Mesh Tarps

- ▶ Knitted High Density Polyethylene (HDPE) With 1/32" Mesh Openings
- ▶ Reinforced Hems With Grommets Added Every 18" For Superior Strength
- ▶ Durable 70% Mesh
- ▶ UV-Treated & Long Lasting
- ▶ Rip Resistant Mesh Will Not Unravel When Cut
- ▶ Flexible In Cold Temperatures
- ▶ Debris Containment, Construction Cover, Sandblasting, Bridges, Tanks & Water Towers

Sizes & Availability:

12' x 50'
20' x 20'
20' x 30'
20' x 40'
20' x 50'
30' x 40'

- ▶ 12' x 26' Dumpster Covers Now Available!
- ▶ CUSTOM SIZES & FIRE RETARDANT MESH TARPS
MADE TO ORDER!



Privacy Screen Fence Netting

- ▶ Knitted High Density Polyethylene (HDPE) Mesh Netting
- ▶ Reinforced Buttonholes Or Rust Proof Grommets
- ▶ 85% Mesh Shade Cloth
- ▶ UV-Treated & Long Lasting
- ▶ Rip Resistant, Lightweight Mesh
- ▶ Mold & Mildew Resistant

Sizes & Availability:

Green/Black With Rust-Proof Grommets: 68" x 50'
68" x 150'
92" x 150'

Green/Black/Blue With Reinforced Buttonholes: 68" x 50'
68" x 150'
92" x 150'

Saddle Tan: 68" x 150'



Personnel Safety Nets & Perimeter Systems

- ▶ Industrial Grade High Tenacity Knotted Nylon Netting
- ▶ 3.5" Diamond Mesh
- ▶ Debris Liner: 1/16" Mesh
- ▶ ½" High Tenacity Polypropylene Synthetic Rope
- ▶ Steel Snap Hooks Staggered 4' On Center Around Perimeter
- ▶ UV-Treated & Stabilized
- ▶ Complies With ANSI A10.11-1989 For Personnel & Debris Nets
- ▶ Complies With OSHA For Safety & Fall Protection Systems

Sizes & Availability:

- ▶ Stock & Custom Sizes Available
- ▶ Standard & Heavy-Duty Styles Available
- ▶ Available With Or Without An Attached Debris Liner



CUSTOMIZED/LOGO PRINTED MESH

Customized/Logo Printed Mesh

- ▶ Made From Superior Strength Reinforced PVC Vinyl Fabric
- ▶ Heat Sealed Edges & Grommets, Webbing Is Optional
- ▶ High-Resolution Logo Printing
- ▶ High-Resolution Image Printing & Decorative Scrim
- ▶ Various Shade Factors Available
- ▶ UV-Treated
- ▶ Flame Retardant, Meets NFPA 701 Test Method II, Debris Netting Only
- ▶ Non-Fire Retardant Available

Sizes & Availability:

- ▶ Capable Of Printing Seamless Widths Up To 10'6" & Over 200' In Length.
- ▶ If You Need It Printed, Strong Man Has A Solution.
- ▶ Each Request Is **MADE TO ORDER** Based Upon Your Specific Needs.



REINFORCED POLY SHEETING & SCAFFOLD WRAP

D12/Strong Wrap: Fire Retardant Scaffold Wrap

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ Scrim-Reinforced Premium Grade Polyethylene
- ▶ Fabric Weight Including Reinforced Bands: 250 GSM
- ▶ Reinforced Bands: 14 x 14 Weave Per Sq. Inch, 1200 Denier, Pre-Punched 15mm Eyelets For Easy Installation
- ▶ UV-Treated & Long Lasting
- ▶ Superior Strength

Sizes & Availability:

- 7'6" x 100' (With 3 Bands)
- 8'6" x 100' (With 3 Bands)
- 13' x 100' (With 5 Bands)
- ▶ **Install With Our BC-111 Bungee Cords & HD Seam Tape To Ensure Proper Installation**



String-Reinforced Polyethylene Sheeting

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ Premium Grade, High Strength Polyethylene Sheeting
- ▶ Diamond Scrim & Square Scrim Patterns Available
- ▶ 6 & 10 Mil Thickness
- ▶ FR: White, NFR: Clear
- ▶ Rip & Puncture Resistant Reinforced Scrim
- ▶ Mold & Mildew Resistant
- ▶ Durable & Flexible In Cold Temperatures
- ▶ Temporary Wall, Window, Cover & Weather Enclosure

Sizes & Availability:

- 10' x 100'
- 20' x 100'
- 40' x 100'
- ▶ **All Sizes Available In Fire Retardant Or Non-Fire Retardant**
- ▶ **20' x 100' Also Available In 10 Mil**



Strong Weave 77 Woven Reinforced Poly

- ▶ Fire Retardant: Meets NFPA 701 Method II & Boston Fire Marshal BFD IX-1
- ▶ High Strength Coated Woven Polyethylene Film
- ▶ 6 Mil Thickness, UV-Treated
- ▶ Weave: 7 x 7 Per Square Inch
- ▶ FR: White, NFR: Clear
- ▶ Rip & Puncture Resistant Reinforced Scrim
- ▶ Mold & Mildew Resistant
- ▶ Durable & Flexible In Cold Temperatures
- ▶ Temporary Wall, Window, Cover & Weather Enclosure

Sizes & Availability:

- 10' x 100'
- 20' x 100'
- 40' x 100'
- ▶ **All Sizes Available In Fire Retardant Or Non-Fire Retardant**



ANTI-STATIC NON-REINFORCED POLY

Anti-Static Non-Reinforced Poly

- ▶ Fire Retardant: Meets NFPA 701 Method II
- ▶ Non-Reinforced White Poly Sheeting
- ▶ 6 Mil Thickness
- ▶ Durable & Rip Resistant
- ▶ Flexible In Cold Temperatures
- ▶ Anti-Static Films Are Recommended For Applications Where Static Electricity Discharge Could Harm Sensitive Equipment.

Sizes & Availability:
20' x 100'



MADE IN THE USA!

CURING BLANKETS

QuickCure Curing Blanket

- ▶ High Strength Coated Woven Polyethylene With Closed Cell PE Foam Core
- ▶ 8 x 8 Weave Per Square Inch & UV-Treated
- ▶ Non-Fire Retardant
- ▶ Insulation: Closed Cell PE Foam Core (Polyethylene)
- ▶ Foam Thickness: 3/8" Or 1/2"
- ▶ Silver & Black In Color
- ▶ Edges Are Hemmed, Double Stitched & Reinforced With Poly Carbonate Grommets
- ▶ Mildew Resistant, Weather Resistant
- ▶ Designed For Cold Weather Applications

Sizes & Availability:
6' x 25', 2 Layer, 3/8" Foam Insulation

- ▶ R-Value On Surface = 1.35
- ▶ R-Value With Air Space = 3.30

6' x 25', 3 Layer, 1/2" Foam Insulation

- ▶ R-Value On Surface = 1.50
- ▶ R-Value With Air Space = 3.43



Conkure® Wet Curing Blanket

- ▶ High Absorbent Synthetic Needle-Punched Fabric Coated With A White Reflective Film
- ▶ Will Not Rot Or Mildew
- ▶ Lightweight & Disposable
- ▶ Economical Choice For Concrete Curing
- ▶ Strong Enough To Be Reused When Cared For Properly

Sizes & Availability:
9' x 250'

Uses:

- ▶ Flat Work
- ▶ Pavement
- ▶ Roads
- ▶ Columns
- ▶ Bridges
- ▶ Tunnels
- ▶ Building Construction
- ▶ Decorative Concrete
- ▶ Stained Concrete



FENCING

SBF-76 Barrier Fencing

- ▶ High-Quality Orange Polyethylene
- ▶ Superior Strength & Dependability
- ▶ Durable & Lightweight
- ▶ Easy To Install & Dismantle

Sizes:

4' x 100'
4' x 150'



SBF-18 Diamond Mesh Plastic Fencing

- ▶ High Visibility Orange Polyethylene
- ▶ Superior Strength & Dependability
- ▶ Rigid & Lightweight
- ▶ Easy To Install & Dismantle

Sizes:

4' x 50'



ACCESSORIES

Heavy-Duty Seam Tape



- ▶ Heavy-Duty Polyethylene Multi-Purpose Tape With Rubber Adhesive
- ▶ 10 Mil Thickness
- ▶ Designed For Permanent Applications
- ▶ Superior Strength & Hold In Cold Temperatures
- ▶ Ideal For Use With Our String & Woven Poly & Scaffold Wrap

Sizes:

3" x 180' (16 Rolls/Carton)

PVC Seam Tape



- ▶ Industrial Strength PVC Tape
- ▶ 6 Mil Thickness
- ▶ Strong Grip & Hold In A Variety Of Weather Conditions
- ▶ Ideal For Use With Our String & Woven Poly & Scaffold Wrap

Sizes:

6" x 108' (8 Rolls/Carton)

BC-111 Round Barrel Bungee Cord


- ▶ Heavy-Duty Hook & Barrel Elastic Tie
- ▶ Length: 12", Color: Black
- ▶ Elastic Bungee Cord With Puncture Tip On One Side With Hook-Shaped Toggle On The Opposite End
- ▶ Used To Safely & Securely Fasten Scaffold Sheeting, Reinforced Poly & Tarps To Scaffolding Or Other Structural Framework
- ▶ Easy To Install & Remove
- ▶ Reusable
- ▶ Suitable For Cold & Warm Weather Applications

Sizes & Availability:

- ▶ Save Time & Labor During The Installation Of Scaffold Enclosures
- ▶ Install Enclosures From The Inside Rather Than Outside To Increase Efficiency
- ▶ Use The Strong Man BC-111 Bungee Cord When Installing Scaffold Wrap, String & Woven Reinforced Poly Sheeting, Construction Tarps & Specialty Tarps




Strong Clip



- ▶ Heavy-Duty Nylon
- ▶ 1.5" Outer Diameter
- ▶ 2.25" Total Length From Cable Loop To Clip Bottom
- ▶ Loop Design Easily Fits Over Aircraft Cable Or Wire Rope
- ▶ Durable & Strong
- ▶ Fast & Easy To Install
- ▶ Suitable For Cold & Warm Weather Applications
- ▶ 50 Pieces/Bag, 50 Bags/Carton

Scaffold/Wind Clips



- ▶ Wind Clips Are Made From Durable Molded Polyethylene
- ▶ Length: 11", Color: Black
- ▶ Securely Fastens Poly Sheeting & Poly Tarps To Scaffolding Systems
- ▶ Works On Most Commercial Scaffolding
- ▶ Suitable For Cold & Warm Weather Applications
- ▶ Durable & Reusable
- ▶ 100 Clips/Ctn

Heavy Duty Cable Ties

- ▶ High-Quality, Heavy-Duty Nylon
- ▶ 8", 11" & 14" Available
- ▶ 50 & 120 Lb Test Strength Available
- ▶ 100 Ties Per Bag
- ▶ Black Or White Available
- ▶ UV-Treated & Long-Lasting
- ▶ Heat-Stabilized
- ▶ Angled Tail Features For Easy Handling & Alignment

Sizes & Availability:

- ▶ Use Strong Man Cable Ties When Installing Our Debris Netting, Scaffold Wrap, Poly Sheeting, Construction & Specialty Tarps



ACCESSORIES

Barricade & Warning Tape

- ▶ Accident Prevention
- ▶ Traffic Control
- ▶ Use Indoors & Outdoors
- ▶ Construction-Site Safety

Sizes & Availability:
3" x 500' Per Roll, 12 Rolls/Ctn



Rubber Straps

- ▶ Made From Durable EDPM
- ▶ Length: 31", Color: Black
- ▶ Equipped With "S" Hook For Easy Installation & Removal
- ▶ Suitable For Cold & Warm Weather Applications

- ▶ Use The Strong Man Rubber Strap When Installing Any Of Our Construction, Mesh Or Specialty Tarps



Heavy Duty Rubber Band Tie

- ▶ Made From Durable EDPM
- ▶ Length: 12", Color: Black
- ▶ Equipped With Toggle Hook For Easy Installation & Removal
- ▶ Suitable For Cold & Warm Weather Applications

- ▶ Use The Strong Man Rubber Strap When Installing Any Of Our Construction, Mesh Or Specialty Tarps



SAFETY FIRST. GO STRONG.



To locate a distributor, visit www.strongman.com/contact or call 1-800-950-6999.



To locate a Strong Man distributor,
call **1-800-950-6999**
or visit **www.strongman.com**

MEMBER | ACDI, SAIA, STAFDA, IFAI



STRONG MAN® SAFETY PRODUCTS CORP.

240 W Parkway Pompton Plains, NJ 07444
1610 Greens Road, Ste 400 Houston, TX 77032